

000-042 braindumps

IBM IBM certifications I IBM certifications II

000-042: Developing with IBM Enterprise PL/I

Practice Exam: 000-042 Exams

Exam Number/Code: 000-042

Exam Name: Developing with IBM Enterprise PL/I

Questions and Answers: 140 Q&As

([IBM certifications I](#) [IBM certifications II](#))



"Developing with IBM Enterprise PL/I", also known as 000-042 exam, is a IBM certification. With the complete collection of exam questions,

Exam : [000-042](#)

Just4Study has assembled to take you through 140 Q&As to your 000-042 exam preparation. In the 000-042 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-042 (Developing with IBM Enterprise PL/I) examination of original title complete coverage. 000-042 exam questions help you pass the exam.

Just4Study 000-042 Feature:

* High quality - High quality and valued for the 000-042 Exam: 100% Guarantee to Pass Your 000-042 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-042 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-042 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-042 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-042 Demo Download

Just4Study offers free demo for IBM certifications I 000-042 exam (Developing with IBM Enterprise PL/I). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM IBM certifications I IBM certifications II 000-042** examination of original title complete coverage. 000-042 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-042

Exam Name: Developing with IBM Enterprise PL/I([IBM certifications I](#) [IBM certifications II](#))

Questions and Answers: 140 Q&A

[IBM 000-042](#) Test belongs to one of the IBM certifications I IBM certifications II certified test, if needs to obtain the IBM certifications I IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications I IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications I IBM certifications II 000-042 the newest Q&A, completely covers 000-042 test original topic. With our complete IBM certifications I IBM certifications II resources, you will minimize your IBM certifications I IBM certifications II cost and be ready to pass your 000-042 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-042

Title : Developing with IBM Enterprise PL/I

1. The lead developer is presenting sample code. One of the team members identifies an error in the code. Which of the following is the most appropriate response for the lead developer to make?

- A. Apologize for the error and continue the presentation.
- B. Thank the person for pointing out the error.
- C. Suggest that this error be discussed in the next meeting.
- D. Declare the point irrelevant because this is sample code.

Answer: B

2. Which of the following will definitely NOT cause an unresolved external entry?

- A. Missing library at link time
- B. The main procedure name matching the binder or load module 'name'
- C. A mismatch in names between the CALL and the actual procedure
- D. An incorrect DECLARE for the external entry

Answer: B

3. The XMLCHAR builtin function provides the ability to do which of the following?

- A. Check XML for well-formedness
- B. Check XML for validity
- C. Create an XML buffer from a structure
- D. Read an XML file into a structure

Answer: C

4. What could be used when a structure is passed to a subroutine to verify that the area the structure occupies in storage has not been overwritten?

- A. Structure is passed as a pointer.
- B. Structure has eyecatchers at start and at end.
- C. Structure has a length field at start.
- D. Structure is passed as an aggregate.

Answer: B

5. Which of the following PL/I features is NOT new with Enterprise PL/I?

- A. VALUE attribute for named constants.
- B. UNIONS or CELLS to assign identical storage to different variables.
- C. Writing numeric constants with the underscore sign as a separator.

D. Using hexadecimal constants.

Answer: D

6. Prerequisite:

A sorted input dataset with record length 100 contains at least one record for each of the values '1', '2', '3' in the first byte. The applied sort criteria is 1,100,ch,a.

Requirements:

- 1.) All records with '1' in the first byte must be ignored.
- 2.) All records with '2' in the first byte must be written to the output dataset.
- 3.) If there is a '3' in the first byte, the read iteration must be left.
- 4.) The program must not abend or loop infinitely.

If the code below does not fulfill the specifications provided above, which of the following is the most likely reason?

```
DCL DDIN FILE RECORD INPUT;
DCL DDOUT FILE RECORD OUTPUT;
DCL 1 INSTRUC,
3 A CHAR(1),
3 * CHAR(99);
DCL EOF_IN BIT(1) INIT('0'B);
DCL (Z1,Z2,Z3,ZO) BIN FIXED(31) INIT(0);
ON ENDFILE(DDIN) EOF_IN = '1'B;
READ FILE(DDIN) INTO (INSTRUC);
LOOP: DO WHILE(^EOF_IN);
SELECT(INSTRUC.A);
WHEN('1') DO;
Z1 += Z1;
ITERATE LOOP;
END;
WHEN('3') DO;
Z3 = Z3+1;
LEAVE LOOP;
END;
WHEN('2') DO;
Z2 = Z2+1;
WRITE FILE(DDOUT) FROM(INSTRUC);
END;
OTHER DO;
ZO = ZO+1;
PUT SKIP LIST(INSTRUC.A);
END;
END;/*select*/
READ FILE(DDIN) INTO(INSTRUC);
END;/*loop*/
```

A. The code does not fulfill the requirement because the program will loop infinitely. A. The code does not fulfill the requirement because the program will loop infinitely.

B. The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset. B. The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset.

C. The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset. C. The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset.

D. The code fulfills the requirement. D. The code fulfills the requirement.

Answer: A

7. Given the following code:

```
DCL INDATA FILE RECORD INPUT;
DCL INSTRUC CHAR(100);
DCL EOF BIT(1) INIT('0'B);
ON ENDFILE(INDATA) EOF = '1'B;
OPEN FILE(INDATA);
READ FILE(INDATA) INTO(INSTRUC);
DO WHILE (^EOF);
CALL SR_PROCESS;
READ FILE(INDATA) INTO(INSTRUC);
END;
CLOSE FILE(INDATA);
```

If the database (input file) changes from OS-PS to DB2 view and the necessary syntax has been changed accordingly, which of the following DB2-related steps is NOT additionally required to guarantee the same level of stability and functionality?

- A. Check the SQLCODE after each EXEC SQL FETCH statement.
- B. Check the SQLCODE after each EXEC SQL OPEN / CLOSE statement.
- C. Set the EOF bit to '1'B, if SQLCODE = 100 (not found).
- D. Check the CURRENT SQLID.

Answer: D

8. Given the following declarations, which statement correctly refers to X?

```
DCL R CHAR(10);
DCL X CHAR(10) BASED;
DCL P PTR;
DCL Z CHAR(10);
P = ADDR(R);
```

- A. Z = P -> X;
- B. P = ADDR(X);
- C. Z = X;
- D. X = 'THIS IS X';

Answer: A

9. In the following example what value will be printed to SYSPRINT, if any, from the PUT LIST in PGM_A?

```
PGM_A: PROC;
DCL INPARM CHAR (10) INIT('FIRST CALL');
DCL P_OUT PTR;
DCL OUTPARM CHAR(10) BASED (P_OUT);
DCL PGM_B ENTRY(CHAR(10),PTR) EXTERNAL;
CALL PGM_B (INPARM,P_OUT);
IF OUTPARM = 'RESULT ' THEN
DO;
INPARM = ";
CALL PGM_B (INPARM,P_OUT);
END;
PUT LIST(OUTPARM);
END;
PGM_B: PROC(INPARM,P_OUT);
DCL INPARM CHAR (10);
DCL P_OUT PTR;
DCL OUTPARM CHAR (10) INIT("");
P_OUT = ADDR(OUTPARM);
IF INPARM ='FIRST CALL' THEN
```

```
OUTPARM = 'RESULT';
ELSE
OUTPARM = 'NO RESULT';
END;
A. Blanks
B. 'NO RESULT'
C. Unpredictable
D. 'RESULT'
Answer: C
```

10. A program reads a GSAM dataset sequentially, reads complementary information from DB2-Databases and uses this information to update an IMS-Database. At the end of the program statistics about how many records have been read and how many IMS-Segments have been updated should be printed. The program should write checkpoints regularly and should be restartable. Which of the following groups of information saved when the checkpoint is written will provide enough information to be able to restart the program correctly?

- A. The key of the last record read from the GSAM dataset and the key of the last IMS segment changed.
- B. The number of records read from the GSAM dataset and the number of IMS segments changed.
- C. The number of records read from the GSAM dataset, the key of the last record read from the GSAM dataset and the key of the last IMS segment updated.
- D. The key of the last IMS segment changed and the number of segments changed.

Answer: B

11. Which of the following is LEAST likely to be performed by an online application?

- A. Checkpoint/restart logic
- B. Transaction processing
- C. End user interaction
- D. Sorting

Answer: A

12. Given the following declarations, a list of 100 elements must be created so that the element created last can be accessed as the first element of the list. A new element is always inserted in front of the element created before. The variable NEXT in the last element should contain the value NULL. Which of the following pieces of code implements this?

```
DCL 1 NODE BASED (ANCHOR),
2 NEXT POINTER,
2 DATA FIXED BIN (31);
DCL ANCHOR POINTER;
DCL P POINTER INIT (NULL());
DCL I FIXED BIN(31);
A. DO I = 1 TO 100;
  ALLOCATE NODE;
  NODE.DATA = I;
  NODE.NEXT = P;
  P = ANCHOR;
END;
B. DO I = 1 TO 100;
  P = ANCHOR;
  ALLOCATE NODE;
  NOTE.DATA = I;
  NODE.NEXT = P;
END;
C. I = 1 TO 100;
  ALLOCATE NODE;
```

```

NODE.DATA = I;
NODE.NEXT = P;
ANCHOR = P;
END;
D. DO I = 1 TO 100;
NODE.DATA = I;
NODE.NEXT = P;
ALLOCATE NODE;
P = ANCHOR;
END;
Answer: A

```

13. Given the following declarations, which code is likely to perform best and correctly initialize structure S?

```

DCL 1 S UNALIGNED,
2 A CHAR(3),
2 B BIN FIXED(31),
2 C DEC FIXED(5);
DCL 1 T UNALIGNED LIKE S;
T = ";
A. S = ";
B. S = T, BY NAME;
C. CALL PLIFILL(ADDR(S), ' ', STG(S));
D. CALL PLIMOVE(ADDR(S), ADDR(T), STG(S));

```

Answer: D

14. Which of the following is NOT part of the PL/I code review?

- A. Training course for the program's author
- B. Attendance of people with technical expertise
- C. Decision whether the review object is a appropriate solution
- D. Documentation of results of the review

Answer: A

15. In which of the following examples will a dummy argument be passed?

```

A. DCL A EXT ENTRY;
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
B. DCL A EXT ENTRY (FIXED, BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
C. DCL A EXT ENTRY (FIXED BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
D. PGM: PROC OPTIONS(MAIN);
DCL (X,Y) FIXED BIN;
CALL C (X,Y);
C: PROC (A,B);
DCL (A,B) BIN FIXED;
END C;
END PGM;

```

Answer: B

16. Which of the following is a typical deadlock situation?

Situation 1:

Transaction A waiting for resource_2 and Transaction B waiting for resource_1 while resource_1 is held by Transaction C and resource_2 is held by Transaction B

Situation 2:

Transaction A waiting for resource_1 and Transaction B waiting for resource_2 while resource_1 is held by Transaction B and resource_2 is held by Transaction C

Situation 3:

Transaction A Waiting for resource_2, Transaction B waiting for resource_3, Transaction C waiting for resource_1, while resource_1, resource_2 and resource_3 are held by Transactions A, B and C respectively.

Situation 4:

Transaction B waiting for resource_1 and Transaction C waiting for resource_2 while resource_1 is held by Transaction C and resource_2 is held by Transaction A

- A. Situation 1
- B. Situation 2
- C. Situation 3
- D. Situation 4

Answer: C

17. The lead developer on a project has just learned that Pat, a highly skilled programmer on the team, has been reassigned. The lead developer is familiar with Pat's work and is concerned because no one on the team has the necessary skills to pick up the work immediately. A new employee with the required skills is joining the team next week, but the timeline for a mission critical milestone has been moved up to the end of this week. Which of the following is the most appropriate action for the lead developer to take to ensure that the critical milestone is met?

- A. Direct the team to cover all of Pat's work until the new employee arrives.
- B. Explain to the team why this change in schedule is important to the customer.
- C. Personally cover the work until the new employee arrives.
- D. Explore with the team whether they will be able to meet the new deadline.

Answer: C

18. SUBSCRIPTRANGE checks which of the following?

- A. The subscripts of an array are checked for conformance with iSUB defining rules.
- B. The address generated for accessing an array element is checked to be sure it falls within the storage allocated to the array.
- C. The value of each subscript used to refer to an array element is checked for validity after the element is accessed.
- D. The value of each subscript used to refer to an array element is checked for validity before the element is accessed.

Answer: D

19. Which of the following best describes an atomic transaction?

- A. The database modifications must follow an 'all or nothing' rule
- B. Only valid data will be written to database
- C. If one part of the transaction fails, the remainder may still be processed
- D. Referential Integrity is maintained in the database

Answer: A

20. Requirement:

If the value of the numeric variable I is 1 it needs to be changed to 2 and vice versa. In all other cases it must remain unchanged.

Which of the following solutions meets the requirement and does not require essential structural modifications when the requirement is changed to the following:

If the value of the numeric variable I is 512 it needs to be changed to 731 and if the value is 814 it needs to be changed to 5. In all other cases it must be set to 111.

- A. IF I = 1 !! I = 2
THEN I = 3 - I;

B. DCL ONETWO(2) BIN FIXED(15) INIT(2,1);

IF I = 1 !! = 2

THEN I = ONETWO(I);

C. SELECT (I);

WHEN(1) I = 2;

WHEN(2) I = 1;

OTHER;

END;

D. IF I = 1 THEN I = 2;

IF I = 2 THEN I = 1;

Answer: C

[000-042 Braindumps](#)

Related 000-042 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-913](#) informix 4gl development

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-665](#) Architecture design of soa solution

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-669](#) SOA Fundamentals (2008)

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-872](#) ib m tivoli storage manager v5.2 implementation

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

[000-286](#) test286,application development wwebsphere studio,v5.0

[000-995](#) IBM Web Sphere Process Server V6.1.System Administration

[000-890](#) IBM Tivoli Monitoring V6.1 Implementation

[000-076](#) IBM System x Sales

[000-017](#) Foundations of Tivoli process automation engine V7.1

Other IBM Exams

[000-649](#) [000-299](#) [000-M20](#) [000-639](#) [000-298](#) [000-M21](#) [000-301](#) [000-874](#)

[COG-310](#) [000-751](#) [000-426](#) [LOT-980](#) [LOT-849](#) [000-288](#) [000-210](#) [000-937](#)

[000-737](#) [000-428](#) [000-R11](#) [000-378](#)