

000-134 braindumps

IBM IBM certifications I

000-134: Rational Business Developer

Practice Exam: 000-134 Exams

Exam Number/Code: 000-134

Exam Name: Rational Business Developer

Questions and Answers: 68 Q&As

([IBM certifications I](#))



Exam : [000-134](#)

"Rational Business Developer", also known as 000-134 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 68 Q&As to your 000-134 exam preparation. In the 000-134 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-134 (Rational Business Developer) examination of original title complete coverage. 000-134 exam questions help you pass the exam.

Just4Study 000-134 Feature:

* High quality - High quality and valued for the 000-134 Exam: 100% Guarantee to Pass Your 000-134 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-134 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-134 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-134 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-134 Demo Download

Just4Study offers free demo for IBM certifications I 000-134 exam (Rational Business Developer). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-134** examination of original title complete coverage.000-134 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-134

Exam Name: Rational Business Developer(IBM certifications I)

Questions and Answers: 68 Q&A

[IBM 000-134](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I

certificate, you also need to participate in other related test, the details you may visit the [IBM certifications](#) | certified topic, in there, you will see all related IBM certifications | certified subject of examination.

Just4Study professional provide IBM certifications | 000-134 the newest Q&A, completely covers 000-134 test original topic. With our complete IBM certifications | resources, you will minimize your IBM certifications | cost and be ready to pass your 000-134 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-134

Title : Rational Business Developer

1. Which choice is NOT a valid Exception record?

- A. AnyException
- B. CallException
- C. NullValueException
- D. SQLException

Answer: B

2. Which statement about building and generating is FALSE?

- A. Build Automatically causes EGL to perform a build whenever you save a file.
- B. Clean causes all parts in all files to be built regardless of whether they have changed.
- C. Auto generate enables you to specify which types of generatable parts EGL will automatically generate whenever you save them.
- D. Build before generate enables you to specify which types of generatable parts EGL will always build before generating them.

Answer: D

3. Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the first element has the value 3?

- A. myArray INT =3;
- B. myArray INT[] =3;
- C. myArray INT[3];
- D. myArray INT[3] =3;

Answer: D

4. Which choice is a valid stereotype for a record?

- A. Array
- B. CSV
- C. ExternalType
- D. Form

Answer: B

5. With respect to EGL projects, which technique allows ProjectA to use code from ProjectB during development and also at runtime for generated Java programs?

- A. ProjectB must be added to the EGL Build Path for ProjectA.
- B. ProjectA must be added to the EGL Build Path for ProjectB.
- C. ProjectB must be added to the EGL Build Path and the Java Build Path for ProjectA.
- D. ProjectA must be added to the EGL Build Path and the Java Build Path for ProjectB.

Answer: C

6. Which statement is NOT a valid way to transfer control from one program to another?

- A. call statement, specifying parameters to pass
- B. forward statement, specifying a text form to send
- C. transfer to program statement, specifying a record to transfer
- D. transfer to transaction statement, specifying a record to transfer

Answer: B

7. Which situation requires that an import statement be specified when using an EGL record part as a type definition for a variable?

- A. when the variable is declared outside of the file that the record was created in
- B. when the variable is declared outside of the package that the record was created in
- C. when the variable is declared outside of the project that the record was created in
- D. every time a variable is declared regardless of where the record was created

Answer: B

8. Which EGL statement is used to send a text form to a user, receive input from the user, and always return to the same program?

- A. show statement
- B. converse statement
- C. forward statement
- D. display statement

Answer: B

9. Which EGL move statement is valid?

- A. move RECORDA to RECORDB byByte;
- B. move RECORDA to RECORDB byPosition;
- C. move RECORDA to RECORDB with VAGenCompat;
- D. move RECORDA to RECORDB for INDEX1 to INDEX2;

Answer: B

10. How must a function be defined in the corresponding JSF handler for it to be listed in the Page Data view?

- A. public with no parameters
- B. public with at least one parameter
- C. private with no parameters
- D. private with at least one parameter

Answer: A

11. One of several programs in an EGL project requires a different build descriptor option from the other programs in the same project. What is the BEST way to specify the different build descriptor option?

- A. generate the program using Generate With Wizard and override the build descriptor option in the wizard
- B. use a master build descriptor plugin.xml file to control which build descriptor part is used for each program
- C. move the program to a different project so that all programs in each project use the same default build descriptor part
- D. create a build descriptor part for the program and specify it in the EGL Default Build Descriptors for the program

Answer: D

12. Which choice is NOT a category of preferences that can be set for the EGL Editor using Window > Preferences > EGL > Editor?

- A. Folding
- B. Formatter
- C. Source Styles

D. SQL Database Connections

Answer: D

13. Which primitive type provides the best performance for a counter used to control a loop with maximum iterations of 1000?

- A. DECIMAL
- B. INT
- C. NUM
- D. SMALLINT

Answer: D

14. Consider the following source code:

```
sourceTimeStamp TIMESTAMP (MMdd);  
targetTimeStamp TIMESTAMP (yyyyMMddHHmmss)  
sourceTimeStamp = "0615";  
targetTimeStamp = sourceTimeStamp;
```

If this statement runs on March 10, 2008 at 2:38:40 AM, what is the resulting value for targetTimeStamp?

- A. 00000310000000
- B. 00000615000000
- C. 20080615000000
- D. 20080615023840

Answer: C

15. Which validation property runs last?

- A. inputRequired
- B. validatorDataTable
- C. validatorFunction
- D. validValues

Answer: C

[000-134 Braindumps](#)

Related 000-134 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM WebSphere Information Analyzer v8.0

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-913](#) informix 4gl development

[000-316](#) IBM WebSphere Integration Developer V6.1

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-665](#) Architecture design of soa solution

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-669](#) SOA Fundamentals (2008)

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-872](#) ibm tivoli storage manager v5.2 implementation

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

[000-286](#) test286, application development wweb sphere studio, v5.0

000-995 *IBM Web Sphere Process Server V6.1.System Administration*

000-890 *IBM Tivoli Monitoring V6.1 Implementation*

000-076 *IBM System x Sales*

000-017 *Foundations of Tivoli process automation engine V7.1*

Other IBM Exams

000-530 000-745 000-047 000-962 000-029 000-903 000-285 000-793

000-733 000-512 000-910 000-255 000-894 000-M09 000-238 000-286

000-M07 000-937 000-430 000-001