

000-180 braindumps

IBM IBM certifications I

000-180: p5 and pSeries Enterprise Technical Support AIX 5L V5.3

Practice Exam: 000-180 Exams

Exam Number/Code: 000-180

Exam Name: p5 and pSeries Enterprise Technical Support AIX 5L V5.3

Questions and Answers: 132 Q&As

([IBM certifications I](#))



Exam : [000-180](#)

"p5 and pSeries Enterprise Technical Support AIX 5L V5.3", also known as 000-180 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 132 Q&As to your 000-180 exam preparation. In the 000-180 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-180 (p5 and pSeries Enterprise Technical Support AIX 5L V5.3) examination of original title complete coverage. 000-180 exam questions help you pass the exam.

Just4Study 000-180 Feature:

* High quality - High quality and valued for the 000-180 Exam: 100% Guarantee to Pass Your 000-180 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-180 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-180 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-180 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-180 Demo Download

Just4Study offers free demo for IBM certifications I 000-180 exam (p5 and pSeries Enterprise Technical Support AIX 5L V5.3). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-180** examination of original title complete coverage.000-180 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-180

Exam Name: p5 and pSeries Enterprise Technical Support AIX 5L V5.3(IBM certifications I)

Questions and Answers: 132 Q&A

[IBM 000-180](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-180 the newest Q&A, completely covers 000-180 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-180 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-180

Title : P5 and PSeries Enterprise Technical Support AIX 5L V5.3

1. A customer is moving their application to a p5 590 and at the same time moving to a new version of the application. The customer knows only about the resource requirements of the old version. Which of the following is the best method to migrate their application to POWER5?

- A.Add CPU and memory COD so they have room to grow if required
- B.Make the server configuration twice as large as the current requirement
- C.Configure the server for the current capacity requirements
- D.Make the server configuration a little larger than the current capacity requirements

Answer: A

2. A customer wants to use Virtual SCSI disks to boot multiple operating systems from the same disk. How will the volumes appear in the Virtual IO Server and how will the logical volumes appear in the partition?

- A.The Virtual SCSI disks are defined as logical volumes in the Virtual IO Server. The logical volumes appear as real devices (hdisk) in the client partitions.
- B.The Virtual IO adapters are connected to a virtual host bridge. On the Virtual IO Server they are vdisks, on the client partition, the exported disks are visible as virtual disks.
- C.The Virtual SCSI disks are represented in the ODM as a bus device whose parent is sysplanar0. Logical volumes will be assigned to the Virtual IO Server and virtual disks, vdisks, in the client partition.
- D.The Virtual IO adapters are represented as adapter devices with the virtual host bridge as their parent. On the Virtual IO Server they are vdisks attached to vscsi, on the client partition the exported disks are visible as virtual disks.

Answer: A

3. A customer has seven days of vmstat data on a p5 590. The server has a total of four test/dev LPARs and 4 production LPARs of one processor each. On the four test/dev LPARs, the data shows 90-95% peak utilizations with a duration of from 5 to 10 minutes. The average utilizations of all LPARs were between 15-30%. All of the applications have different times when they peak. What is the best configuration to fully utilize the processor resource?

- A.Set up the server in SMP mode and use WLM to manage resources effectively
- B.Set up eight dedicated LPARs and use DLPAR to manage resources effectively
- C.Set up a shared pool with eight capped LPARs including production and test/dev
- D.Set up a shared pool with eight uncapped LPARs with priority weight to Production

Answer: D

4. A customer is purchasing a p5 590 which was configured with 60 Amp line cords. They have just indicated that their large datacenter is already wired for 100 Amp power circuits in the location where the server will be installed. What would be the recommended action?

- A.Use the 60 Amp line cords

- B. Change the 100 Amp connector to a 60 Amp circuit
- C. Submit an RPQ to order the p5 590 with 100 Amp power cords
- D. Change the configuration and order the p5 590 with the 100 Amp power cords

Answer: D

5. A customer wants to deploy WebSphere in an HACMP environment, running on two servers in LPARs. These servers will also host the test and dev LPARs. The customer would like to use the test and dev resources to support an HACMP failover. What is the best way to accomplish this task?

- A. Run the test and dev LPARs in an uncapped mode
- B. Activate COD resources if a failover should occur
- C. Use DLPAR to move resources between the test and dev and the HACMP LPAR
- D. Stop the test and dev environments, bring up new profile for HACMP failover

Answer: C

6. A customer is purchasing a p5 595 as part of a large server consolidation. They are planning on using micropartitioning and Virtual IO to consolidate small machines. They used the rPerf numbers for AIX 5.3 to size their solutions. They discovered that their application is not yet certified on AIX 5.3, so they will have to use AIX 5.2. What changes should be made to their configuration?

- A. Increase memory
- B. Add more adapters
- C. Increase both processors and adapters
- D. Increase the number of processors by 20 - 30%

Answer: C

7. A large customer is consolidating their pSeries systems onto a p5 590. They will have a requirement for a single device (disk, lun) to have multiple paths through different adapters in a single LPAR. The primary applications were written for AIX 5.2. Which of the following would be the recommended solution to satisfy this requirement?

- A. Assign the adapters to a Virtual IO partition
- B. Use the MPIO function included in AIX 5.2
- C. Migrate the application to AIX 5.3 and use the MPIO function
- D. Set up two Virtual IO partitions and attach both partitions to the device

Answer: B

8. A customer has just installed a p5 595 with four uncapped LPARs in a shared processor pool. The system and profile settings are still in their default states. One of the LPARs has an application that is consuming all of the available shared processor resources. Users of this application are complaining about response time. Which of the following changes to the slow LPAR would improve response time?

- A. Enable SMT
- B. Reduce the weight
- C. Renice the process
- D. Increase the weight

Answer: D

9. A customer has seven days of vmstat data on four p5 590 production LPARs of four processors each. The data shows that all four LPARs have periodic utilizations of 90-95% lasting several minutes in duration. However, the average utilizations of the four LPARs were between 15-30%. The vmstat data shows that the peak utilizations of each LPAR do not occur at the same time. Which of the following should be set up?

- A. A shared pool with four capped LPARs
- B. A shared pool with four uncapped LPARs
- C. Four dedicated LPARs and use DLPAR to manage resources effectively
- D. The server in SMP mode and use WLM to manage resources effectively

Answer: B

10. A customer has several AS/400 servers in their IT infrastructure running V5R2 that they wish to consolidate. The customer wants to simplify their environment and install i5/OS on a p5 590 with 16 65GHz processors and 20 i5/OS partitions. The customer plans to use the Advanced Power Virtualization to share their storage, processors, and memory. What considerations and limitations should be reviewed with the customer before the purchase?

A.Resources cannot be shared with an i5 partition when it is put on a pSeries. The i5 partition needs its own 9411-100 tower because of IOP. V5R3 OS or later is required. There is a maximum of two partitions in a 590.

B.Resources cannot be shared between partitions when i5/OS is put on a pSeries. The i5 partition needs its own 9411-100 tower because of IOP. i5/OS can be at V5R2 or a V5R3. Currently only one i5 partition is allowed.

C.V5R3 is required for the i5 partitions. Virtual IO Server is not supported for the i5/OS partitions to share storage. Up to 10 i5 partitions per processor are allowed (a maximum of two processors for up to 20 partitions).

D.Processor and memory resources can be shared between AIX 5L, Linux and i5/os partitions. i5/OS needs to be at V5R3, and Virtual IO Server is not supported for the i5/OS partition to share storage. On a 1.65 GHz POWER5 p5 590 there is a maximum of one partition.

Answer: C

11. A customer wants to buy a new p5 570 running AIX 5.3. The applications require 4 processors and 8GB of memory. There is a requirement to have a Virtual IO Server. What is the smallest p5 570 that should be sold to this customer?

A.4 processors 8GB of memory

B.5 processors 8GB of memory

C.4 processors 10GB of memory

D.5 processors 10GB of memory

Answer: D

12. When doing the Solution Assurance for a p5 570 with several LPARs, it is discovered that the customer plans to back the system up using mksysb. The customer would like to do unattended automated system backups and incorporate them into their off-site data recovery system. Which mksysb solution should be implemented?

A.A local DVD-ROM drive

B.A NFS mount on a NIM Master

C.A SSA disk array and mirror the data

D.A local tape drive and use DLPAR to move the tape to each LPAR

Answer: B

13. A customer is purchasing a 64-way p5 595. They have determined the location for the server is in a datacenter which does not have a raised floor. Which of the following would best meet the server requirements?

A.The server must be installed into a location with a raised floor for optimum system cooling and cable management.

B.The server should be purchased as a p5 590 and then upgraded to a p5 595. This will eliminate the need for a raised floor environment.

C.The server should be purchased as 32-way p5 595 and then upgraded to a 64-way. This will eliminate the need for a raised floor environment.

D.The server can be installed into a location without a raised floor if an RPQ is obtained. It is a strong IBM recommendation for a raised floor, not a requirement.

Answer: A

14. A customer has purchased a p5 590 with 16 CPUs. To run Simultaneous Multi-Threading (SMT) with a 4-way virtual processor partition with 2.0 processing units of entitlement, how many logical CPUs will be allocated?

A.8-way logical CPU partition, where each logical CPU has the power of 25% of a logical processor

B.4-way logical CPU partition, where each logical CPU has the power of 50% of a physical processor

C.8-way logical CPU partition, where each logical CPU has the power of 25% of a physical processor

D.16-way logical CPU partition, where each logical CPU has the power of 25% of a physical processor

Answer: C

15. A customer has a requirement for an LPAR in their p5 595 to run SUSE Linux. They also require an adapter that

is not currently supported in Linux. Which of the following would be the best solution to recommend?

- A. Assign the adapter to an IO Hosting partition
- B. Use AIX 5L affinity to move the application from SUSE to AIX
- C. Use AIX 5.3 drivers to install the adapter in the Linux LPAR
- D. Assign the adapter to an AIX 5.3 partition running Linux Affinity

Answer: A

16. A customer has the following:

If the customer has a requirement for all four LPARs to be moved to a p5 590 and assigned to a shared pool, which of the following would best describe the profile requirements?

- A. LPARs 1 and 2, capped, SMT on, Weights between 25-30, min CPU 0.1, max CPU 1.0
LPARs 3 and 4, uncapped, SMT on, Weights between 100-130, min CPU 2.7, max CPU 3.0
- B. LPARs 1 and 2, capped, SMT on, Weights between 100-130, min CPU 0.1, max CPU 1.0
LPARs 3 and 4, uncapped, SMT on, Weights between 25-30, min CPU 2.7, max CPU 3.0
- C. LPARs 1 and 2, uncapped, SMT on, Weights between 25-30, min CPU 0.1, max CPU 1.0
LPARs 3 and 4, capped, SMT on, Weights between 100-130, min CPU 2.7, max CPU 3.0
- D. LPARs 1 and 2, uncapped, SMT off, Weights between 25-30, min CPU 0.1, max CPU 1.0
LPARs 3 and 4, capped, SMT on, Weights between 100-130, min CPU 2.7, max CPU 3.0

Answer: A

17. A customer has plans to deploy a large database solution. Their primary requirement is minimal user access downtime. They are comparing a single server implementation with a two server deployment. What solution would they use to avoid downtime for OS software maintenance?

- A. Apply OS updates once a year
- B. Utilize a GPFS cluster solution
- C. Implement a two server deployment with HACMP
- D. Install a single server implementation with HACMP failover to a second LPAR

Answer: C

18. A customer has restored their mksysb. They notice that the external volume groups cannot be seen. What should be done to access the volume groups?

- A. Run importvg command
- B. Run syncldm command
- C. Recreate volume groups
- D. Update /etc/filesystems

Answer: A

19. A current Sun Solaris customer has just purchased their first p5 590. During the Solution Assurance, the backup requirements were discussed. Which of the following should be recommended to the customer with regards to restoring rootvg?

- A. mksysb
- B. restvg
- C. AIX install CDs
- D. Veritas NetBackup

Answer: A

20. A customer has the following:

If the customer has a requirement for all four LPARs moved to a p5 590 and to have dedicated CPU resources, which of the following would best describe the profile requirements?

- A. LPARs 1 and 2, SMT on, min CPU 1.0, max CPU 1.0, desired CPU 1.0
LPARs 3 and 4, SMT on, min CPU 1.0, max CPU 3.0, desired CPU 2.0
- B. LPARs 1 and 2, SMT on, min CPU 1.0, max CPU 1.0, desired CPU 1.0
LPARs 3 and 4, SMT on, min CPU 2.0, max CPU 3.0, desired CPU 3.0

C.LPARs 1 and 2, SMT on, min CPU 1.0, max CPU 3.0, desired CPU 3.0

LPARs 3 and 4, SMT on, min CPU 1.0, max CPU 3.0, desired CPU 2.0

D.LPARs 1 and 2, SMT off, min CPU 1.0, max CPU 1.0, desired CPU 1.0

LPARs 3 and 4, SMT off, min CPU 1.0, max CPU 3.0, desired CPU 3.0

Answer: B

[000-180 Braindumps](#)

Related 000-180 Exams

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM Web Sphere Information Analyzer v8.0*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-913](#) *informix 4gl development*

[000-316](#) *IBM Web Sphere Integration Developer V6.1*

[000-431](#) *IBM Tivoli Storage Manager V5.5 Administration*

[000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

[000-665](#) *Architecture design of soa solution*

[000-908](#) *Tivoli Monitoring V6.2 Implementation*

[000-669](#) *SOA Fundamentals (2008)*

[000-111](#) *IBMDistributed Systems Storage Solutions Version 7*

[000-872](#) *ib m tivoli storage manager v5.2 implementation*

[000-011](#) *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

[000-286](#) *test286,applecation development wwebsphere studio,v5.0*

[000-995](#) *IBM Web Sphere Process Server V6.1.System Administration*

[000-890](#) *IBM Tivoli Monitoring V6.1 Implementation*

[000-076](#) *IBM System x Sales*

[000-017](#) *Foundations of Tivoli process automation engine V7.1*

Other IBM Exams

[000-712](#) [000-235](#) [000-934](#) [000-062](#) [000-859](#) [000-426](#) [000-003](#) [000-M11](#)

[000-093](#) [LOT-957](#) [000-639](#) [000-640](#) [000-797](#) [000-377](#) [000-512](#) [000-R06](#)

[000-778](#) [000-435](#) [000-399](#) [000-113](#)