

000-256 braindumps

IBM IBM certifications III

000-256: test 256,apddewwibm rtnl apdev for websphere software v6

Practice Exam: 000-256 Exams

Exam Number/Code: 000-256

Exam Name: test 256,apddewwibm rtnl apdev for websphere software v6

Questions and Answers: 102 Q&As

([IBM certifications III](#))



"test 256,apddewwibm rtnl apdev for websphere software v6", also known as 000-256 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 102 Q&As to your 000-256 exam preparation. In the 000-256 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-256](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications III 000-256 (test 256,apddewwibm rtnl apdev for websphere software v6) examination of original title complete coverage. 000-256 exam questions help you pass the exam.

Just4Study 000-256 Feature:

* High quality - High quality and valued for the 000-256 Exam: 100% Guarantee to Pass Your 000-256 exam and get your IBM certifications III certification.

* Authoritative - Authoritative braindumps with complete details about 000-256 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications III resources, you will minimize your **IBM IBM certifications III** cost and be ready to pass your 000-256 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications III demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-256 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-256 Demo Download

Just4Study offers free demo for IBM certifications III 000-256 exam (test 256,apddewwibm rtnl apdev for websphere software v6). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications III 000-256** examination of original title complete coverage.000-256 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-256

Exam Name: test 256,apddewwibm rtnl apdev for websphere software v6(IBM certifications III)

Questions and Answers: 102 Q&A

[IBM 000-256](#) Test belongs to one of the IBM certifications III certified test, if needs to obtain the IBM certifications III certificate, you also need to participate in other related test, the details you may visit the [IBM certifications III](#) certified topic, in there, you will see all related IBM certifications III certified subject of examination.

Just4Study professional provide IBM certifications III 000-256 the newest Q&A, completely covers 000-256 test original topic. With our complete IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-256 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-256

Title : IBM Test 256,Apddevwwibm Rtnl Apdev for Websphere software v6

1. A developer is debugging a problem and needs to display the value of a variable. However, the show details pane is displaying the class name and not the value. The developer needs to:

- A. Toggle the variables display from class to value.
- B. Check for a toString method for that class.
- C. Use the pop-up inspector to evaluate the reference.
- D. Change the type of the variable from reference to primitive.

Answer: B

2. Developers can specify the workspace they want to use by doing which TWO of the following?

- A. Select a specific workspace directory while launching the application
- B. Open a command prompt, navigate to the workspace directory and launch the application
- C. Change the default workspace directory in the preferences
- D. Use the -data argument when launching the application.

Answer: A,D

3. What is the BEST approach to avoid repeated manual data field entry while testing a Web service with Web Services Explorer?

- A. Copy and paste the sequential data entries into a text file. Use the import Wizard to launch it in the Web Services Explorer.
- B. Use the Source link to save the data entries as a SOAP message. Use the Load link to restore the entries before each test.
- C. Set the filed values in the project's Web Services default Source preferences.
- D. Export an automation script from the service WSDL file. Enter the input filed values into the script and then use the import Wizard to execute it.

Answer: B

4. A developer created a static Web project and imported all the resources.

Afterwards, the developer realizes that, in addition to static resources, there are dynamic resources such as JSP pages. What is the BEST way to correct the situation?

- A. Use the "Convert to a Dynamic Web project" option to convert the static project to a dynamic project.
- B. Create a dynamic Web project and move all the resources to the new project.
- C. Create a dynamic Web project and move only the dynamic resources to the new project
- D. Create a Java project and a dynamic Web project, then move the utility jars to the Java project and the dynamic resources to the dynamic web project.

Answer: A

5. If a WSDL file requires another WSDL file that exists outside the workspace, which of the following actions should a developer take?

- A. Add a WSDL import element to the WSDL file using the WSDL editor.
- B. Import the WSDL file into the workspace and drag and drop it into the other WSDL file.
- C. Use the XML editor to import the WSDL file into the workspace.
- D. Merge both WSDL documents using the WSDL editor.

Answer: A

6. Which of the following statements is TRUE about setting up Java Project. The project can:

- A. Customize the JRE extension folder libraries in the target JVM.
- B. Have multiple source folders but only one output folder.
- C. Have multiple source folders and multiple output folders
- D. Generate class files for source files with compiler errors.

Answer: B

7. A developer create a Web service. The client side artifacts will be developed by a different team. What steps should a developer take to test the implementation quickly?

- A. Test the Web services using TCP/IP monitor
- B. Test the implementation using the WSDL file with the UDDI Explorer.
- C. Test the implementation using the WSDL file with the Web services Explorer.
- D. Test the implementation using the WSDL file with JUnit.

Answer: C

8. After running the Code Review on a module a developer wants to find all of the problems, warnings and recommendations associated with a particular file. What are TWO approaches available to the developer?

- A. Exclude other files from the project by applying exclusion filters in Project properties -> Java Build Path-> Source.
- B. Select Code Review from the context menu for the file in the Package Explorer view.
- C. Select the file from the sort By Files list in the Code Review view.
- D. Select the Category from the Manage Rules page in the Code Review view.

Answer: B,C

9. Using the Universal Test Client, a developer can test which of the following?

- A. JSPs
- B. EJBs
- C. JavaBeans
- D. Servlets

Answer: B

10. The BEST way to remove an interface implementation from a session bean is to:

- A. Delete the files that implement that interface from the Navigator view.
- B. Open the Source tab of the EJB Deployment Descriptor and delete the references to this interfaces.
- C. Remove the BeanName from Bean-type tab of the EJB Deployment Descriptor.
- D. Remove the bean from the Bean tab of the EJB Deployment Descriptor and select Delete Deploy Code.

Answer: D

11. A developer did not generate sample JSPs that contain TestClient.jsp TO TEST THE Web services client implementation. How can the developer create sample JSPs alone without disturbing the contents that were already generated?

- A. Right click on any of the Java proxy classes, and select Generate Web Services from the context menu.
- B. Right click on any of the Java proxy classes, and select Generate sample JSPs from the context menu.
- C. Right click on WSDL file, and select Web services -> Generate sample JSPs from the context menu.
- D. Right click on web.xml, and Select Generate sample JSPs from the context menu.

Answer: B

12. Using Page Designer, a developer can cause an event to occur upon a button click on a JSP by associating an:

- A. onClick event with the button on the Design page.
- B. onClick event with the button on the Source page.
- C. onChange event with the button on the Preview page.
- D. onChange event with the button on the Design page.

Answer: A

13. A developer wants to create a session bean that inherits from another session bean.

Which of the following can the developer do?

- A. Create the child session bean. Then create the parent session bean, making it the supertype of the child.
- B. Create both session beans from the create an Enterprise Bean wizard. Then bring up the Properties dialog of the child session bean and select the parent.
- C. Create both session beans from the Create an Enterprise Bean wizard. Then specify the parent of the child session bean in the deployment descriptor.
- D. Create the parent session bean. Then create the child session bean, specifying the parent session bean.

Answer: D

14. A JUnit test is run, and it is anticipated that there will be information in the JUnit view. Why is the view not visible?

- A. Preference to show the view when there is information to display is set=NO; errors in the execution =YES
- B. Preference to show the view when there is information to display is set=YES; errors in in the execution =YES
- C. Preference to show the view when there is information to display is set=NO; errors in the execution= NO;
- D. Preference to show the view when there is information to display is set=YES; errors in in the execution =YES

Answer: D

15. A developer is re-writing a legacy relational database application using J2EE technologies. The developer has already implemented the CMP EJBs. The BEST way to create the mapping is to use:

- A. Top-down mapping
- B. Bottom-up mapping
- C. Meet-in-the-middle mapping
- D. Custom mapping

Answer: C

16. A developer uses a singleton class in a Web application configuration parameters and system resources. The configuration parameters are frequently altered by the Web application components during runtime. Which of the following breakpoints is BEST suited to help the developer trace the value of such configuration parameters and determine how they are Getting altered?

- A. Java Exception
- B. Conditional
- C. Load
- D. Watch

Answer: D

17. Which of the following is the BEST approach to provide client-side artifacts for an EJB?

- A. Export the EJB project as an EJB JAR.
- B. Export the EJB client project as an EJB JAR.
- C. Export the EJB project as a JAR.
- D. Export the EJB client project as Ajar.

Answer: D

18. A developer needs to use the same set of logs repeatedly with the Log and Trace Analyzer. The BEST way to do this is to:

- A. Use the default log set to import logs with the import wizard

- B. Correlate the log files using the Lo Correlation wizard.
- C. Customize the log using common base events in workbench preferences.
- D. Sort and filter the log records in the log view.

Answer: A

19. Which TWO of the following are techniques for creating Entity Beans from an existing database schema?

- A. Create a database connection from the Database Explorer view and copy the connection to an EJB project to generate Entity Beans.
- B. Create a database connection from the Database Explorer view and create Entity Beans for a table in a schema.
- C. Create an EJB to RDB bottom-up mapping inside an existing EJB project
- D. Create an Entity Bean using the new EJB wizard and specify a database schema when defining the Entity Bean.

Answer: B,C

20. An application stops at a breakpoint in a main () method in com.package1.Class1.

Using only the "Step into" button, the debug editor shows com.package2.Class2.test1() but never returns to the main () method. What is the problem?

- A. There is a step filter set for com.package1.*
- B. There is a step filter set for both com.package1.* and com.package2.*.
- C. There is a step filter set for com.package2,* so the debugger cannot return the calling method.
- D. A step filter needs to be set on order to allow the debugger to open methods in the com.ibm package.

Answer: A

[000-256 Braindumps](#)

Related 000-256 Exams

[000-100](#) ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX

[000-330](#) Power Systems Technical Support for AIX and Linux

[000-418](#) IBM Websphere Datastage V.8.0

[000-101](#) Virtualization Technical Support for AIX and Linux

[000-136](#) Rational Application Developer v7

[000-210](#) IBM Storage Networking Solutions, Version 4

[COG-480](#) IBM Cognos 8 Planning Professional

[000-R18](#) IBM SurePOS ACE V5 Technical Professional

[000-433](#) IBM Tivoli Storage Manager V5.5 Implementation

[000-071](#) ib m eserver x series technical principle v5

[000-019](#) IBM Tivoli Network Manager IP Edition V3.8 Implementation

[COG-300](#) IBM Cognos TM1 Analyst

[000-M22](#) IBM Rational Application Developer Tech Sales Mastery V1

[000-M15](#) IBM Rational Quality Mgt Technical Sales Mastery Test v1

[000-960](#) IBM Storage Sales Exam

[000-114](#) Storage Implementation Entry/Mid Range DS Series

[000-432](#) IBM Tivoli Storage Manager V5.5 Operator

[000-046](#) DOORS v9

[000-866](#) ib m eserver iseries technical solutions design v5r3

[000-R13](#) IBM Retail Enviroment for SuSELinux(IRES) Sales prof.

Other IBM Exams

[000-734](#)

[000-960](#)

[000-J01](#)

[000-863](#)

[000-M31](#)

[000-705](#)

[000-901](#)

[LOT-841](#)

000-646

000-892

000-234

000-137

000-430

000-856

000-P02

000-289

000-900

000-138

000-190

000-351