

000-258 braindumps

IBM IBM certifications I

000-258: Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x

Practice Exam: 000-258 Exams

Exam Number/Code: 000-258

Exam Name: Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x

Questions and Answers: 108 Q&As

([IBM certifications I](#))



"Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x", also known as 000-258 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 108 Q&As to your 000-258 exam preparation. In the 000-258 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-258](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-258 (Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x) examination of original title complete coverage. 000-258 exam questions help you pass the exam.

Just4Study 000-258 Feature:

* High quality - High quality and valued for the 000-258 Exam: 100% Guarantee to Pass Your 000-258 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-258 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-258 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-258 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-258 Demo Download

Just4Study offers free demo for IBM certifications I 000-258 exam (Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-258** examination of original title complete coverage.000-258 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-258

Exam Name: Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x(IBM certifications I)

Questions and Answers: 108 Q&A

[IBM 000-258](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-258 the newest Q&A, completely covers 000-258 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-258 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-258

Title : Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x

1. What should be avoided when creating a Web service from a JavaBean, assuming WS-I compliance is a requirement?

- A. Document/encoded encoding style
- B. Document/literal encoding style
- C. JAX/RPC
- D. SAAJ

Answer: A

2. When performance is a critical consideration, why should Base 64 encoding be avoided?

- A. It increases message size by a great factor.
- B. It slows down XML parser performance.
- C. It is incompatible with certain firewalls.
- D. Its decoding algorithm does not scale as server load increases.

Answer: A

3. To improve interoperability, the WS-I Basic Profile mandates which two styles/encodings?

- A. Document/encoded
- B. Document/literal
- C. RPC/encoded
- D. RPC/literal
- E. SOAP

Answer: BD

4. Once a managed Web service client has obtained a Service reference, it may perform the actual service invocation using:

- A. a generated Stub for that service or a dynamic service proxy.
- B. a generated Stub for that service, a dynamic service proxy or a DII (Dynamic Invocation Interface).
- C. a generated Stub for that service.
- D. a dynamic service proxy, a DII (Dynamic Invocation Interface) or a direct java method invocation if the service implementation appears to be local.

Answer: B

5. A developer has defined the SearchRequest type as follow in the WSDL:

Using the Rational Application Developer Web service wizard, how will the customerIdList element be generated when the "Generate Java from WSDL using the no wrapped array style for WebSphere v6" option is selected?

- A. private com.test.CustomerIdList customerIdList;

- B. private com.test.CustomerIdList id;
- C. private java.lang.String[] customerIdList;
- D. private java.lang.String[] id;

Answer: D

6. A developer creates a Java client in the Java Project 'JavaClient' for the Web service WSDL called 'MyService.wsdl'. When selecting to test a Java client using "Web services Sample JSP's" Rational Application Developer will:

- A. prompt you for a Dynamic Web project and then build the required JSP's inside it.
- B. build all the required JSP artifacts inside the Java Project 'JavaClient' where the java proxy resides.
- C. create a Dynamic Web project called 'JavaClientSample' and then build the required JSP's inside it.
- D. build the test client JSP's inside Web services Explorer.

Answer: C

7. IBM Rational Application Developer provides which two ways for an application developer to specify the parts of the message that have to be signed in the request generator configuration to achieve integrity and confidentiality?

- A. Predefined keywords
- B. XPath
- C. XQuery
- D. Security Token

Answer: AB

8. Which file must be modified to add a Web service reference to a J2EE 1.4 application client?

- A. application.xml
- B. application-client.xml
- C. META-INF/MANIFEST.MF
- D. META-INF/.modulemaps

Answer: B

9. A Web services solution developer is asked to add JAX-RPC Handlers to an existing Web service. Where should the JAX-RPC handler classes be located at deployment time?

- A. In the jax-rpc-handlers.jar file
- B. In the J2EE module that defines the Web service
- C. In the Web module defined as router project
- D. In the WEB-INF/handlers or META-INF/handlers directory depending on the Web service implementation type

Answer: B

10. If a Web service implementation is based on a session EJB, where is the WSDL file in the Enterprise Archive (EAR) file located?

- A. In the /META-INF directory of the ejb-jar file
- B. In the /META-INF/wsdl directory of the ejb-jar file
- C. In the /wsdl directory of the ejb-jar file
- D. In the Web module defining the endpoint servlet

Answer: B

11. Which two can be used to categorize a business entity that the service is associated with, when registering a Web service to a UDDI registry using Web Services Explorer?

- A. North American Industry Classification System (NAICS)
- B. Dun & Bradstreet D-U-N-S
- C. United Nations Standard Products and Services Code (UNSPSC)
- D. Industry and Specialization (Product/Service)
- E. Quality of Service (QoS) and Support for WS-I

Answer: AC

12. If a Web service is needed which must access a stored procedure or SQL statement, what is the appropriate type of web service that must be created?

- A. An entity Enterprise Java Bean (EJB) Web service
- B. A Document Access Definition Extension (DADX) Web service
- C. An Structured Query Language (SQL) Web service
- D. A user-defined function (UDF) Web service

Answer: B

13. What does the WS-Security specification recommend to prevent replay attacks on Web services?

- A. Requiring the password field with username token authentication
- B. Usage of XML Encryption for the messages
- C. Rejection of the username token when either the nonce or creation timestamp is missing
- D. Two way SSL to authenticate both the server and the client

Answer: C

14. What is the best way to create a Web service that accesses a DB2 database?

- A. Use the Web services wizard to create the Web service from the database schema.
- B. Use the DADX wizard to create the Web service from the database schema.
- C. Use the DADX wizard to create a DADX file from SQL statements, and use the Web services wizard to create the Web service from the DADX file.
- D. Create a DADX group, use the DADX wizard to create a DADX file from SQL statements, and use the Web services wizard to create the Web service from the DADX file.

Answer: D

15. A developer uses the wizard to create a new Web service. When attempting to execute the new service, an error occurs:

"SOAPException: faultCode=SOAP-ENV:Client; msg=No Deserializer found"

Which steps should the developer take?

- A. Check the "Map to WSDL XSD" preference. Re-create the Web service implementation, adding "xsi:type" properties to the elements that caused errors.
- B. Check the "Enable element-based mapping" preference. Re-create the Web service, selecting "Edit and use a customized mapping" and specify an appropriate serializer.
- C. Check the "Enable element-based mapping" preference. Re-create the Web service implementation, adding "xsi:type" properties to the elements that caused errors.
- D. Check the "Map to WSDL XSD" preference. Re-create the Web service, specifying an appropriate serializer for each of the elements that caused errors.

Answer: B

16. On a machine with only WebSphere Application Server, what would a developer do to trace SOAP messages?

- A. Use the WebSphere Application Server Admin console trace view and set trace options to com.ibm.ws.*=all=enabled.
- B. Install a Network sniffing tool on the box like Ethereal.
- C. Install IBM Rational Application Developer on that machine and use the TCP/IP Monitor view.
- D. Run the WebSphere Application Server TCP/IP Monitor tool.

Answer: D

17. If a WSDL operation requires a parameter of type xsd:date, which kind of content assistant does the Web Service Explorer provide to help the user fill in the request form (Actions pane)?

- A. In-line typing support using Ctrl + space as in a Java source editor
- B. A small calendar to pick up a correct date
- C. A date format reminder (e.g. YYYY/MM/DD) on top of the date field in the form
- D. It automatically sets the field to the current date.

Answer: B

18. Which two statements are true about the SOAP with Attachments API for Java (SAAJ)?
- A. SAAJ extends the DOM API and provides programmatic access to SOAP elements.
 - B. SAAJ provides a higher level of abstraction compared to the JAX-RPC API.
 - C. When using SAAJ, response messages are received synchronously using a request-response model.
 - D. When using SAAJ, it is important for developers to understand the Proxy design pattern.
 - E. Clients that use the SAAJ API need to run on J2EE container that supports the JNDI protocol.

Answer: AC

19. Which binding style and encoding type is used for the NewOperation in the following WSDL document:

- A. Document literal
- B. Document literal wrapped
- C. RPC encoded
- D. RPC literal

Answer: A

20. When editing a Web service for J2EE Web deployment descriptor in IBM Rational Application Developer, which part of a SOAP message may NOT be encrypted?

- A. The digest value
- B. The message header content
- C. The message body content
- D. The username token

Answer: B

[000-258 Braindumps](#)

Related 000-258 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-913](#) informix 4gl development

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-665](#) Architecture design of soa solution

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-669](#) SOA Fundamentals (2008)

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-872](#) ibm tivoli storage manager v5.2 implementation

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

[000-286](#) test286, application development websphere studio, v5.0

[000-995](#) IBM Web Sphere Process Server V6.1. System Administration

[000-890](#) IBM Tivoli Monitoring V6.1 Implementation

[000-076](#) IBM System x Sales

[000-017](#) Foundations of Tivoli process automation engine V7.1

Other IBM Exams

<u>LOT-701</u>	<u>000-316</u>	<u>000-912</u>	<u>000-695</u>	<u>000-807</u>	<u>000-258</u>	<u>000-484</u>	<u>000-793</u>
<u>000-888</u>	<u>000-778</u>	<u>000-887</u>	<u>000-730</u>	<u>000-R06</u>	<u>000-426</u>	<u>000-639</u>	<u>000-715</u>
<u>000-799</u>	<u>000-012</u>	<u>000-134</u>	<u>000-535</u>				