

000-268 braindumps IBM IBM certifications I

000-268: rpg iv with ile

Practice Exam: 000-268 Exams

Exam Number/Code: 000-268

Exam Name: rpg iv with ile

Questions and Answers: 92 Q&As

([IBM certifications I](#))



"rpg iv with ile", also known as 000-268 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 92 Q&As to your 000-268 exam preparation. In the 000-268 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-268](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-268 (rpg iv with ile) examination of original title complete coverage. 000-268 exam questions help you pass the exam.

Just4Study 000-268 Feature:

* High quality - High quality and valued for the 000-268 Exam: 100% Guarantee to Pass Your 000-268 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-268 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-268 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-268 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-268 Demo Download

Just4Study offers free demo for IBM certifications I 000-268 exam (rpg iv with ile). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-268** examination of original title complete coverage.000-268 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-268

Exam Name: rpg iv with ile(IBM certifications I)

Questions and Answers: 92 Q&A

[IBM 000-268](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I

certificate, you also need to participate in other related test, the details you may visit the [IBM certifications](#) | certified topic, in there, you will see all related IBM certifications | certified subject of examination.

Just4Study professional provide IBM certifications | 000-268 the newest Q&A, completely covers 000-268 test original topic. With our complete IBM certifications | resources, you will minimize your IBM certifications | cost and be ready to pass your 000-268 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-268

Title : rpg iv with ile

1. Given the following DDS for Physical file CATFILE:

A R CATREC

A CATCOD 5S 0

A CATDES 20A

And the following code for Pgm1:

FCatFile UF A E K DISK

D CategoryRec E DS ExtName(CatFile)

C Read(E) Emp

And the following code for Pgm2:

FCatFile UF A E K DISK

C Read(E) Emp

What are the attributes of the CatCod field in both programs?

- A. Packed Decimal 5,0 in both programs
- B. Signed Numeric 5,0 in both programs
- C. Packed Decimal 5,0 in Pgm1; Signed Numeric 5,0 in Pgm2
- D. Signed Numeric 5,0 in Pgm1; Packed Decimal 5,0 in Pgm2

Answer: D

2. A program needs to concatenate the 3 numeric fields shown below such that Phone# contains a string in the format aaabbbcccc, where aaa is the AreaCode field, bbb is the PhPrefix field and cccc is the PhNbr field. All positions of Phone# must be filled with digits.

D AreaCode S 3 0

D PhPrefix S 3 0

D PhNbr S 4 0

D Phone# S 10A

Which of the following code segments would correctly accomplish this task in all circumstances?

- A. EVAL Phone# = %Char(AreaCode) + %Char(PhPrefix) + %Char(PhNbr)
- B. EVAL Phone# = %EditW(AreaCode: '0') + %EditW(PhPrefix: '0') + %EditW(PhNbr: '0')
- C. EVAL Phone# = %EditC(AreaCode: 'X') + %EditC(PhPrefix: 'X') + %EditC(PhNbr: 'X')
- D. EVAL Phone# = %Char(AreaCode: '0') + %Char(PhPrefix: '0') + %Char(PhNbr: '0')

Answer: C

3. Which of the following code segments show a valid comment within free format calculations?

- A. /Free * this is a free form comment /End-Free
- B. /Free /* this is a free form comment */ /End-Free
- C. /Free // this is a free form comment /End-Free
- D. /Free / this is a free form comment /End-Free

Answer: C

4. A field is added to the end of the record format of an existing file and the file compiled with LVLCHK(*NO). What is the impact of this action on an existing RPG program which uses this file as an externally defined file?

- A. Until the RPG program is recompiled, it will halt with a format level check error.
- B. The program will run using only the fields that existed when the program was compiled.
- C. The program will run using all of the fields in the file including the new fields.
- D. Until the RPG program is recompiled, it will run but will issue a warning message whenever a record is written or updated.

Answer: B

5. Given the following code segment: DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++

D GetBalDue PR

D Balance 11P 2

D CustNo 5S 0

D Qty 7P 0

D Amount 5P 2

D Balance S 11P 2

D CustNo S 5S 0

D OrdQty S 7P 0

D Amt S 5P 2

Which of the following contains correct syntax?

- A. C Eval Balance = GetBalDue(CustNo : OrdQty : C Amt)
- B. C CallP GetBalDue (Balance: CustNo : OrdQty : C Amt)
- C. C CallB 'GetBalDue' C Parm Balance C Parm CustNo C Parm OrdQty C Parm Amt
- D. C CallP 'GetBalDue' C Parm Balance C Parm CustNo C Parm OrdQty C Parm Amt

Answer: B

6. Given the following field definitions, if field mmddy contains a date in MDY format, what is the correct syntax to populate DateFld with the content of mmddy?

D mmddy S 6A

D DateFld S D Inz(D'2003-06-27') DatFmt(*ISO)

- A. DateFld = %Date(mmddy: *MDY);
- B. DateFld = %Date(mmddy: *MDY0);
- C. DateFld = %Date(mmddy: *ISO);
- D. DateFld = %Date(mmddy: *ISO0);

Answer: B

7. CL program PGMA, issues an OPNQRYF statement and then calls RPG program PGMB to process the results of the OPNQRYF. This combination was working until PGMB was recreated to run in a different Activation Group from PGMA. Now PGMB does not see the results of the OPNQRYF statement. Which of the following parameters added to the OPNQRYF statement would allow PGMB to see the correct OPNQRYF results again?

- A. OVRSCOPE(*CALLLVL)
- B. OPNSCOPE(*ACTGRPDFN)
- C. OVRSCOPE(*ACTGRP)
- D. OPNSCOPE(*JOB)

Answer: D

8. Which of the following code segments shows the correct use of the externally described printer file PRT1 containing record format FMT1?

- A. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result C WRITE FMT1
- B. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER CL0N01Factor1+++++++Opcode(E)

```
+Factor2+++++++Result C EXCEPT FMT1
C. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER OFLIND(*IN88)
CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result C EXCEPT FMT1
OName+++++++DF..N01N02N03Excnam++++B++A++Sb+Sa+ OPRT1 E FMT1 2 6
D. FFilename++IPEASFRlen+LKlen+AIDevice+.Keywords FPRT1 O E PRINTER OFLIND(*IN88)
CLON01Factor1+++++++Opcode(E)+Factor2+++++++Result C WRITE FMT1
OName+++++++DF..N01N02N03Excnam++++B++A++Sb+Sa+ OPRT1 T FMT1 2 6
Answer: A
```

9. Given the following file definitions for a physical file and a logical file:

```
AAN01N02N03T.Name+++++++Rlen++TDpBLinPosFunctions
A REF(FLDREF)
A R EMPREC
A EMPNO R
A ENAME R
A DEPT R
A SALARY R
```

```
AAN01N02N03T.Name+++++++Rlen++TDpBLinPosFunctions
A R EMPRECL PFILE(EMPMST)
A EMPNO
A DEPT
A SALARY
A K DEPT
A K EMPNO
```

Which fields are accessible through the logical file and in what sequence will records be presented to the application program?

- A. Fields accessible: EMPNO, ENAME, DEPT, SALARY Sequence: EMPNO within DEPT
- B. Fields accessible: EMPNO, ENAME, DEPT, SALARY Sequence: DEPT within EMPNO
- C. Fields accessible: EMPNO, DEPT, SALARY Sequence: EMPNO within DEPT
- D. Fields accessible: EMPNO, DEPT, SALARY Sequence: DEPT within EMPNO

Answer: C

10. Given the following code segment:

After this code runs, what is the value of Result?

- A. ' OBJA '
- B. '*libl PGMA '
- C. 'QGPL OBJA '
- D. 'QGPL PGMA '

Answer: B

11. Given the following code segment:

```
AAN01N02 N03T.Name+++++++Rlen++TDpBLinPosFunctions+++++++
A R D1SF SFL
A OPTNBR 1A B 10 3
A SCNDDTA 50A O 10 7
A R D1SC SFLCTL(D1SF)
A 79 SFLDSP
A 81 SFLDSPCTL
A SFLSIZ(1000)
A SFLPAG(0011)
A 9 2'Opt Data
```

What DDS keyword needs to be added to this code segment to remove all of the records from the subfile?

- A. SFLCLR

- B. SFLDLT
- C. SFLRMV
- D. SFLINZ

Answer: A

12. Given the following code segment:

```
d CusInfo ds dim(10) qualified
d CusNum 5 0
d AmtDue 7 2
d OrdYTD 7 2
d OrdPrv 7 2
```

How would the AmtDue subfield for the 5th element of the CusInfo array be referenced?

- A. AmtDue(5)
- B. CusInfo(5).AmtDue
- C. CusInfo.AmtDue(5)
- D. CusInfo(5).AmtDue(5)

Answer: B

13. Given the following code segment:

```
CL0N01Factor1+++++++Opcode(E)+Factor2+++++++Result+++++++Len++D+HiLoEq
C CODE CASEQ 1 SRONE
C CODE CASEQ 2 SRTWO
C CAS SRTHREE
C END
```

Which of the following code segments will perform the equivalent function?

- A. /FREE Select CODE; WHEN = 1; ExSr SRONE; WHEN = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- B. /FREE Select; WHEN CODE = 1; ExSr SRONE; WHEN CODE = 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- C. /FREE Select CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE
- D. /FREE Select WHEN CODE; Other; ExSr SRTHREE; EndSI; /END-FREE
- E. /FREE Select WHEN CODE; 1; EndSI; /END-FREE
- F. /FREE Select WHEN CODE; 1; ExSr SRONE; /END-FREE
- G. /FREE Select WHEN CODE; 1; ExSr SRONE; 2;
- H. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO;
- I. /FREE Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; Select WHEN CODE; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; 1; ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE ExSr SRONE; 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE 2; ExSr SRTWO; Other; ExSr SRTHREE; EndSI; /END-FREE

Answer: B

14. Review the following sample subfile:

```
+-----+
| Option Data |
| ---- |
| || Record 1 |
| || Record 2 |
| |X| Record 3 |
| || Record 4 |
+-----+
```

The SFLNXTCHG keyword was inactive when Record 1 was written and active when each subsequent subfile record was written. The operator has entered the "X" in the option field for Record 3. Which subfile record will be read when the next READC operation is performed on the subfile?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

15. An RPG source member containing subprocedures, will be compiled using the CRTBNDRPG command. What value must be specified for the Default Activation Group parameter?

- A. DFTACTGRP(*NO)
- B. DFTACTGRP(*YES)
- C. DFTACTGRP(QILE)
- D. DFTACTGRP(*NONE)

Answer: A

16. In the following code sample, file CUSSALES contains a record format CUSSALESR, with unique key fields CSCONO, CSCSNO and CSYEAR.

Assuming the READE operation is successful, which record is retrieved?

- A. The first record with a company greater than 3
- B. The first record for company 3, with a customer greater than 100
- C. The first record for company 3, customer 100
- D. The first record for company 3, customer 100 with a year greater than 2003

Answer: D

17. Given the following code segment:

```
DName+++++ETDsFrom+++To/L+++IDc.Keywords+++++
D Arra s 3s 0 DIM(10)
D Index s 2s 0 Inz(0)
/FREE
For Index = 1 to %Elem(Arra);
Arra(Index) = 2 * Index;
EndFor; /END-FREE
```

What is the value of field Index after the code is run?

- A. 0
- B. 22
- C. 10
- D. 11

Answer: D

18. Given the following code segment:

```
0001.00 D DateField S D DATFMT(*ISO)
0002.00 D CharField S 6A INZ('040696')
0003.00 C *MDY MOVE CharField DateField
```

This code will not compile. Which of the following changes will allow a successful compile?

- A. Change line 0001.00 to: D DateField S D DATFMT(*MDY)
- B. Change line 0003.00 to: C *MDY0 MOVE CharField DateField
- C. Change line 0003.00 to: C *MDY MOVE(D) CharField DateField
- D. Change line 0003.00 to: C *ISO MOVE CharField DateField

Answer: B

19. Procedure PROC1 in a Service Program must be called passing to it a 5 position field. Which of the following code segments will accomplish this task?

- A. D AField S 5A C CallPrc 'PROC1' C Parm AField
- B. D AField S 5A C Call 'PROC1' C Parm AField

C. D Proc1 PR D MyField 5A D AField S 5A C CallP Proc1(AField)
 D. D Proc1 PR ExtPgm('PROC1') D MyField 5A D AField S 5A C CallP Proc1(MyField)
 Answer: C

20. Given the following expression:

SoldAmt + Dividends

TotalReturnPct = (----- - 1) * 100

PaidAmt + Commissions

Which /free form expression below is correct?

- A. /free TotalReturnPct = ((SoldAmt + Dividends) / (PaidAmt + Commissions) - 1) * 100; /end-free
- B. /free TotalReturnPct = (SoldAmt + Dividends) / (PaidAmt + Commissions) - 1 * 100; /end-free
- C. /free TotalReturnPct = (SoldAmt + Dividends / PaidAmt + Commissions - 1) * 100; /end-free
- D. /free TotalReturnPct = ((SoldAmt + Dividends) / PaidAmt + Commissions - 1) * 100; /end-free

Answer: A

000-268 Braindumps

Related 000-268 Exams

000-223 IBM System p Administrator

000-377 Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

000-974 Power Systems Technical Support for i

000-417 IBM Web Sphere Information Analyzer v8.0

000-015 IBM Maximo Asset Management V7.1 Implementation

000-913 informix 4gl development

000-316 IBM Web Sphere Integration Developer V6.1

000-431 IBM Tivoli Storage Manager V5.5 Administration

000-667 IBM Test 667, Architectural Design of SOA Solutions

000-665 Architecture design of soa solution

000-908 Tivoli Monitoring V6.2 Implementation

000-669 SOA Fundamentals (2008)

000-111 IBM Distributed Systems Storage Solutions Version 7

000-872 ib m tivoli storage manager v5.2 implementation

000-011 IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

000-286 test286, applection development wweb sphere studio, v5.0

000-995 IBM Web Sphere Process Server V6.1. System Administration

000-890 IBM Tivoli Monitoring V6.1 Implementation

000-076 IBM System x Sales

000-017 Foundations of Tivoli process automation engine V7.1

Other IBM Exams

<u>000-397</u>	<u>000-852</u>	<u>COG-205</u>	<u>000-631</u>	<u>000-215</u>	<u>000-357</u>	<u>000-702</u>	<u>000-833</u>
<u>000-638</u>	<u>000-142</u>	<u>000-778</u>	<u>000-635</u>	<u>000-348</u>	<u>000-917</u>	<u>000-881</u>	<u>000-R03</u>
<u>000-M20</u>	<u>000-M09</u>	<u>000-857</u>	<u>000-315</u>				