

## 000-294 braindumps

### IBM IBM certifications I

**000-294: test294,ibm websphere mq v5.3 system administration**

**Practice Exam:** 000-294 Exams

**Exam Number/Code:** 000-294

**Exam Name:** test294,ibm websphere mq v5.3 system administration

**Questions and Answers:** 142 Q&As

( [IBM certifications I](#) )



"test294,ibm websphere mq v5.3 system administration", also known as 000-294 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 142 Q&As to your 000-294 exam preparation. In the 000-294 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-294](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-294 (test294,ibm websphere mq v5.3 system administration) examination of original title complete coverage. 000-294 exam questions help you pass the exam.

#### **Just4Study 000-294 Feature:**

\* High quality - High quality and valued for the 000-294 Exam: 100% Guarantee to Pass Your 000-294 exam and get your IBM certifications I certification.

\* Authoritative - Authoritative braindumps with complete details about 000-294 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-294 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-294 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 000-294 Demo Download**

Just4Study offers free demo for IBM certifications I 000-294 exam (test294,ibm websphere mq v5.3 system administration). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-294** examination of original title complete coverage.000-294 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-294**

Exam Name: test294,ibm websphere mq v5.3 system administration( IBM certifications I )

Questions and Answers: 142 Q&A

[IBM 000-294](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-294 the newest Q&A, completely covers 000-294 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-294 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-294

Title : Test294,ibm websphere mq v5.3 system administration

1. Refer to the exhibit to answer the question. An application running on the Order Processing System does a PUT1 of a message, setting queue name to 'InvoiceInqQ'. What is the final destination of the message?

- A. queue InvoiceInqQ on queue manager InvoiceQM
- B. queue InquiryQ on queue manager InvoiceQM
- C. queue InvoiceQM.Dead.L.Queue on queue manager InvoiceQM
- D. queue OrdersQM.Dead.L.Queue on queue manager OrdersQM

Answer: C

2. A WebSphere MQ for iSeries local queue has been damaged. What is the BEST method to recreate the queue?

- A. Recover it from the iSeries system journals
- B. Reload the queue from a system backup and use the WebSphere MQ logs to add any messages since the last backup
- C. Use the RCRMQMOBJ command
- D. Redefine the queue and recreate the messages from the original source

Answer: C

3. On z/OS, the messages on a queue are to be shared between 3 queue managers who are members of the same Queue Sharing Group. Which of the following is the most appropriate definition for this queue?

- A. DEF QL(SQ1) QSGDISP(GROUP)
- B. DEF QL(SQ1) QSGDISP(SHARED)
- C. DEF QL(SQ1) QSGDISP(QMGR) CFSTRUCT(CF1)
- D. DEF QL(SQ1) QSGDISP(SHARED) CFSTRUCT(CF1)

Answer: D

4. An application queue definition contains the trigger parameters: TRIGGER + TRIGTYPE (depth) + TRIGDPTH (100) + TRIGPRI (5) A trigger event will be generated when the application queue contains which of the following?

- A. 100 messages
- B. 100 messages and 5 priority messages
- C. 100 priority 5 or greater messages
- D. 100 messages or 5 priority messages

Answer: C

5. A customer has a queue manager cluster and wishes to add a new queue manager to the cluster. This queue manager is located on a system that uses DHCP. In order to ensure that the new queue manager is a member of the cluster, even after a system reboot, a CLUSRCVR channel should be defined:

- A. With a CONNAME of +QMNAME+

B. With a TRPTYPE of DHCP

C. Without a CONNAME parameter

D. Where the value of the TPNAME parameter is the host name of the system on which the queue manager is located

Answer: C

6. Which of the following flags MUST be included on the CRTMQM command to specify the name of the dead-letter queue?

A. -d

B. -q

C. -x

D. -u

Answer: D

7. It has been determined that all unprocessable messages on a particular queue (APPL.QUEUE) should be moved to another queue (BAD.MESSAGE.QUEUE). Which of the following runmqsc commands should be used to indicate this move?

A. alter ql(APPL.QUEUE) poison(BAD.MESSAGE.QUEUE)

B. alter qmgr backout(BAD.MESSAGE.QUEUE)

C. alter ql(APPL.QUEUE) boqname(BAD.MESSAGE.QUEUE)

D. alter ql(APPL.QUEUE) backout(BAD.MESSAGE.QUEUE)

Answer: C

8. Queue managers QM1 and QM2 are connected by two message channels, one flowing in each direction.

Communications from QM1 to QM2 appear to have stopped. Which MQSC command shows whether the channel is still running?

A. DISPLAY QMGR

B. DISPLAY QUEUE

C. DISPLAY CHSTATUS

D. DISPLAY CHANNEL

Answer: C

9. Which of the following MUST be created before WebSphere MQ is installed on a HP-UX system?

A. The mqm user

B. The mqm group

C. The mqm runtime library

D. A channel for each communication link

E. A communication link for each queue manager

Answer: AB

10. A queue manager has been created. The procedure to create the system default objects and a dead-letter queue has also been completed. Which of the following MQSC commands should be used to tell the queue manager to use the dead-letter queue MYDLQUE?

A. qmgr use deadq (MYDLQUE)

B. altmqm -d (MYDLQUE)

C. alt qmgr deadq (MYDLQUE)

D. use deadq (MYDLQUE)

Answer: C

11. On z/OS, what queue manager parameter can be changed so that queues are scanned to remove expired messages?

A. QSCAN

B. EXPRYINT

C. QEXPIRE

D. There is no way to scan for expired messages

Answer: B

12. In order to configure the API exits for a single queue manager, which section is needed in the qm.ini file on a WebSphere MQ UNIX system?

- A. ApiExitCommon
- B. ApiExitLocal
- C. ApiExitTemplate
- D. ApiExitQueueManager

Answer: B

13. A local queue is created using the following definition: DEFINE QLOCAL (MAGENTA.QUEUE) + LIKE (ORANGE.LOCAL.QUEUE) + MAXMSGL(1024) The attributes of the resulting queue are the same as which of the following?

- A. The system default local queue
- B. The ORANGE.LOCAL.QUEUE queue
- C. The system default local queue with a maximum message length of 1024
- D. The ORANGE.LOCAL.QUEUE with a maximum message length of 1024

Answer: D

14. Which of the following channel parameters is used to activate Fast Message processing for a channel?

- A. FASTMSG
- B. FASTMESSAGES
- C. NPMSPEED
- D. MSGSPEED

Answer: C

15. What parameter MUST be added to the RUNMQSC command on WebSphere for AIX in order to issue commands remotely to WebSphere MQ for z/OS?

- A. -x
- B. -z
- C. -r
- D. -c

Answer: A

16. An AIX application is being developed that will use WebSphere MQ as the transaction manager for a two-phase commit with a DB2 database and a WebSphere MQ queue. Where will changes need to be made, if any, so that WebSphere MQ can manage the DB2 resource?

- A. The tp\_mon\_name parameter in the DB2 configuration
- B. The qm.ini configuration file
- C. The mqs.ini configuration file
- D. No changes need to be made. Both DB2 and WebSphere MQ are already XA compliant

Answer: B

17. How can the attributes of a queue manager be changed?

- A. The PCF command ALTER QMGR
- B. The control command ALTMQM
- C. The MQSC command CHANGE QMGR
- D. The MQSC command ALTER QMGR

Answer: D

18. The IMS trigger monitor must start an IMS transaction when a WebSphere MQ message arrives. In the process definition that was created, APPLTYPE(IMS) is specified. Into which field is the IMS transaction ID placed?

- A. APPLICID
- B. OBJECTID
- C. USERDATA
- D. ENVRDATA

Answer: A

19. A power outage has caused a crash of a queue manager. What steps should be taken to ensure the recovery of all persistent messages when the queue manager is restarted, assuming no hardware damage?

- A. STRMQM, then issue RCRMQOBJ -T \* to recover all objects
- B. STRMQM, then issue RCRMQOBJ -T Q \* to recover all queues
- C. STRMQM -R to begin automatic recovery
- D. The queues will automatically be recovered during restart

Answer: D

20. Channel pipelining allows TCP channels to run on two concurrent threads. Where should the WebSphere MQ for UNIX administrator define this?

- A. In the DEFINE CHANNEL command with the PIPELINE parameter
- B. In the CRTMQM command with the -P parameter
- C. In the queue manager configuration file with the PipeLineLength parameter
- D. In the ALTER QMGR command with the TCPPIPE parameter

Answer: C

### [000-294 Braindumps](#)

#### **Related 000-294 Exams**

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM Web Sphere Information Analyzer v8.0*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-913](#) *informix 4gl development*

[000-316](#) *IBM Web Sphere Integration Developer V6.1*

[000-431](#) *IBM Tivoli Storage Manager V5.5 Administration*

[000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

[000-665](#) *Architecture design of soa solution*

[000-908](#) *Tivoli Monitoring V6.2 Implementation*

[000-669](#) *SOA Fundamentals (2008)*

[000-111](#) *IBM Distributed Systems Storage Solutions Version 7*

[000-872](#) *ib m tivoli storage manager v5.2 implementation*

[000-011](#) *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

[000-286](#) *test286,applecation development wweb sphere studio,v5.0*

[000-995](#) *IBM Web Sphere Process Server V6.1.System Administration*

[000-890](#) *IBM Tivoli Monitoring V6.1 Implementation*

[000-076](#) *IBM System x Sales*

[000-017](#) *Foundations of Tivoli process automation engine V7.1*

#### **Other IBM Exams**

[000-237](#)

[000-748](#)

[LOT-980](#)

[000-062](#)

[000-718](#)

[000-876](#)

[000-268](#)

[000-913](#)

000-424

000-296

000-114

000-889

000-852

000-M07

000-x01

000-445

000-971

COG-400

000-717

000-378