

000-314 braindumps

IBM IBM certifications III

000-314: IBM WebSphere Message Broker V6.1. System Administration

Practice Exam: 000-314 Exams

Exam Number/Code: 000-314

Exam Name: IBM WebSphere Message Broker V6.1. System Administration

Questions and Answers: 106 Q&As

([IBM certifications III](#))



Exam : [000-314](#)

"IBM WebSphere Message Broker V6.1. System Administration", also known as 000-314 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 106 Q&As to your 000-314 exam preparation. In the 000-314 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications III 000-314 (IBM WebSphere Message Broker V6.1. System Administration) examination of original title complete coverage. 000-314 exam questions help you pass the exam.

Just4Study 000-314 Feature:

* High quality - High quality and valued for the 000-314 Exam: 100% Guarantee to Pass Your 000-314 exam and get your IBM certifications III certification.

* Authoritative - Authoritative braindumps with complete details about 000-314 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications III resources, you will minimize your **IBM IBM certifications III** cost and be ready to pass your 000-314 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications III demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-314 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-314 Demo Download

Just4Study offers free demo for IBM certifications III 000-314 exam (IBM WebSphere Message Broker V6.1. System Administration). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM IBM certifications III 000-314** examination of original title complete coverage. 000-314 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-314

Exam Name: IBM WebSphere Message Broker V6.1. System Administration(IBM certifications III)

Questions and Answers: 106 Q&A

[IBM 000-314](#) Test belongs to one of the IBM certifications III certified test, if needs to obtain the IBM certifications III certificate, you also need to participate in other related test, the details you may visit the [IBM certifications III](#) certified topic, in there, you will see all related IBM certifications III certified subject of examination.

Just4Study professional provide IBM certifications III 000-314 the newest Q&A, completely covers 000-314 test original topic. With our complete IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-314 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-314

Title : IBM WebSphere Message Broker V6.1. System Administration

1. Files in the specified input directory are not being processed by a flow that uses a FileInput node. The error messages indicate that the file nodes cannot continue executing (BIP3331). What is the cause of the error messages?

- A. The file is locked during this directory scan.
- B. The input file exceeds the maximum file size.
- C. The broker does not have the required access to these files and directories.
- D. There is more than one instance of this message flow deployed to this computer.

Answer: C

2. A developer has built a flow that uses the EmailOutput node to send notifications of order shipments. The SMTP server requires authentication with a specific user ID and password. What does the administrator need to do before the developer attempts to deploy the flow?

- A. Create a security identity with mqsisetdbparms.
- B. Update the default SMTP configurable service with mqsiupdatebroker.
- C. Create a SMTP configurable service with mqsicreateconfigurable service.
- D. Include the message set that contains the SMTP configuration information.

Answer: A

3. A broker administrator needs to connect via the Configuration Manager Proxy API Exerciser to a configuration manager running on Solaris which was configured using default settings and managing a BRKR1 broker running on a Windows XP environment. What four selections need to be furnished to successfully connect to the configuration manager?

- A. Port number 1414
- B. Configuration Manager name
- C. BRKR1 queue manager name
- D. Configuration Manager hostname
- E. SYSTEM.BKR.CONFIG channel name
- F. Configuration Manager queue manager name
- G. SYSTEM.DEFAULT.BKR.CONFIG channel name

Answer: ADEF

4. A broker domain has two brokers, BRK1 and BRK2, configured to a configuration manager CFGMGR. A new set of applications wants to take advantage of the publish/subscribe topic-based security.

Which steps does the administrator need to perform?

- A. Create a UserNameServer and run the mqsichangeproperties command on the brokers and the configuration manager to include the UserNameServer name.

- B. Run the command `mqsichangeproperties` command on the brokers and `mqsichangeconfigmgr` on the configuration manager to activate Access Control List's on the topics.
- C. Run the command `mqsijoinmqpubsub` against each application name and change all the brokers with the `mqsichangebroker` command to enable the security option on topics.
- D. Create a `UserNameServer` and run the `mqsichangebroker` command on the brokers and `mqsichangeconfigmgr` on the configuration manager to include the `UserNameServer` queue manager name.

Answer: D

5. A production broker in a large bank is being configured to allow WebSphere Application Server to be the JMS provider. Defaults were used for directory paths during installation of the product. When creating a `JMSProvider` configurable service for the `WebSphere_WAS_Client`, the administrator issues the following command:

```
mqsichangeproperties WBRK6_DEFAULT_BROKER -c JMSProviders -o WebSphere_WAS_Client
```

By default, where must the provider's Jar files be located on an AIX production broker system?

- A. `/var/mqsi/shared-classes`
- B. `/opt/IBM/mqsi/6.1/classes`
- C. `/var/mqsi/common/profiles`
- D. `/opt/IBM/mqsi/6.1/JMSProviders`

Answer: A

6. In a new implementation of the WebSphere Message Broker (WMB), an insurance company has decided that the Message Broker Explorer (SupportPac IS02) will be implemented. They have never used JMS with WebSphere MQ. Which feature in the Message Broker Explorer requires MQ JMS configuration?

- A. Adopt a new broker
- B. Full service tracing
- C. WebSphere DataPower Security Wizard
- D. Connect to a remote configuration manager

Answer: C

7. A broker administrator must set up policy set bindings for a new message flow. The flow includes the following SOAP nodes: `SOAPInput`, `SOAPAsyncRequest`, `SOAPAsyncResponse` and `SOAPReply`. Which two SOAP nodes result in the need for a consumer policy set binding definition?

- A. `SOAPInput`
- B. `SOAPReply`
- C. `SOAPAsyncRequest`
- D. `SOAPAsyncResponse`

Answer: CD

8. A developer is writing an application that needs to coordinate the processing of MQ messages and database updates in a message flow for distributed systems. What does the broker administrator need to configure as the XA Resource Manager?

- A. The broker
- B. The database
- C. The queue manager
- D. The operating system
- E. The configuration manager

Answer: C

9. A large bank has six brokers that are geographically dispersed. Three of the brokers are used in a publish/subscribe collective while three are not. For backup purposes, the decision has been made to use three cloned brokers. Which choice is the most appropriate?

- A. Use only one broker in the collective as a clone.
- B. Use all three of the brokers in the collective as the clones.
- C. Make two brokers from the collective clones, in case one fails.

D. Use no brokers in the collective as clones, it is not permitted.

Answer: A

10. An application has a requirement that tables in the broker database be accessible with an ID that is not the service ID of the broker using ODBC Data Source Names (DSN). What are the two tasks the administrator needs to do?

- A. Create an ODBC DSN to the broker database with mqsicreatedb.
- B. Setup an ODBC DSN to the broker database with mqsi_setupdatabase.
- C. Define an ODBC DSN to the broker database with another alias name.
- D. Associate the application ID and password with the alias name with the mqsisetdbparms command.
- E. Associate the application ID and password with the alias name with the mqsisetsecurity command.

Answer: CD

11. An administrator has set up topic-based security as shown in the Exhibit.

Which user(s) will have access to perform publish action on the topic TopicA/TopicY/TopicM?

- A. Only user1
- B. Only user2
- C. Only user3
- D. Both user1 and user3

Answer: A

12. An administrator wants to quickly configure a broker to make use of HTTP over SSL on a development environment with minimum configuration. Which property must be set by running the command mqsichangeproperties?

- A. port
- B. keystorePass
- C. keystoreFile
- D. enableSSLConnector

Answer: D

13. A company's IT division has a broker domain consisting of a single broker BRK configured to configuration manager CFGMGR. Both the components are running on a single AIX server. A new security policy was put in place by the company which required all components to be started and stopped under a new user ID. Which setup does the administrator need to perform to enable the broker and configuration manager to be started or stopped with the new user ID?

- A. Create a UserNameServer and add the new user ID.
- B. Add the new user ID to mqm and mqbrkrs groups of the machine.
- C. Run the mqsichangebroker command with the new user ID and password.
- D. Run the mqsichangedbimgr command with the new user ID and password.
- E. Run the mqsisetdbparms command adding the new user ID and password.

Answer: B

14. An administrator needs to control domain objects that are deployable. To which three objects is it possible to grant the Deploy Access Control List (ACL) permission?

- A. Broker
- B. Topology
- C. Root Topic
- D. Subscription
- E. Execution Group
- F. Configuration Manager

Answer: ACE

15. As part of the migration from WebSphere Message Broker (WMB) V6.0 to V6.1, a developer has provided the administrator a list of Java user-defined nodes that need to be migrated. The migration will be from WMB V6.0 on one machine to WMB V6.1 on a different machine. Which three steps need to be performed?

- A. Clean the project in the Package Explorer.
- B. Import the user-defined node project into the V6.1 Toolkit.
- C. Use Rational Product Updater (RPU) to perform the migrations.
- D. Run `mqsimigratecomponents` specifying the user Jar files directory.
- E. Store the `.pdb` file in the directory specified by the `-l` parameter on the `mqsicchangebroker` command.
- F. Store the `.jar` file in the directory specified by the `-l` parameter on the `mqsicchangebroker` command.

Answer: ABF

16. Under a load test in the Pre-PROD environment, the performance test has shown that the broker cannot sustain the required peak number of HTTP connection requests. What is an appropriate action?

- A. Create another Execution Group and deploy another copy of the flow.
- B. Change the `httplistener` component parameter `'-n maxThreads'` to a higher value.
- C. Increase the number of 'Additional Instances' of the flow and redeploy the flow.
- D. Increase the number of 'Additional Instances' of the HTTPInput node and redeploy the flow.

Answer: B

17. The administration team has decided to retain control over the infrastructure but wants to allow the developers to deploy flows at will in the development environment. The developers need to change trace and debug properties of execution groups (EGs), but not brokers. Which Access Control List (ACL) permissions do the developers require?

- A. Full to the EGs
- B. View to the Root and Edit to the EGs
- C. View to the Brokers and Deploy to the EGs
- D. Deploy to the Brokers and Edit to the EGs

Answer: A

18. A large enterprise is building several application message flows that include HTTPInput nodes. There is a requirement to take advantage of WS-Security for the decryption of incoming messages to these flows as well as encryption of data from the flows. The administrator needs to handle the necessary configuration. What is the most efficient way to do this with the least impact on changing code or broker configuration?

- A. Use the IBM WebSphere MQ Internet Gateway.
- B. Implement a WebSphere DataPower appliance.
- C. Set up IBM WebSphere Transformation Extender for Integration Servers.
- D. Create a new broker on a separate system using it to front-end all the security.

Answer: B

19. A large utility company has decided to implement messaging using WebSphere MQ with WebSphere Message Broker (WMB) V6.1. The production broker will be hosted on the z/OS system where Resource Recovery Service (RRS) has been configured and is active.

What must the administrator do to ensure all transactional message flows will be globally coordinated on this production broker?

- A. Nothing.
- B. Ensure the message flow is configured as a coordinated transaction in the bar file.
- C. In the bar file, ensure the Transaction mode setting for the MQInput node is properly set to "Yes" and all other Transaction modes are set to "Automatic".
- D. Configure DB2 for XA coordination; configure the queue manager for XA coordination; and ensure the message flow is configured as a coordinated transaction in the bar file.

Answer: A

20. A company has its broker BRK running on machine `brk.comp.com` under the queue manager BRKQM listening at port 1414. It is registered to configuration manager CFGMGR running on machine `cfg.comp.com` under the queue

manager CFGQM listening at port 1420. An administrator is entrusted with the task of creating an execution group EXE1 under the broker BRK. Which command should be run to achieve this task?

- A. mqsicreateexecutiongroup -i brk.comp.com -q CFGQM -b BRK -e EXE1
- B. mqsicreateexecutiongroup -i cfg.comp.com -n CFGMGR -b BRK -e EXE1
- C. mqsicreateexecutiongroup -i cfg.comp.com -p 1420 -q CFGQM -b BRK -e EXE1
- D. mqsicreateexecutiongroup -i brk.comp.com -p 1414 -q BRKQM -b BRK -e EXE1

Answer: C

[000-314 Braindumps](#)

Related 000-314 Exams

[000-100](#) ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX

[000-330](#) Power Systems Technical Support for AIX and Linux

[000-418](#) IBM Websphere Datastage V.8.0

[000-101](#) Virtualization Technical Support for AIX and Linux

[000-136](#) Rational Application Developer v7

[000-210](#) IBM Storage Networking Solutions,Version 4

[COG-480](#) IBM Cognos 8 Planning Professional

[000-R18](#) IBM SurePOS ACE V5 Technical Professional

[000-433](#) IBM Tivoli Storage Manager V5.5 Implementation

[000-071](#) ib m eserver x series technical principle v5

[000-019](#) IBM Tivoli Network Manager IP Edition V3.8 Implementation

[COG-300](#) IBM Cognos TM1 Analyst

[000-M22](#) IBM Rational Application Developer Tech Sales Mastery V1

[000-M15](#) IBM Rational Quality Mgt Technical Sales Mastery Test v1

[000-960](#) IBM Storage Sales Exam

[000-046](#) DOORS v9

[000-114](#) Storage Implementation Entny/Mid Range DS Series

[000-432](#) IBM Tivoli Storage Manager V5.5 Operator

[000-866](#) ib m eserver iseries techinca l solutions design v5r3

[000-R13](#) IBM Retail Enviroment for SuSELinux(IRES) Sales prof.

Other IBM Exams

[000-528](#) [000-438](#) [000-885](#) [000-Z01](#) [000-971](#) [000-751](#) [LOT-828](#) [COG-205](#)

[000-134](#) [000-905](#) [000-029](#) [000-P03](#) [000-355](#) [000-643](#) [000-852](#) [000-436](#)

[000-286](#) [000-161](#) [000-594](#) [000-206](#)