

000-357 braindumps

IBM IBM certifications II

000-357: IBM eServer i5 iSeries Multiple System Administration V5R3

Practice Exam: 000-357 Exams

Exam Number/Code: 000-357

Exam Name: IBM eServer i5 iSeries Multiple System Administration V5R3

Questions and Answers: 100 Q&As

([IBM certifications II](#))



"IBM eServer i5 iSeries Multiple System Administration V5R3", also known as 000-357 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 100 Q&As to your 000-357 exam preparation. In the 000-357 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-357](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-357 (IBM eServer i5 iSeries Multiple System Administration V5R3) examination of original title complete coverage. 000-357 exam questions help you pass the exam.

Just4Study 000-357 Feature:

* High quality - High quality and valued for the 000-357 Exam: 100% Guarantee to Pass Your 000-357 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-357 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-357 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-357 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-357 Demo Download

Just4Study offers free demo for IBM certifications II 000-357 exam (IBM eServer i5 iSeries Multiple System Administration V5R3). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-357** examination of original title complete coverage.000-357 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-357

Exam Name: IBM eServer i5 iSeries Multiple System Administration V5R3(IBM certifications II)

Questions and Answers: 100 Q&A

[IBM 000-357](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-357 the newest Q&A, completely covers 000-357 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-357 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-357

Title : IBM eServer i5 iSeries Multiple System Administration V5R3

1. An application performs transactions on three databases that are each on different iSeries systems. Which of the following rules governing commitment control is true?

- A. If a transaction does I/O operations on each of these three iSeries, it uses three-phase commit.
- B. If a transaction does I/O operations on just one of those iSeries, it uses single-phase commit.
- C. If a transaction does I/O operations on at least two iSeries, it uses two-phase commit.
- D. Transactions which do I/O operations on each of these three iSeries use three-phase commit only if these three iSeries are running V5R3.

Answer: C

2. After an upgrade of an iSeries server from V5R2 to V5R3, how would the system administrator know that the cumulative PTF package applied successfully?

- A. Display the messages in QSYSMSG.
- B. Display data area QSF99520 for the completion status.
- C. Use option 50 on the Work with Licensed Programs menu.
- D. Use iSeries Management Central, Endpoint systems, Display log to review the completion history.

Answer: C

3. A system administrator has upgraded the central distribution system to OS/400 V5R3. They are making changes to the system startup program, which will be distributed to V5R3 and V5R2 systems in the network using SAVRSTOBJ. Which of the following CL commands when used in the system startup program will cause the distribution to fail?

- A. VFYIMGCLG
- B. DO
- C. SNDDST
- D. DOFOR

Answer: D

4. A customer has an i5/OS system with an IXS. The IXS is implemented with one *NWSSTG for Windows and another for data. A full system backup is run weekly with the IXS varied off. They want to back up changed files daily from the IXS with their OS/400 nightly backup routine. Which of the following will allow them to perform this backup?

- A. Synchronize the profile and password that the backup runs under with the Windows server. Create a directory in QNTC with the Windows server name and add a SAV command to save changed objects in that QNTC directory.
- B. Use the SAVWNTBRM with CHGONLY(*YES) in the nightly backup to save the changed objects.
- C. Use the SAVCHGOBJ command with the IXSDTA(*YES) and NWSD(servername) options as part of the nightly

backup.

D. Add a SAV of the QNTC directory to the nightly backup. The backup user will need to have *ALLOBJ and *SAVSYS special authorities.

Answer: A

5. A customer is using a High Availability business partner solution. They will need to journal the target system at switchover time but would like to avoid the overhead of target system journaling while operating it in target mode. Which of the following solutions will reduce the overhead and allow a quick changeover to full journaling at switchover?

- A. Change the journal status to *STANDBY.
- B. Change the journal status to *NOWRITE.
- C. End Journal Object *ALL.
- D. Change Journal Receiver status to *INACTIVE.

Answer: A

6. A manufacturing site accesses the iSeries remotely. Daily, during the hours of 5:30 AM until 6:00 AM, the manufacturing site assembly line data entry workers complain of poor response times. At all other times the system performance is acceptable and batch throughput is acceptable. PM/400 collections are run daily on this iSeries system. What would be the first step in determining the cause of slow response?

- A. Start, print, and review a communications trace for the problematic time period.
- B. Review QSYSMSG for the problematic time period.
- C. Review performance collections for the problematic time period.
- D. Determine if the interactive assembly line data entry workers' jobs are interfering with another application during the problematic time period.

Answer: C

7. The administrator of an i5/OS system has just finished activating a new TCP/IP interface which connects to a firewall. The interface is active, but iSeries programs are unable to access the Internet. Which of the following is a cause of the problem?

- A. There is no route to the gateway configured for the new interface.
- B. The default route for TCP/IP configurations does not have the new interface added to it.
- C. A host table entry with the proper DNS server needs to be added on the new interface.
- D. A TCP/IP server table entry for DNS needs to be updated with the new interface.

Answer: A

8. A customer has several iSeries servers connected with TCP/IP and Anynet. Administrator user IDs and passwords are kept in sync among all servers. When the administrators enter STRPASTHR RMTUSER(*CURRENT) RMTPWD (*NONE) to connect to remote systems they get a 'password is required' error message. What must be done to correct this problem?

- A. The system value QRMTSIGN must be set to *SAMEPRF.
- B. Each pair of systems must be configured as secure location pairs.
- C. The SNA Network name must be changed to be the same for all systems in the network.
- D. The AnyNet controllers must be set to enable password encryption.

Answer: B

9. A data center with five eServer i5 systems and two HMC devices wants to have redundancy and remote access for the HMCs. How should the network be configured?

- A. Place Port 1 from each of the Flexible Service Processors (FSPs) in a private network. Connect Port 1 from one HMC directly into the FSP of the Service Provider system. Connect Port 1 of the other HMC directly into the second FSP in the private network.
- B. Place Port 1 on each Flexible Service Processor (FSP) and Port 1 from one HMC on a private network. Place Port

2 on each

FSP and Port 1 from the other HMC on another private network. Place Port 2 from each HMC onto the public network.

C. Place Port 2 from each HMC and Port 1 from each Flexible Service Processor (FSP) on a private network. Place Port 1 from each HMC and Port 2 from each FSP on the public network.

D. Place Port 1 from each HMC and Port 1 from each Flexible Service Processor (FSP) on a private network. Place Port 2 from each HMC and FSP onto the public network.

Answer: D

10. How would a secondary partition console be forced into dedicated storage tools?

A. In iSeries Navigator, Management Central, System Service Tool, set option 21 on the secondary partition.

B. Set the control panel to xx21 where 'xx' is the number of the partition.

C. Use option 21 on the Work with Partition Status in SST.

D. Call the QCPSRVPNL(Control Panel) API from a control language program and set option 21 in the service processor.

Answer: C

11. The databases for an application need various levels of security. Some users need to be able to change the records (group 1), others need only read access (group 2), and the rest of the company should not be able to access the records at all. Which of the following is a valid method of securing the files?

A. Set *PUBLIC authority on all of the libraries to *EXCLUDE. Grant *USE authority to all of the database objects to group 2.

Grant *ALL authority to all the users in group 1.

B. Give the group 1 users *ALLOBJ authority. Set the *PUBLIC access to the files to *READ. Set the *PUBLIC access to the library to *EXCLUDE.

C. List the specific users with change and read only access in an authorization list. Assign the authorization list to the objects and set *PUBLIC to *EXCLUDE.

D. Set *PUBLIC access to the files to *CHANGE. Place group 2 in a group profile that has only *READ authority to the files. Set *PUBLIC access to the library to *EXCLUDE.

Answer: C

12. Which of the following is an IBM supplied task role for an HMC user?

A. hmcsecofr

B. hmcsysopr

C. hmcuser

D. hmcsuperadmin

Answer: D

13. Which of the following SELECT statements will cause a TABLE PROBE when using Visual Explain?

A. Select col2 from <ALIAS> ...

B. Select col1 from <table> ...

C. Select col1, col2 from <view> ...

D. Select * from <ALIAS> ...

Answer: D

14. An iSeries system has two i5/OS partitions. The Virtual LAN is configured to communicate between partitions for data replication. One of the partitions is connected outside the company firewall to host the company web server. What should the system administrator do in order to maximize security over the Virtual LAN between the partitions?

A. Add the QTMHHTTP and QSECOFR user profiles to the TCP/IP Port Restrictions table on each partition.

- B. Enable only the *SIGNON and *FILE host servers on the partition inside the firewall.
- C. Disable all TCP servers on the web partition that are not required for web serving and data replication.
- D. Set up SSL on the Virtual LAN between the two partitions.

Answer: C

15. What is the recommended work management environment for interactive workloads?

- A. All devices in a single subsystem
- B. A subsystem for every 100 devices
- C. A subsystem for every 300 devices
- D. A subsystem for every 500 devices

Answer: C

16. Which of the following is used to run a program or SQL process based on a specified database event?

- A. Two-phase commit
- B. Journals
- C. Commitment control
- D. Triggers

Answer: D

17. After doing some journal analysis, it has been determined that the receiver size needs to be changed. Which of the following is required to start using receivers with the new size?

- A. End journaling of all objects, delete the journal, delete the receiver, create the receiver with the new size, create the journal, and start journaling the objects.
- B. Create a receiver with the new size and change the journal to use the new receiver.
- C. Change the journal to generate a receiver using the new size.
- D. Change the receiver to use the new size.

Answer: B

18. What is the minimum version of AIX supported for use on an eServer i5?

- A. AIX 5L V5.0
- B. AIX 5L V5.1
- C. AIX 5L V5.2
- D. AIX 5L V5.3

Answer: C

19. An administrator for an i550 with multiple LPARs wants to run different jobs after a production job finishes on the production LPAR. Job A should run if the production job ends normally, and job B should run if the production job ends abnormally. How can this be accomplished?

- A. Use the HMC scheduler to set up a reactive schedule for the production LPAR on those batch jobs.
- B. Use the Q_JOBEND_ABN exit program when the first job finishes.
- C. Have jobs A and B access the first job's job log to see if it finished normally.
- D. Install Advanced Job Scheduler (5722-JS1) and set job relationships.

Answer: D

20. A system administrator wants to regularly check the system for developing hardware problems before a critical failure occurs. Which of the following options is best for this purpose?

- A. Review the History Log for hardware warning messages.
- B. Enable Service Agent.
- C. Enter the Product Activity Log service tool, then analyze and review the log for repeat entries on certain devices.
- D. Use the Work with Problems command to display recorded problems, then examine the listed problem entries for hardware issues.

Answer: B

Related 000-357 Exams

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

[000-253](#) *Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn*

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

[000-918](#) *System Administration for IBM Informix Dynamic Server V11*

[000-798](#) *ib m tivoli monitoring for transaction perf v5.2 implement*

[000-351](#) *ib m eserver i5 iseries single system adminsitration v5r3*

[000-647](#) *Rational Performance Tester*

[000-807](#) *Test 807, Web Services Dev for IBM Web Sphere App Server V6.1*

[000-664](#) *Test664.SOA Fundamentals*

[000-806](#) *IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

[000-792](#) *ib m tivoli access mgr for business integration v3.9.1 implmn*

[000-484](#) *enterprise connectivity with j2ee v1.3*

[000-834](#) *Object Oriented Analysis and Design-Part2(Design)*

[000-971](#) *System i Administrator V5.07.11*

[000-021](#) *IBM Tivoli Workload Scheduler V8.5 Implementation*

[000-734](#) *DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows*

[000-705](#) *business intelligence solutions v8.1*

[000-631](#) *rational-clearcase for unix*

Other IBM Exams

[000-528](#) [000-255](#) [000-703](#) [000-102](#) [000-010](#) [000-742](#) [000-141](#) [000-807](#)

[000-015](#) [000-818](#) [000-419](#) [000-716](#) [000-347](#) [LOT-982](#) [006-002](#) [000-003](#)

[000-514](#) [COG-300](#) [000-798](#) [000-M04](#)