

000-399 braindumps

IBM IBM certifications II

000-399: Test399.IBM WebSphere Portal V5.1 Application Development

Practice Exam: 000-399 Exams

Exam Number/Code: 000-399

Exam Name: Test399.IBM WebSphere Portal V5.1 Application Development

Questions and Answers: 102 Q&As

([IBM certifications II](#))



"Test399.IBM WebSphere Portal V5.1 Application Development", also known as 000-399 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 102 Q&As to your 000-399 exam preparation. In the 000-399 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-399](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-399 (Test399.IBM WebSphere Portal V5.1 Application Development) examination of original title complete coverage. 000-399 exam questions help you pass the exam.

Just4Study 000-399 Feature:

* High quality - High quality and valued for the 000-399 Exam: 100% Guarantee to Pass Your 000-399 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-399 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-399 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-399 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-399 Demo Download

Just4Study offers free demo for IBM certifications II 000-399 exam (Test399.IBM WebSphere Portal V5.1 Application Development). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-399** examination of original title complete coverage.000-399 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-399

Exam Name: Test399.IBM WebSphere Portal V5.1 Application Development(IBM certifications II)

Questions and Answers: 102 Q&A

[IBM 000-399](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination. Just4Study professional provide IBM certifications II 000-399 the newest Q&A, completely covers 000-399 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-399 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-399

Title : Test399.IBM WebSphere Portal V5.1 Application Development

1. Which of the following statements is valid with respect to debugging using Rational Application Developer?

- A. Personalized portlet applications can only be tested remotely.
- B. Debugging allows developers to set breakpoints in the Java source code but not JSP files.
- C. Debugging requires that the Rational Agent Controller be installed and running.
- D. Multiple clients can concurrently debug using the same remote WebSphere Portal server.

Answer: A

2. To create a custom portlet service, which of the following options list all of the REQUIRED steps?

- A. Define the interface, write the implementation, register the service, deploy the service jar to <WPS_HOME>/shared/app.
- B. Define the interface, write the implementation, register the service, deploy the service home jar to <WPS_HOME>/shared/app/config/services.
- C. Define the interface, write the implementation, deploy the service home jar to <WPS_HOME>/shared/app/config/services.
- D. Write the implementation, register the service.

Answer: A

3. Rational Application Developer Portal Tools provides which of the following features for debugging a portlet on a remote server?

- A. WebSphere Administrative Console
- B. WebSphere Portal V5.1 Remote Server Deploy
- C. WebSphere Portal V5.1 Server Attach
- D. WebSphere Portal V5.1 Test Environment

Answer: C

4. For a development environment running on the Windows operating system, which software would be required to successfully build, test and install a portlet application on WebSphere Portal V5.1?

- A. Portal Toolkit
- B. Rational Application Developer
- C. IBM WebSphere Business Integrator Modeler
- D. IBM WebSphere Business Integration Server Foundation

Answer: B

5. When the WebSphere Portal V5.1 Test Environment server fails on startup on a Windows environment, which file location would be the MOST likely file to have information useful to a developer? Assume that all defaults were taken for product installation locations.

- A. PortalToolkitruntimeportal_v51log
- B. Portal51UTEPortalServerlog
- C. runtimesportal_v50log
- D. Rationalportal_v50log

Answer: C

6. What type of object is returned from the JNDI lookup when accessing a portlet service?

- A. PortletService
- B. PortletServiceProvider
- C. PortletServiceHome
- D. PortletServiceFactory

Answer: C

7. A developer is using the WebSphere Portal V5.1 Test Environment and notices that a JSR 168 portlet title needs to be changed. A portlet information resource bundle is NOT defined in the deployment descriptor. The title is updated in the deployment descriptor and the portlet is re-tested, but the title change is not displayed. What needs to be done to display this change?

- A. A resource bundle needs to be defined in the portlet.xml and contain the portlet title.
- B. The portlet title needs to be updated in the web.xml and the WebSphere Portal V5.1 Test Environment needs to be restarted.
- C. The developer needs to make certain that the property reloadingEnabled is set to true in the ibm-web-ext.xmi file.
- D. The developer needs to make certain that the WebSphere Portal V5.1 Test Environment is restarted.

Answer: D

8. Which of the following is considered a BEST practice for accessing a datasource from a portlet application?

- A. Use a portlet service or a connection framework to provide access to the datasource.
- B. A portlet should only consider accessing a datasource during the render phase.
- C. A portlet should only consider accessing a datasource during the processAction phase.
- D. Whenever a portlet is accessing a datasource, portlet caching should be enabled.

Answer: A

9. For a web application with multiple Struts portlets, the BEST way to define the initial views of the individual portlets is to specify them:

- A. In the welcome file list in the application's web.xml.
- B. In the viewMode.page preferences attributes in the individual portlet.xml.
- C. As viewMode properties in the actions section in the individual struts-config.xml.
- D. As view attributes in the supports section of the individual portlet.xml.

Answer: B

10. For portal business processes that should be processed within portal, what is used to lookup the task page definition at runtime?

- A. Client UI identifier
- B. Process Template Name
- C. Task instance object identifier (TKIID)
- D. Staff activity identifier

Answer: A

11. Which of the following is valid about portlet testing in a development environment?

- A. Portal Test Environment with WebSphere Portal V5.1 installs complete WebSphere Portal code for testing portlets.
- B. Portlet Toolkit supports testing against WebSphere Portal V5.1, WebSphere Portal V 5.0.2.2 and WebSphere Portal V 5.0.2.
- C. When defining a remote (server attach) server for testing, debugging, or profiling a portlet project, the server must be created and

configured.

D. Remote Server attach configurations do not support auto deployments of Portlets from Rational Application Developer V6.0.

Answer: C

12. Which of the following types of credentials allows a portlet to extract a single secret?

A. SimplePassiveCredential

B. UserPasswordPassiveCredential

C. BinaryCredential

D. JaasSubjectCredential

Answer: A

13. In the Web Services Description Language (WSDL) for a target cooperative portlet, what is the role of declared output parameters associated with a portlet action?

A. They correspond to properties that should be propagated to other portlets via the Property Broker.

B. They correspond to additional target endpoints available in the wiring tool.

C. They represent return values for the delivered action.

D. In the current cooperative portlet framework, action output parameters are ignored.

Answer: A

14. What type of credential slot would a developer choose in order to share the credential secret amongst all users and portlets?

A. Public Credential

B. Shared Credential

C. System Credential

D. Global Credential

Answer: C

15. In which phase are the Struts Actions triggered within the Portal Struts Framework?

A. processAction

B. render

C. doDispatch

D. doView

Answer: A

16. By default, for JSR 168 portlets, the Property Broker is expecting the action name to be delivered via a parameter named which of the following, if named at all?

A. The value of the required actionParamName property.

B. The fully qualified type of the property being sent.

C. com.ibm.portal.propertybroker.action

D. No action name is associated with JSR 168 portlets.

Answer: C

17. Which of the following troubleshooting actions should be taken when the WebSphere Portal Test environment fails to start on a Windows environment?

A. In the server configuration, uncheck the "Enable hot method replace in debug mode" checkbox.

B. Login to Windows as an administrator and run the WebSphere Portal Test environment.

C. Check the install logs located at WebSpherePortalServerlogswpsinstalllog.txt.

D. Check the install logs located at WebSphereAppServerlogsruntimeportal_v50logwpsinstalllog.txt.

Answer: B

18. When a Data Transfer Object is obtained in the action processing phase of a portlet action, what is the BEST scope to use to deliver this object to the portlet's render phase?

- A. Render parameter
- B. Request attribute
- C. Portlet session
- D. Portlet preference

Answer: A

19. A JSF managed bean is bound to an SDO (Service Data Objects)? What is the effect of changes made by an end user to the corresponding values in the UI component(s)?

- A. The update may be persisted through the SDO mediator by application code during the Invoke Application JSF request phase.
- B. The update is persisted through the SDO mediator automatically during the Invoke Application JSF request phase.
- C. The update is persisted through the SDO mediator automatically during the Update Model Values JSF request phase.
- D. The update is persisted through the SDO mediator automatically during the Apply Request Values JSF request phase.

Answer: C

20. The Personalization resource wizard in Rational Application Developer is used to generate the content spot classes and resource collection classes. If the content spot and resource collection will be used by multiple applications, then those classes should be:

- A. Deployed together with the related portlets in the portlet application WAR file.
- B. Placed in the WebSphere Application Server shared library.
- C. Placed directly in the pzn_root/pzn/v5.1/lib directory.
- D. Uploaded using the Personalization interface.

Answer: B

[000-399 Braindumps](#)

Related 000-399 Exams

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

[000-253](#) *Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn*

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

[000-918](#) *System Administration for IBM Informix Dynamic Server V11*

[000-798](#) *ib m tivoli monitoring for transaction perf v5.2 implement*

[000-351](#) *ib m eserver i5 iseries single system adminsitration v5r3*

[000-647](#) *Rational Performance Tester*

[000-807](#) *Test 807, Web Services Dev for IBMWeb Sphere App Server V6.1*

[000-664](#) *Test664.SOA Fundamentals*

[000-806](#) *IBM Test 806, IBMWeb Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

[000-792](#) *ib m tivoli access mgr for business integration v3.9.1 implmn*

[000-484](#) *enterprise connectivity with j2ee v1.3*

[000-834](#) *Object Oriented Analysis and Design-Part2(Design)*

[000-971](#) *System i Administrator V5.07.11*

[000-021](#) *IBM Tivoli Workload Scheduler V8.5 Implementation*

[000-734](#) *DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows*

[000-705](#) *business intelligence solutions v8.1*

Other IBM Exams

<u>000-M19</u>	<u>000-274</u>	<u>000-746</u>	<u>000-747</u>	<u>000-285</u>	<u>000-117</u>	<u>000-444</u>	<u>000-004</u>
<u>COG-480</u>	<u>000-341</u>	<u>000-013</u>	<u>000-M26</u>	<u>000-876</u>	<u>000-010</u>	<u>000-430</u>	<u>000-927</u>
<u>000-818</u>	<u>COG-135</u>	<u>000-731</u>	<u>000-649</u>				