

000-512 braindumps

IBM Solutions Expert Certified Specialist

000-512: db2 udb v7.1 family fundamentals

Practice Exam: 000-512 Exams

Exam Number/Code: 000-512

Exam Name: db2 udb v7.1 family fundamentals

Questions and Answers: 110 Q&As

([Solutions Expert Certified Specialist](#))



"db2 udb v7.1 family fundamentals", also known as 000-512 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 110 Q&As to your 000-512 exam preparation. In the 000-512 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-512](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM Solutions Expert 000-512 (db2 udb v7.1 family fundamentals) examination of original title complete coverage. 000-512 exam questions help you pass the exam.

Just4Study 000-512 Feature:

* High quality - High quality and valued for the 000-512 Exam: 100% Guarantee to Pass Your 000-512 exam and get your Solutions Expert certification.

* Authoritative - Authoritative braindumps with complete details about 000-512 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Solutions Expert resources, you will minimize your **IBM Solutions Expert** cost and be ready to pass your 000-512 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Solutions Expert demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-512 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-512 Demo Download

Just4Study offers free demo for Solutions Expert 000-512 exam (db2 udb v7.1 family fundamentals). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM Solutions Expert Certified Specialist 000-512** examination of original title complete coverage. 000-512 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-512

Exam Name: db2 udb v7.1 family fundamentals(Solutions Expert Certified Specialist)

Questions and Answers: 110 Q&A

[IBM 000-512](#) Test belongs to one of the Solutions Expert Certified Specialist certified test, if needs to obtain the

Solutions Expert Certified Specialist certificate, you also need to participate in other related test, the details you may visit the [Solutions Expert Certified Specialist](#) certified topic, in there, you will see all related Solutions Expert Certified Specialist certified subject of examination.

Just4Study professional provide Solutions Expert Certified Specialist 000-512 the newest Q&A, completely covers 000-512 test original topic. With our complete Solutions Expert Certified Specialist resources, you will minimize your Solutions Expert Certified Specialist cost and be ready to pass your 000-512 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-512

Title : db2 udb v7.1 family fundamentals

1. Given the following:

TAB1 TAB2

C1 C2 CX CY

-- -- -- --

A 11 A 21

B 12 C 22

C 13 D 23

The following results are desired:

C1 C2 CX CY

--

A 11 A 21

B 12 --

C 13 C 22

Which of the following joins will yield the desired results?

A. SELECT * FROM tab1, tab2 WHERE c1=cx

B. SELECT * FROM tab1 INNER JOIN tab2 ON c1=cx

C. SELECT * FROM tab1 FULL OUTER JOIN tab2 ON c1=cx

D. SELECT * FROM tab1 LEFT OUTER JOIN tab2 ON c1=cx

Answer: D

2. Given the following embedded SQL programs:

Which of the following records will be returned by the statement

SELECT * FROM mytab?

A. 20989, Joe Smith

B. 21334, Amy Johnson

C. 23430, Jason French

D. 20993, Samantha Jones

E. No records are returned

Answer: D

3. Given the table COUNTRY and the statements below:

COUNTRY

ID NAME PERSON_ID CITIES

1 Argentina 1 10

2 Canada 2 20

3 Cuba 2 10

4 Germany 1 0

5 France 7 5

```
DECLARE c1 CURSOR WITH HOLD FOR SELECT * FROM country ORDER BY person_id, name
```

```
OPEN c1
```

```
FETCH c1
```

```
COMMIT
```

```
FETCH c1
```

Which of the following is the last name obtained from the table?

A. Cuba

B. France

C. Canada

D. Germany

E. Argentina

Answer: C

4. Given the following table definition:

```
STAFF
```

```
id INTEGER
```

```
name CHAR(20)
```

```
dept INTEGER
```

```
job CHAR(20)
```

```
years INTEGER
```

```
salary DECIMAL(10,2)
```

```
comm DECIMAL(10,2)
```

Which of the following SQL statements will return the total number of employees in each department and the corresponding department id under the following conditions: Only return departments with at least one employee receiving a commission greater than 5000. The result should be sorted by the department count from most to least.

A. SELECT dept, COUNT(id) FROM staff WHERE comm > 5000 GROUP BY dept ORDER BY 2 DESC

B. SELECT dept, COUNT(*) FROM staff GROUP BY dept HAVING comm > 5000 ORDER BY 2 DESC

C. SELECT dept, COUNT(*) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 2 DESC

D. SELECT dept, comm, COUNT(id) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 3 DESC

Answer: A

5. Given an embedded SQL program with a single connection, two threads and the following actions: Thread 1:

```
INSERT INTO mytab VALUES (...)
```

```
Thread 2: INSERT INTO mytab VALUES (...)
```

```
Thread 1: ROLLBACK
```

```
Thread 2: INSERT INTO mytab VALUES (...)
```

```
Thread 1: COMMIT
```

How many records will be successfully inserted into the table mytab?

A. 0

B. 1

C. 2

D. 3

Answer: B

6. Which of the following is the result of the following SQL statement: ALTER TABLE table1 ADD col2 INT WITH DEFAULT

A. The statement fails with a negative SQL code.

B. The statement fails because no default value is specified.

C. A new column called COL2 is added to TABLE1 and populated with zeros.

- D. A new column called COL2 is added to TABLE1 and populated with nulls.
- E. A new column called COL2, which cannot contain nulls, is added to TABLE1.

Answer: C

7. Given the following DDL statement: CREATE TABLE newtab1 LIKE tab1 Which of the following would occur as a result of the statement execution?

- A. NEWTAB1 has same triggers as TAB1
- B. NEWTAB1 is populated with TAB1 data
- C. NEWTAB1 has the same primary key as TAB1
- D. NEWTAB1 columns have same attributes as TAB1

Answer: D

8. Which of the following describes why savepoints are NOT allowed inside an atomic unit of work?

- A. Atomic units of work span multiple databases, but savepoints are limited to units of work which operate on a single database.
- B. A savepoint implies that a subset of the work may be allowed to succeed, while atomic operations must succeed or fail as a unit.
- C. A savepoint requires an explicit commit to be released, and commit statements are not allowed in atomic operations such as compound SQL.
- D. A savepoint cannot be created without an active connection to a database, but atomic operations can contain a CONNECT as a sub-statement.

Answer: B

9. User2 has DBADM authority on database DB1. This allows the user to do which of the following?

- A. Drop database DB1
- B. Backup database DB1
- C. Create tables in any database
- D. Create tables in database DB1

Answer: D

10. Given the following table definition:

STAFF

id INTEGER

name CHAR(20)

dept INTEGER

job CHAR(20)

years INTEGER

salary DECIMAL(10,2)

comm DECIMAL(10,2)

The job column contains these job types: manager, clerk, and salesperson. Which of the following statements will return the data with all managers together, all clerks together and all salespeople together in the output?

- A. SELECT * FROM staff ORDER BY job
- B. SELECT job, name FROM staff GROUP BY name, job
- C. SELECT * FROM staff GROUP BY name, job, id, dept, years, salary, comm
- D. SELECT * FROM staff ORDER BY name, job, id, dept, years, salary, comm

Answer: A

11. Which of the following can be accomplished with a single UPDATE statement?

- A. Updating multiple tables
- B. Updating a view consisting of joined tables
- C. Updating multiple tables based on a WHERE clause
- D. Updating a table based on a sub-select using joined tables

Answer: D

12. Given the table T1 created by:

```
CREATE TABLE t1
```

```
(  
id INTEGER NOT NULL GENERATED ALWAYS AS IDENTITY,  
c1 CHAR(10) NOT NULL,  
c2 CHAR(10)  
)
```

Which of the following INSERT statements will succeed?

- A. INSERT INTO t1 VALUES (1, 'abc', NULL)
- B. INSERT INTO t1 VALUES (1, NULL, 'def')
- C. INSERT INTO t1 (c1, c2) VALUES ('abc', NULL)
- D. INSERT INTO t1 (c1, c2) VALUES (NULL, 'def')

Answer: C

13. Given the following SQL statements:

```
CREATE TABLE tab1 (col1 INT)
```

```
CREATE TABLE tab2 (col1 INT)
```

```
INSERT INTO tab1 VALUES (NULL),(1)
```

```
INSERT INTO tab2 VALUES (NULL),(1)
```

```
SELECT COUNT(*) FROM tab1
```

```
WHERE col1 IN
```

```
(SELECT col1 FROM tab2)
```

Which of the following is the result of the SELECT COUNT(*) statement?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 0

Answer: A

14. Which of the following tasks can be performed using the ALTER TABLESPACE statement?

- A. Assign a bufferpool.
- B. Change the table space name.
- C. Change the type of the table space.
- D. Change the page size of the table space.

Answer: A

15. Which of the following occurs if an application ends abnormally during an active unit of work?

- A. Current unit of work is committed
- B. Current unit of work is rolled back
- C. Current unit of work remains active
- D. Current unit of work moves to pending state

Answer: B

16. Which of the following SQL statements can remove all rows from a table named COUNTRY?

- A. DELETE country
- B. DELETE FROM country
- C. DELETE * FROM country
- D. DELETE ALL FROM country

Answer: B

17. Given two embedded SQL program executions with the following actions:

Pgm1

```
INSERT INTO mytab VALUES (...)  
COMMIT INSERT INTO mytab VALUES (...)  
ROLLBACK Pgm2 INSERT INTO mytab VALUES (...)  
ROLLBACK INSERT INTO mytab VALUES (...)  
COMMIT
```

How many records will be successfully inserted and retained in the table mytab?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

18. Given a table T1, with a column C1 char(3), that contains strings in upper and lower case letters, which of the following queries will find all rows where C1 is the string 'ABC' in any case?

- A. SELECT * FROM t1 WHERE c1 = 'ABC'
- B. SELECT * FROM t1 WHERE UCASE(c1) = 'ABC'
- C. SELECT * FROM t1 WHERE IGNORE_CASE(c1 = 'ABC')
- D. SELECT * FROM t1 WHERE c1 = 'ABC' WITH OPTION CASE INSENSITIVE

Answer: B

19. Given the tables:

COUNTRY

ID NAME PERSON CITIES

1 Argentina 1 10

2 Canada 2 20

3 Cuba 2 10

4 Germany 1 0

5 France 7 5

STAFF

ID LASTNAME

1 Jones

2 Smith

The statement:

```
SELECT * FROM staff, country
```

will return how many rows?

- A. 2
- B. 4
- C. 5
- D. 7
- E. 10

Answer: E

20. Given the two following tables:

Names

Name Number

Wayne Gretzky 99

Jaromir Jagr 68

Bobby Orr 4

Bobby Hull 23

Brett Hull 16

Mario Lemieux 66

Steve Yzerman 19

Claude Lemieux 19

Mark Messier 11
Mats Sundin 13
Points
Name Points
Wayne Gretzky 244
Jaromir Jagr 68
Bobby Orr 129
Bobby Hull 93
Brett Hull 121
Mario Lemieux 189
Joe Sakic 94

Which of the following statements will display the player Names, numbers and points for all players with an entry in both tables? Which of the following statements will display the player? Names, numbers and points for all players with an entry in both tables?

- A. SELECT names.name, names.number, points.points FROM names INNER JOIN points ON names.name=points.name
- B. SELECT names.name, names.number, points.points FROM names FULL OUTER JOIN points ON names.name=points.name
- C. SELECT names.name, names.number, points.points FROM names LEFT OUTER JOIN points ON names.name=points.name
- D. SELECT names.name, names.number, points.points FROM names RIGHT OUTER JOIN points ON names.name=points.name
- E. SELECT names.name, names.number, points.points FROM names FULL OUTER JOIN points ON names.name=points.name
- F. SELECT names.name, names.number, points.points FROM names LEFT OUTER JOIN points ON names.name=points.name
- G. SELECT names.name, names.number, points.points FROM names RIGHT OUTER JOIN points ON names.name=points.name
- H. SELECT names.name, names.number, points.points FROM names LEFT OUTER JOIN points ON names.name=points.name
- I. SELECT names.name, names.number, points.points FROM names RIGHT OUTER JOIN points ON names.name=points.name
- J. SELECT names.name, names.number, points.points FROM names LEFT OUTER JOIN points ON names.name=points.name
- K. SELECT names.name, names.number, points.points FROM names RIGHT OUTER JOIN points ON names.name=points.name

Answer: A

[000-512 Braindumps](#)

Related 000-512 Exams

[000-512](#) db2 udb v7.1 family fundamentals

[000-910](#) managing and optimizing informix dynamic server databases

[000-915](#) system administration for informix dynamic server v9

Other IBM Exams

000-002	000-806	COG-132	000-867	000-990	000-236	000-314	000-100
000-432	000-M05	000-900	000-M09	000-792	000-994	000-718	000-139
000-M21	000-550	000-426	000-258				