

000-700 braindumps

IBM DB2

000-700: ibm db2 udb v8.1 family fundamentals

Practice Exam: 000-700 Exams

Exam Number/Code: 000-700

Exam Name: ibm db2 udb v8.1 family fundamentals

Questions and Answers: 108 Q&As

([DB2](#))



Exam : [000-700](#)

"ibm db2 udb v8.1 family fundamentals", also known as 000-700 exam, is a IBM certification. With the complete collection of exam questions,

Just4Study has assembled to take you through 108 Q&As to your 000-700 exam preparation. In the 000-700 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM DB2 000-700 (ibm db2 udb v8.1 family fundamentals) examination of original title complete coverage. 000-700 exam questions help you pass the exam.

Just4Study 000-700 Feature:

* High quality - High quality and valued for the 000-700 Exam: 100% Guarantee to Pass Your 000-700 exam and get your DB2 certification.

* Authoritative - Authoritative braindumps with complete details about 000-700 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed DB2 resources, you will minimize your **IBM DB2** cost and be ready to pass your 000-700 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free DB2 demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-700 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-700 Demo Download

Just4Study offers free demo for DB2 000-700 exam (ibm db2 udb v8.1 family fundamentals). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM DB2 000-700** examination of original title complete coverage. 000-700 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-700

Exam Name: ibm db2 udb v8.1 family fundamentals(DB2)

Questions and Answers: 108 Q&A

[IBM 000-700](#) Test belongs to one of the DB2 certified test, if needs to obtain the DB2 certificate, you also need to participate in other related test, the details you may visit the [DB2](#) certified topic, in there, you will see all related DB2 certified subject of examination.

Just4Study professional provide DB2 000-700 the newest Q&A, completely covers 000-700 test original topic. With our complete DB2 resources, you will minimize your DB2 cost and be ready to pass your 000-700 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-700

Title : IBM DB2 UDB V8.1 Family Fundamentals

1. Given that the following statements were executed in order:

```
CREATE TABLE tab1 (c1 CHAR(1))
```

```
INSERT INTO tab1 VALUES ('b')
```

```
CREATE VIEW view1 AS SELECT c1 FROM tab1 WHERE c1 ='a'
```

```
INSERT INTO view1 VALUES ('a')
```

```
INSERT INTO view1 VALUES ('b')
```

How many rows would be returned from the following statement?

```
SELECT c1 FROM tab1
```

- A. 0
- B. 1
- C. 2
- D. 3

Answer: D

2. Given the following table definition:

```
STAFF
```

```
id INTEGER
```

```
name CHAR(20)
```

```
dept INTEGER
```

```
job CHAR(20)
```

```
years INTEGER
```

```
salary DECIMAL(10,2)
```

```
comm DECIMAL(10,2)
```

Which of the following SQL statements will return a result set that satisfies these conditions:

-Displays the department ID and total number of employees in each department.

-Includes only departments with at least one employee receiving a commission (comm) greater than 5000.

-Sorted by the department employee count from greatest to least.

- A. SELECT dept, COUNT(*) FROM staff GROUP BY dept HAVING comm > 5000 ORDER BY 2 DESC
- B. SELECT dept, COUNT(*) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 2 DESC
- C. SELECT dept, COUNT(*) FROM staff GROUP BY dept HAVING MAX(comm) > 5000 ORDER BY 2 DESC
- D. SELECT dept, comm, COUNT(id) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 3 DESC

Answer: C

3. Given the following two tables:

```
TAB1 TAB2
```

C1 C2 CXCY

A 11 A 21

B 12 C 22

C 13 D 23

The following results are desired:

C1 C2 CXCY

A 11 A 21

B 12 - -

C 13 C 22

Which of the following joins will yield the desired results?

A. SELECT * FROM tab1 INNER JOIN tab2 ON c1=cx

B. SELECT * FROM tab2 LEFT OUTER JOIN tab1 ON c1=cx

C. SELECT * FROM tab2 FULL OUTER JOIN tab1 ON c1=cx

D. SELECT * FROM tab1 LEFT OUTER JOIN tab2 ON c1=cx

Answer: D

4. A unit of work is using an isolation level of Read Stability. An entire table is scanned twice within the unit of work.

Which of the following can be seen on the second scan of the table?

A. Rows removed by other processes

B. Rows added to a result set by other processes

C. Rows changed in a result set by other processes

D. Rows with uncommitted changes made by other processes

Answer: B

5. Given the following statements from two embedded SQL programs:

Program 1:

```
CREATE TABLE mytab (col1 INT, col2 CHAR(24))
```

```
COMMIT
```

Program 2:

```
INSERT INTO mytab VALUES( 20989,'Joe Smith')
```

```
COMMIT
```

```
INSERT INTO mytab VALUES( 21334,'Amy Johnson')
```

```
DELETE FROM mytab
```

```
COMMIT
```

```
INSERT INTO mytab VALUES( 23430,'Jason French')
```

```
ROLLBACK
```

```
INSERT INTO mytab VALUES( 20993,'Samantha Jones')
```

```
COMMIT
```

```
DELETE FROM mytab WHERE col1=20993
```

```
ROLLBACK
```

Assuming Program 1 ran to completion and then Program 2 ran to completion, which of the following records would be returned by the statement:

```
SELECT * FROM mytab?
```

A. 20989, Joe Smith

B. 21334, Amy Johnson

C. 23430, Jason French

D. 20993, Samantha Jones

E. No records are returned.

Answer: D

6. Which of the following tools is used to create subscription sets and add subscription-set members to subscription

sets?

- A. Journal
- B. License Center
- C. Replication Center
- D. Development Center

Answer: C

7. Given the SQL statement:

```
ALTER TABLE table1 ADD col2 INT WITH DEFAULT
```

Which of the following is the result of the statement?

- A. The statement fails because no default value is specified.
- B. A new column called COL2 is added to TABLE1 which would have a null value if selected.
- C. A new column called COL2 is added to TABLE1 which would have a value of zero if selected.
- D. A new column called COL2 is added to TABLE1 which would require the default value to be set before working with the table.

Answer: C

8. Table T1 has a column C1 char(3) that contains strings in upper and lower case letters. Which of the following queries will find all rows where C1 is the string 'ABC' in any case?

- A. SELECT * FROM t1 WHERE c1 = 'ABC'
- B. SELECT * FROM t1 WHERE UCASE(c1) = 'ABC'
- C. SELECT * FROM t1 WHERE IGNORE_CASE(c1 = 'ABC')
- D. SELECT * FROM t1 WHERE c1 = 'ABC' WITH OPTION CASE INSENSITIVE

Answer: B

9. An application bound with isolation level Uncommitted Read updates a row. Which of the following is true regarding the locking of this row?

- A. No row lock is acquired when the row is updated.
- B. The row lock is released when the cursor accessing the row is closed.
- C. The row lock is released when the application issues a COMMIT statement.
- D. The row lock is released when the cursor accessing the row is moved to the next row.

Answer: C

10. Given the following table definition:

```
COUNTRY
```

```
c1 INTEGER
```

```
name CHAR(20)
```

Which of the following SQL statements will remove all rows from the table named COUNTRY?

- A. DELETE FROM country
- B. DELETE * FROM country
- C. DELETE FROM TABLE country
- D. DELETE FROM country WHERE c1 IS NOT NULL

Answer: A

11. What is the minimum privilege required to allow USER1 to access table data?

- A. READ privilege on the table
- B. SELECT privilege on the table
- C. REFERENCES privilege on the table
- D. SELECT privilege WITH GRANT OPTION on the table

Answer: B

12. A table called EMPLOYEE has the following columns:

```
NAME
```

DEPARTMENT
PHONE_NUMBER

Which of the following will allow USER1 to modify the PHONE_NUMBER column?

- A. GRANT INDEX (phone_number) ON TABLE employee TO user1
- B. GRANT ALTER (phone_number) ON TABLE employee TO user1
- C. GRANT UPDATE (phone_number) ON TABLE employee TO user1
- D. GRANT REFERENCES (phone_number) ON TABLE employee TO user1

Answer: C

13. Which of the following actions describes when SQL indexes can be explicitly referenced by name within an SQL statement?

- A. When dropping the index
- B. When altering the index
- C. When selecting on the index
- D. When inserting using the index

Answer: A

14. Given the following SQL statements:

```
CREATE TABLE birthday1
(day INT CHECK(day BETWEEN 1 AND 31),
month INT CHECK(month BETWEEN 1 AND 6),
year INT)
CREATE TABLE birthday2
(day INT CHECK(day BETWEEN 1 AND 31),
month INT CHECK(month BETWEEN 7 AND 12),
year INT)
CREATE VIEW birthdays AS
SELECT * FROM birthday1
UNION ALL
SELECT * FROM birthday2
INSERT INTO birthday1 VALUES( 22,10, 1973)
INSERT INTO birthday1 VALUES( 40, 8, 1980)
INSERT INTO birthday1 VALUES( 8, 3, 1990)
INSERT INTO birthday1 VALUES( 22, 10, 1973)
INSERT INTO birthday1 VALUES( 3, 3, 1960)
```

What will be the result of the following SELECT statement?

```
SELECT COUNT(*) FROM birthdays
```

- A. 0
- B. 2
- C. 3
- D. 5D.5

Answer: B

15. Which of the following DB2 data types CANNOT be used to contain the date an employee was hired?

- A. CLOB
- B. TIME
- C. VARCHAR
- D. TIMESTAMP

Answer: B

16. Given the following table definitions:

```
CREATE TABLE employee
(empid INT NOT NULL PRIMARY KEY,
```

```
emp_fname CHAR(30),
emp_lname CHAR(30)
CREATE TABLE payroll)
(empid INTEGER,
weeknumber INTEGER
paycheck DECIMAL(6,2),
CONSTRAINT fkconst FOREIGN KEY (empid)
REFERENCES employee (empid) ON DELETE SET NULL,
CONSTRAINT chk1
CHECK (paycheck>0 AND weeknumber BETWEEN 1 and 52))
```

The appropriate indexes exist to support the tables created with the previous CREATE statements. Which two of the following operations can cause the enforcement of a constraint defined on PAYROLL?

- A. Update of a row in PAYROLL
- B. Deletion of a row in PAYROLL
- C. Deletion of a row in EMPLOYEE
- D. Addition of a new column to PAYROLL
- E. Rollback of a row deletion on PAYROLL

Answer: AC

17. Which two of the following SQL data types should be used to store a small binary image?

- A. CLOB
- B. BLOB
- C. VARCHAR
- D. GRAPHIC
- E. VARCHAR FOR BIT DATA

Answer: BE

18. Which of the following tools can be used to identify inefficient SQL statements without executing them?

- A. QMF
- B. Task Center
- C. Visual Explain
- D. Development Center

Answer: C

19. A client application on OS/390 or OS/400 must access a DB2 server on AIX. At a minimum, which of the following products is required to provide DRDA Application Server functionality on the DB2 server for AIX?

- A. DB2 Connect Enterprise Edition
- B. DB2 UDB Workgroup Server Edition
- C. DB2 Connect Enterprise Edition and DB2 UDB Workgroup Server Edition
- D. DB2 Connect Enterprise Edition and DB2 UDB Enterprise Server Edition

Answer: B

20. Given these columns from the DEPARTMENT table:

```
deptno CHAR(3) NOT NULL
deptname CHAR(20) NOT NULL
mgrno CHAR(6)
admrdept CHAR(3)
location CHAR(20) NOT NULL
```

Which of the following will select the rows that do not have a value in the MGRNO column?

- A. SELECT * FROM department WHERE mgrno = "
- B. SELECT * FROM department WHERE mgrno = NULL
- C. SELECT * FROM department WHERE mgrno IS NULL
- D. SELECT * FROM department WHERE mgrno IS UNKNOWN

Answer: C

[000-700 Braindumps](#)

Related 000-700 Exams

[000-730](#) DB2 9 Fundamentals

[000-355](#) iseries system administration v5r2

[000-731](#) DB2 9 DBA for Linux,UNIX and Windows

[000-732](#) DB2 9 for z/OS Database Administrator

[000-735](#) DB2 9.5 SQL Procedure Developer

[000-442](#) ib m content manager version 8

[000-702](#) db2 udb v8.1 for z/os database administration

[000-700](#) ib m db2 udb v8.1 family fundametals

[000-513](#) db2 udb v7.1 databse administration for unix windows % os/2

[000-516](#) db2 udb database administration for os/390

[000-703](#) db2 udb v8.1 familu application development

[000-701](#) ib m db2 udb v8.1 databse admin for linux unix&windows

[000-514](#) db2 udb v7.1 family application development

[000-704](#) db2 udb v8.1 advanced db admin for linux,unix+windwos

[000-706](#) db2 v8.1 for linux,unix and windows db admin upgrade

[000-541](#) DB2 9.7 DBA for Linux UNIX and Windows

Other IBM Exams

[000-998](#) [000-749](#) [000-292](#) [000-138](#) [000-568](#) [000-376](#) [000-972](#) [000-340](#)

[000-M22](#) [000-877](#) [000-S02](#) [COG-125](#) [000-P01](#) [000-M17](#) [000-771](#) [000-252](#)

[000-209](#) [000-237](#) [COG-145](#) [000-086](#)