

000-732 braindumps

IBM DB2

000-732: DB2 9 for z/OS Database Administrator

Practice Exam: 000-732 Exams

Exam Number/Code: 000-732

Exam Name: DB2 9 for z/OS Database Administrator

Questions and Answers: 146 Q&As

([DB2](#))



"DB2 9 for z/OS Database Administrator", also known as 000-732 exam, is a **Exam : [000-732](#)** IBM certification. With the complete collection of exam questions,

Just4Study has assembled to take you through 146 Q&As to your 000-732 exam preparation. In the 000-732 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM DB2 000-732 (DB2 9 for z/OS Database Administrator) examination of original title complete coverage. 000-732 exam questions help you pass the exam.

Just4Study 000-732 Feature:

* High quality - High quality and valued for the 000-732 Exam: 100% Guarantee to Pass Your 000-732 exam and get your DB2 certification.

* Authoritative - Authoritative braindumps with complete details about 000-732 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed DB2 resources, you will minimize your **IBM DB2** cost and be ready to pass your 000-732 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free DB2 demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-732 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-732 Demo Download

Just4Study offers free demo for DB2 000-732 exam (DB2 9 for z/OS Database Administrator). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM DB2 000-732** examination of original title complete coverage. 000-732 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-732

Exam Name: DB2 9 for z/OS Database Administrator(DB2)

Questions and Answers: 146 Q&A

[IBM 000-732](#) Test belongs to one of the DB2 certified test, if needs to obtain the DB2 certificate, you also need to participate in other related test, the details you may visit the [DB2](#) certified topic, in there, you will see all related DB2 certified subject of examination.

Just4Study professional provide DB2 000-732 the newest Q&A, completely covers 000-732 test original topic. With our complete DB2 resources, you will minimize your DB2 cost and be ready to pass your 000-732 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-732

Title : DB2 9 for z/OS Database Administrator

1. An application has been running in production for a long time. The size of the objects involved has not changed, but the application is running much slower than in the beginning. When should the DBA consider manually REBINDing the application?

- A. After REORGing the objects with inline statistics.
- B. When dynamic SQL is used, but only after REORG and RUNSTATS has been performed.
- C. Actually it is NOT recommended to perform manual rebinds but rather have DB2 perform automatic rebinds.
- D. If the size of the objects has not changed after gathering RUNSTATS data, the access path is very unlikely to change, and therefore no REBIND is needed.

Answer: A

2. Which of the following is the correct configuration in a two way DB2 datasharing group?

- A. MVSA (DB2A, active log A, workfile A)
MVSB (DB2B, active log B, workfile B)
Shared BSDS and catalog and directory
Coupling facility one
Sysplex timer one
- B. MVSA (DB2A, BSDS A, active log A, workfile A)
MVSB (DB2B, BSDS B, active Log B, workfile B)
Shared catalog and directory
Coupling facility one
Sysplex timer one
- C. MVSA (DB2A, BSDS A, active log A, workfile A, catalog & directory A)
MVSB (DB2B, BSDS B, active log A, workfile A, catalog & directory B)
Coupling facility one
Sysplex timer one
- D. MVSA (DB2A, BSDS A, active log A, workfile A, catalog & directory A)
MVSB (DB2B, BSDS B, active log B, workfile B, catalog & directory B)
Coupling facility one
Sysplex timer one

Answer: B

3. What is the purpose of the following catalog health query?

```
SELECT BNAME, BCREATOR, BTYPE, DNAME
FROM SYSIBM.SYSPLANDEP PD
WHERE BTYPE IN ('T', 'V', 'A')
AND NOT EXISTS
```

```
(SELECT *  
FROM SYSIBM.SYSTABLES  
WHERE CREATOR = PD.BCREATOR  
AND NAME = PD.BNAME  
AND TYPE = PD.BTYPE);
```

- A. For every row in SYSTABLES that indicates a dependency upon a table, view, or alias, there should be a corresponding row in SYSPLANDEP.
- B. For every row in SYSPLANDEP that indicates a dependency upon a table, view, or alias, there should be a corresponding row in SYSTABLES.
- C. For every row in SYSPLANDEP that indicates a dependency upon a table space, view, or a table that has been altered, there should be a corresponding row in SYSTABLES.
- D. For every row in SYSPLANDEP that indicates a dependency upon a table space, a table with a VARCHAR column, or alias, there should be a corresponding row in SYSTABLES.

Answer: B

4. Which of the following buffer pool thresholds CANNOT be changed by the DBA?

- A. Deferred write threshold (DWQT)
- B. Immediate write threshold (IWTH)
- C. Vertical deferred write threshold (VDWQT)
- D. Virtual buffer pool assisting parallel sequential threshold (VPXPSEQT)

Answer: B

5. At which of the following times is the access control authorization routine (DSNX@XAC) invoked?

- A. At DB2 startup.
- B. When executing a DB2 GRANT statement.
- C. When DB2 has cached authorization information.
- D. During any authorization check if NO was specified in the USE PROTECTION field of the DSNTIPP panel.

Answer: A

6. A DBA wishes to audit all access to the non-audited table OWNER.EMPLOYEE. Assuming no audit traces are started, which of the following steps are needed to audit access to this table?

- A. -START TRACE AUDIT CLASS (5)
- B. -START TRACE AUDIT CLASS (4, 5)
- C. -START TRACE AUDIT CLASS (4, 5) and ALTER TABLE OWNER.EMPLOYEE AUDIT ALL
- D. -START TRACE AUDIT CLASS (4, 5) and ALTER TABLE OWNER.EMPLOYEE DATA CAPTURE CHANGES

Answer: C

7. Given the following RUNSTATS utility statement:

```
RUNSTATS TABLESPACE DB2CERTDB.MYTBLSPC1  
TABLE (MYTABLE1) COLUMN(ALL)  
INDEX  
REPORT YES  
UPDATE ALL
```

HISTORY ALL which of the following statements is true?

- A. Cardinality statistics will only be collected on all columns of all indexes on table MYTABLE1.
- B. Cardinality statistics will only be collected on the first column of each index on table MYTABLE1.
- C. Cardinality statistics will only be collected on all columns of each index associated with table space MYTBLSPC1.
- D. Cardinality statistics will only be collected on the first column of each index associated with table space MYTBLSPC1.

Answer: D

8. If an object is created statically by a role within a trusted context and the ROLE AS OBJECT OWNER clause is specified, who becomes the object owner when executing the package?

- A. The role
- B. The schema name
- C. The owner keyword
- D. The current SQLID (if set)

Answer: A

9. An audit trace shows that TSO user TSOID1, with DBADM authority, is continually attempting to update a table in DB2 subsystem DSN1 that is not supposed to be updated. Which of the following will prevent access to the DB2 subsystem?

- A. REVOKE DBADM FROM TSOID1
- B. Change TSOID1's access to DSNR resource class DSN1.TSO to NONE
- C. Change TSOID1's access to DSNR resource class DSN1.BATCH to READ
- D. Change TSOID1's access to DSNR resource class DSN1.BATCH to NONE

Answer: D

10. Which parameter in WLM Application Environment controls the # of concurrent stored procedures that can run in that particular environment?

- A. NUMSRB
- B. NUMTHR
- C. NUMCTK
- D. NUMTCB

Answer: D

11. A DBA was examining the Log Statistics, Log Activity section in the OMEGAMON Performance Expert Tool and noticed a large value in the field UNAVAILABLE OUTPUT LOG BUFF. This is an important and critical performance metric. What does this performance metric mean?

- A. The OUTPUT BUFFER field of installation panel DSNTIPL was specified too large so memory was not utilized and wasted.
- B. The active logs were not stripped by DFSMS and the active log data sets have to be processed sequentially so many times.
- C. The active log data sets were not placed on different volumes to reduce contention so a large amount of I/O activity showed up in the OUTPUT BUFFER field.
- D. The OUTPUT BUFFER field of installation panel DSNTIPL was specified too small so application has to wait while DB2 was busy writing the Active log data sets.

Answer: D

12. A DBA has been required by a new company policy to implement a new DB2 security method. The company would like to separate the authorization IDs that can execute plans and packages from the authorization IDs that can create new plans and packages. Which of the following explicit system privileges allows the user to create new plans and packages without being able to also execute them?

- A. BINDADD
- B. CREATEIN
- C. BINDAGENT
- D. CREATEDBA

Answer: C

13. Which statement best describes how multi-row fetch improves performance?

- A. It reduces the amount of programming required.
- B. It reduces the number of SQL statements issued.
- C. It reduces the amount of data sent over a network.
- D. It reduces the amount of I/O required to read a table.

Answer: B

14. There are dynamic SQL statements running in a subsystem that need to have their host variables reoptimized at run-time, however the distribution of the values does not change very much between execution. What is the most optimal bind parameter for these statements?

- A. REOPT(NONE)
- B. REOPT(ONCE)
- C. REOPT(VARS)
- D. REOPT(ALWAYS)

Answer: B

15. A company uses TRUSTED CONTEXT "ERP1" and ROLE "ERP_ROLE" as a security mechanism to limit security exposure for an application. All the DB2 objects (databases, table spaces, tables, indexes, views, plans and packages) have been created by that ROLE. The ROLE "ERP_ROLE" has been assigned to User ID "DBA01" in order to perform DBA related tasks. When the user "DBA01" leaves the company, the authorization ID is removed. Which of the following statements are correct? (Select two answers)

- A. None of these DB2 objects need to be recreated to re-grant the privileges.
- B. The related plans and packages have to be recreated and the privileges re-granted.
- C. When removing user "DBA01" privileges, none of these DB2 objects need to be dropped.
- D. Only the related databases, table spaces, tables, indexes and views need to be recreated and the privileges re-granted.
- E. To remove the privileges of user "DBA01" on these related plans and packages, they have to be dropped and as a result all associated privileges are revoked.

Answer: AC

16. A DBA needs to use the DSN command processor to delete DB2 packages that are no longer needed. Which of the following choices is correct for the DBA to use?

- A. SPUFI or QMF with the DROP statement
- B. FREE Package (<collid>.<name of package>.<version id>)
- C. DROP Package (<collid>.<name of package>.<version id>)
- D. DROP PLAN (<plan name>) PKLIST (<collid>.<name of a particular package>.<version id>)

Answer: B

17. Which of the following RACF profiles would be used to allow IMS to access DB2 DSN1?

- A. DSN1.IMS
- B. DSNR.IMS
- C. DSN1.MASS
- D. DSN1.SASS

Answer: C

18. An end-user indicates that the DRDA client application accessing DB2 for z/OS is very slow. However, other local applications accessing the same tables are running fine. What would indicate that this could be a DB2 problem?

- A. Calculate the non-nested CLASS 1 CPU time minus non-nested CLASS 2 CPU time. If the value is high, it suggests a problem in the DDF address space.
- B. Investigate the CLASS 3 suspension time. As class 3 time includes the time that DB2 spends sending/receiving network messages, a high value is a possible indication that the network is experiencing a slow-down.
- C. Calculate the non-nested CLASS 1 Elapsed time (ET) minus non-nested CLASS 2 ET. If the value is high, this can only be caused by spending most time in the application, and therefore the application should be investigated.
- D. Check to see if the DB2 remote connection can become inactive at commit (Type 2 inactive). If not, this leads to a high non-nested CLASS 1 ET and is likely the cause of the performance problem. Inactive connections will use less CPU than threads that stay active all the time.

Answer: A

19. A DB2 V9 system that is in New Function Mode:

- A. cannot fall back.

- B. can fall back to Compatibility Mode.
- C. can fall back to New Function Mode*.
- D. can fall back to Compatibility Mode*.

Answer: D

20. Which of the following DSNZPARMs is necessary to influence access path selection for certain queries?

- A. STDSQL
- B. OPTHINTS
- C. PARTKEYU
- D. DESCSTAT

Answer: B

[000-732 Braindumps](#)

Related 000-732 Exams

[000-730](#) DB2 9 Fundamentals

[000-355](#) iseries system administration v5r2

[000-731](#) DB2 9 DBA for Linux,UNIX and Windows

[000-732](#) DB2 9 for z/OS Database Administrator

[000-735](#) DB2 9.5 SQL Procedure Developer

[000-442](#) ib m content manager version 8

[000-702](#) db2 udb v8.1 for z/os datab ase administration

[000-700](#) ib m db2 udb v8.1 family fundametals

[000-513](#) db2 udb v7.1 datab ase administration for unix windows % os/2

[000-516](#) db2 udb datab ase administration for os/390

[000-703](#) db2 udb v8.1 familu application development

[000-701](#) ib m db2 udb v8.1 datab ase admin for linux unix&windows

[000-514](#) db2 udb v7.1 family application development

[000-706](#) db2 v8.1 for linux,unix and windows db admin upgrade

[000-704](#) db2 udb v8.1 advanced db admin for linux,unix+windwos

[000-541](#) DB2 9.7 DBA for Linux UNIX and Windows

Other IBM Exams

[000-513](#) [000-R11](#) [000-514](#) [000-M08](#) [000-997](#) [000-973](#) [000-138](#) [000-913](#)

[000-389](#) [000-852](#) [000-711](#) [000-M18](#) [000-027](#) [000-238](#) [000-102](#) [000-410](#)

[000-816](#) [000-717](#) [000-881](#) [000-647](#)