

000-735 braindumps

IBM DB2

000-735: DB2 9.5 SQL Procedure Developer

Practice Exam: 000-735 Exams

Exam Number/Code: 000-735

Exam Name: DB2 9.5 SQL Procedure Developer

Questions and Answers: 99 Q&As

([DB2](#))



"DB2 9.5 SQL Procedure Developer", also known as 000-735 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 99 Q&As to your 000-735 exam preparation. In the 000-735 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-735](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM DB2 000-735 (DB2 9.5 SQL Procedure Developer) examination of original title complete coverage. 000-735 exam questions help you pass the exam.

Just4Study 000-735 Feature:

* High quality - High quality and valued for the 000-735 Exam: 100% Guarantee to Pass Your 000-735 exam and get your DB2 certification.

* Authoritative - Authoritative braindumps with complete details about 000-735 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed DB2 resources, you will minimize your **IBM DB2** cost and be ready to pass your 000-735 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free DB2 demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-735 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-735 Demo Download

Just4Study offers free demo for DB2 000-735 exam (DB2 9.5 SQL Procedure Developer). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM DB2 000-735** examination of original title complete coverage. 000-735 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-735

Exam Name: DB2 9.5 SQL Procedure Developer(DB2)

Questions and Answers: 99 Q&A

[IBM 000-735](#) Test belongs to one of the DB2 certified test, if needs to obtain the DB2 certificate, you also need to

participate in other related test, the details you may visit the [DB2](#) certified topic, in there, you will see all related DB2 certified subject of examination.

Just4Study professional provide DB2 000-735 the newest Q&A, completely covers 000-735 test original topic. With our complete DB2 resources, you will minimize your DB2 cost and be ready to pass your 000-735 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-735

Title : DB2 9.5 SQL Procedure Developer

1. Which statement will successfully create an SQL procedure that returns the name of the current month?

A. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SET (today = CURRENT_DATE);

SET month = MONTHNAME(today);

END

B. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SELECT (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

C. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

VALUES (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

D. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

SET month = MONTHNAME(SELECT (CURRENT_DATE))

END

Answer: C

2. Which statement will change the value of a special register?

A. UPDATE SPECIAL REGISTER TIME = 12:30:00

B. UPDATE SPECIAL REGISTER SCHEMA = 'DB2ADMIN'

C. SET CURRENT TIME = 12:30:00

D. SET CURRENT SCHEMA = 'DB2ADMIN'

Answer: D

3. What are two valid DECLARE statements in an SQL procedure? (Choose two.)

A. DECLARE var1 INTEGER;

B. DECLARE var1 DECIMAL [9];

C. DECLARE var1 XML;

D. DECLARE var1 CURRENT DATE;

E. DECLARE var1[10] INTEGER;

Answer: AC

4. Which CREATE PROCEDURE statement option should be used if you plan on issuing a DECLARE GLOBAL TEMPORARY TABLE statement from within the SQL procedure body?

- A. CONTAINS SQL
- B. READS SQL DATA
- C. MODIFIES SQL DATA
- D. LANGUAGE SQL

Answer: C

5. Given the variable declaration shown below:

```
DECLARE v_mydate DATE;
```

Which statement will assign a value to the variable V_MYDATE?

- A. VALUES CURRENT TIME INTO v_mydate;
- B. VALUES CURRENT TIMESTAMP INTO v_mydate;
- C. SELECT CURRENT TIMESTAMP INTO v_mydate FROM SYSIBM.SYSDUMMY1;
- D. SELECT CURRENT DATE INTO v_mydate FROM SYSIBM.SYSDUMMY1;

Answer: D

6. What demonstrates the correct syntax for assigning three rows to the EMPNO, FIRSTNAME, and LASTNAME columns of a table named EMPLOYEE?

- A. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
- B. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')
- C. SET (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
- D. SET (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')

Answer: B

7. Click the Exhibit button.

```
CREATE FUNCTION sum(a INT, b INT)  
RETURNS INTEGER  
SPECIFIC sum_of_2  
RETURN a + b;  
CREATE FUNCTION sum(a INT, b INT, c INT)  
RETURNS INTEGER  
SPECIFIC sum_of_3  
RETURN a + b + c;
```

Given the two functions in the exhibit, what is the correct command to invoke the function which calculates the sum of two numbers from an SQL procedure?

- A. SELECT sum_of_2 FROM table1;
- B. SELECT sum(2,4,?);
- C. SET res_sum = sum(2,6);
- D. CALL sum(?,?,?);

Answer: C

8. Given the variable declaration shown below:

```
DECLARE v_mytime TIME;
```

Which statement will assign a value to the variable named V_MYTIME?

- A. SET v_mytime = TIME;
- B. VALUES CURRENT TIME INTO v_mytime;
- C. VALUES CURRENT TIMESTAMP INTO v_mytime;
- D. SET v_mytime = DATE;

Answer: B

9. Given the statements shown below:

```
DECLARE c_dept CURSOR WITH HOLD FOR
SELECT * FROM dept;
OPEN c_dept;
```

Which two conditions are true? (Choose two.)

- A. C_DEPT will remain open after a ROLLBACK.
- B. C_DEPT will remain open after a COMMIT.
- C. C_DEPT will be returned to the caller of the routine.
- D. C_DEPT will be positioned before the next logical row.
- E. All locks held by C_DEPT will be released after a COMMIT.

Answer: BD

10. Which statement should be used to declare an array with at most 10 elements of type INTEGER?

- A. DECLARE sub_total INTEGER[10];
- B. DECLARE sub_total[10] INTEGER;
- C. CREATE TYPE sub_total AS INTEGER[10];
- D. CREATE TYPE sub_total[10] AS INTEGER;

Answer: C

11. Which statement can be used to declare a variable inside an SQL procedure that can be used to represent a monetary value?

- A. DECLARE v_money MONEY;
- B. DECLARE v_money DOUBLE;
- C. DECLARE v_money DECIMAL(9,2);
- D. DECLARE v_money CURRENCY;

Answer: C

12. Which statement will assign the schema names "SYSIBM", "SYSFUN", "SYSPROC", and "SYSIBMADM" to the CURRENT_PATH special register?

- A. SET PATH = SYSTEM PATH
- B. SET CURRENT_PATH = DEFAULT
- C. SET PATH = SYSTEM DEFAULT
- D. RESET CURRENT PATH

Answer: A

13. Which statement can be used to define an array of 30 names that have a maximum size of 25 characters each?

- A. CREATE TYPE names AS VARCHAR(25) ARRAY[30];
- B. CREATE ARRAY names[30] VARCHAR(25);
- C. CREATE TYPE names[30] VARCHAR(25);
- D. CREATE ARRAY names AS VARCHAR(25);

Answer: A

14. Given the statement shown below:

```
SELECT ROW CHANGE TOKEN FOR dept, RID_BIT (dept)
FROM dept WHERE deptno = 'A00' WITH UR
```

Which two statements are true? (Choose two.)

- A. The statement is selecting two columns from DEPT table.
- B. The statement will allow the latest ROW CHANGE TOKEN value to be returned.
- C. The statement will allow the earliest ROW CHANGE TOKEN value to be returned.
- D. The statement will return a TIMESTAMP value.
- E. The statement uses optimistic locking.

Answer: BE

15. Click the Exhibit button.

Given the following SQL procedure:

```
CREATE PROCEDURE test1 (IN someid CHAR(3), OUT status INT)
BEGIN
DECLARE SQLCODE INTEGER DEFAULT 0;
DECLARE count INTEGER DEFAULT 0;
SET status = 0;
IF (LENGTH(someid) < 3) THEN
RETURN -3;
GOTO exit;
ELSE
SELECT COUNT(deptno) INTO count FROM dept WHERE admrdept=someid;
IF(SQLCODE<>0) THEN
RETURN -1;
ELSE
SET status = COUNT;
RETURN 0;
END IF;
END IF;
exit:
RETURN -2;
END
```

Where the DEPT table consists of:

```
DEPTNO DEPTNAME
MGRNO ADMRDEPT
```

```
-----
-----
```

```
A00 SPIFFY COMPUTER SERVICE DIV. 000010 A00
B01 PLANNING 000020 A00
C01 INFORMATION CENTER 000030 A00
D01 DEVELOPMENT CENTER - A00
D11 MANUFACTURING SYSTEMS 000060 D01
D21 ADMINISTRATION SYSTEMS 000070 D01
```

If the procedure TEST1 shown in the exhibit is called with the value 'A00' specified for the SOMEID parameter, what is the expected return code?

- A. 0
- B. -1
- C. -2
- D. -3

Answer: A

16. What are two valid special registers? (Choose two.)

- A. CURRENT_CLIENT_ACCT
- B. CURRENT_SCHEMA
- C. CURRENT_PATH
- D. CURRENT_DATETIME

E. CURRENT_PARTITION

Answer: BC

17. Given the SQL statement shown below:

```
DECLARE test CURSOR FOR
SELECT hiredate
FROM employee
FOR UPDATE;
```

Which statement correctly describes the cursor that is created?

- A. The cursor will be considered a read-only cursor.
- B. The cursor can only be used to perform positioned updates.
- C. The cursor can only be used to perform positioned deletes.
- D. The cursor can be used to perform positioned updates and deletes.

Answer: D

18. Click the Exhibit button.

```
CREATE PROCEDURE testproc( IN i1 INT, INOUT i3 INT)
SPECIFIC testproc
BEGIN
SET i3 = i1;
END
CREATE PROCEDURE testproc( IN i1 INT, INOUT i2 INT, INOUT i3 INT)
SPECIFIC testp
BEGIN
SET i3 = i1 * i2;
END
```

Given that the statements in the exhibits have executed successfully, which solution contains the complete set of commands that could be used to drop both procedures in the order presented?

- A. DROP PROCEDURE testp;
DROP PROCEDURE testproc;
- B. DROP PROCEDURE testp;
DROP PROCEDURE testproc;
- C. DROP SPECIFIC PROCEDURE testproc;
DROP PROCEDURE testproc;
- D. DROP PROCEDURE testproc(INT);
DROP PROCEDURE testproc(INT);

Answer: C

19. Which steps must be followed to return a result set from an SQL procedure?

- A. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor.
3. Open the cursor in the SQL procedure.
4. Close the cursor.
5. Return to the application.
- B. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor using the WITH RETURN clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- C. 1. Create the procedure using the WITH RETURN clause.
2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- D. 1. Create the procedure using the WITH RETURN clause.

2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Close the cursor.

Answer: B

20. What will be the initial value of V_MAX in the declaration statement shown below?

DECLARE v_max DECIMAL(9,2);

- A. 0.0
- B. 2
- C. 9
- D. NULL

Answer: D

[000-735 Braindumps](#)

Related 000-735 Exams

[000-730](#) DB2 9 Fundamentals

[000-355](#) iseries system administration v5r2

[000-731](#) DB2 9 DBA for Linux,UNIX and Windows

[000-732](#) DB2 9 for z/OS Database Administrator

[000-735](#) DB2 9.5 SQL Procedure Developer

[000-442](#) ib m content manager version 8

[000-702](#) db2 udb v8.1 for z/os database administration

[000-700](#) ib m db2 udb v8.1 family fundametals

[000-513](#) db2 udb v7.1 database administration for unix windows % os/2

[000-516](#) db2 udb database administration for os/390

[000-703](#) db2 udb v8.1 familu application development

[000-701](#) ib m db2 udb v8.1 database admin for linux unix&windows

[000-514](#) db2 udb v7.1 family application development

[000-706](#) db2 v8.1 for linux,unix and windows db admin upgrade

[000-704](#) db2 udb v8.1 advanced db admin for linux,unix+windwos

[000-541](#) DB2 9.7 DBA for Linux UNIX and Windows

Other IBM Exams

[000-833](#)

[000-807](#)

[000-431](#)

[000-P02](#)

[000-356](#)

[000-669](#)

[000-736](#)

[000-779](#)

[000-936](#)

[000-867](#)

[000-887](#)

[LOT-803](#)

[000-879](#)

[000-141](#)

[000-667](#)

[COG-135](#)

[000-348](#)

[000-357](#)

[000-161](#)

[000-866](#)