

000-736 braindumps

IBM IBM certifications II

000-736: DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade

Practice Exam: 000-736 Exams

Exam Number/Code: 000-736

Exam Name: DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade

Questions and Answers: 76 Q&As

([IBM certifications II](#))



"DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade", also known as 000-736 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 76 Q&As to your 000-736 exam preparation. In the 000-736 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-736](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-736 (DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade) examination of original title complete coverage. 000-736 exam questions help you pass the exam.

Just4Study 000-736 Feature:

* High quality - High quality and valued for the 000-736 Exam: 100% Guarantee to Pass Your 000-736 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-736 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-736 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-736 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-736 Demo Download

Just4Study offers free demo for IBM certifications II 000-736 exam (DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-736** examination of original title complete coverage.000-736 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-736

Exam Name: DB2 9 Database Admin for Linux,UNIX,and Windows Upgrade(IBM certifications II)

Questions and Answers: 76 Q&A

[IBM 000-736](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-736 the newest Q&A, completely covers 000-736 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-736 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-736

Title : DB2 9 Database Admin for Linux, UNIX, and Windows Upgrade

1. Which two would be used to return snapshot information about utility progress? (Choose two.)
- A. SELECT UTILITY_ID, PROGRESS_TOTAL_UNITS, PROGRESS_COMPLETED_UNITS FROM SYSADM.SNAPUTIL_PROGRESS ;
 - B. SELECT UTILITY_ID, PROGRESS_TOTAL_UNITS, PROGRESS_COMPLETED_UNITS FROM TABLE (SNAP_GET_UTIL_PROGRESS(-1)) AS t
 - C. SELECT UTILITY_ID, PROGRESS_TOTAL_UNITS, PROGRESS_COMPLETED_UNITS FROM SYSIBMADM.SNAPUTIL_PROGRESS(-1) AS t ;
 - D. SELECT UTILITY_ID, PROGRESS_TOTAL_UNITS, PROGRESS_COMPLETED_UNITS FROM SYSIBMADM.SNAPUTIL_PROGRESS ;
 - E. GET SNAPSHOT FOR UTILITIES ON dbname GLOBAL

Answer: BD

2. Which XML function would be used to return a character string value from an XML document?
- A. XMLPARSE()
 - B. XMLSERIALIZE()
 - C. XMLCAST()
 - D. XMLTEXT()

Answer: B

3. A database administrator wants to provide users who do not have SYSADM, SYSCTRL, SYSMANT, or SYSMON authority access to data and snapshot monitor information. Which statement is true?
- A. With the SNAP_WRITE_FILE stored procedure, the information cannot be stored in files or tables. Users would not be able to query snapshot information.
 - B. With the SNAP_WRITE_FILE stored procedure, the information could be stored in files. Any user can then issue a query with a snapshot table function to access the snapshot information in these files.
 - C. With the SNAP_WRITE_FILE stored procedure, the information could be stored in tables. Any user can then issue a query against these tables to access the snapshot information .
 - D. With the SNAP_WRITE_FILE stored procedure, the information could be stored in files. Any user can then edit these files to see the information.

Answer: B

4. Given the following statement:

```
CREATE DATABASE xmldb USING CODESET UTF-8 TERRITORY US;
```

```
CONNECT TO xmldb;
```

```
CREATE TABLE sales (custid INTEGER PRIMARY KEY, region CHAR(5), year INTEGER, xmlinfo XML);
```

Which ALTER TABLE statement will work?

- A. ALTER TABLE sales ADD DISTRIBUTE BY HASH (custid);
- B. ALTER TABLE sales ADD COLUMN xmltest XML NOT NULL WITH DEFAULT;
- C. ALTER TABLE sales ADD COLUMN xmltest XML;
- D. ALTER TABLE sales ADD COLUMN xmltest XML(1M);

Answer: C

5. The test database MYDB requires frequent table and index reorganization to support ongoing application development. A database administrator obtained the following information by executing the command GET DB CFG FOR mydb. (Note: output has been reduced to conserve space.)

Automatic maintenance (AUTO_MAINT) = OFF
Automatic database backup (AUTO_DB_BACKUP) = OFF
Automatic table maintenance (AUTO_TBL_MAINT) = OFF
Automatic runstats (AUTO_RUNSTATS) = OFF
Automatic statistics profiling (AUTO_STATS_PROF) = OFF
Automatic profile updates (AUTO_PROF_UPD) = OFF
Automatic reorganization (AUTO_REORG) = OFF

Which commands will enable automatic table and index reorganization for the database MYDB?

- A. REORG TABLE ALL FOR DB mydb AUTOMATICALLY;
REORG INDEXES ALL FOR DB mydb AUTOMATICALLY;
- B. UPDATE DB CFG FOR mydb USING AUTO_MAINT ON;
UPDATE DB CFG FOR mydb USING AUTO_REORG ON;
- C. UPDATE DB CFG FOR mydb USING AUTO_TABLE_MAINT ON;
UPDATE DB CFG FOR mydb USING AUTO_REORG ON;
- D. RESET DB CFG FOR mydb;
UPDATE DB CFG FOR mydb USING AUTO_REORG ON;

Answer: D

6. A database administrator wishes to enable automatic table and index reorganization. Which set of Database Configuration parameters must be set to ON for automatic table and index reorganization to be enabled?

- A. AUTO_MAINT, AUTO_REORG
- B. AUTO_MAINT, AUTO_TBL_MAINT, AUTO_REORG
- C. AUTO_MAINT, AUTO_RUNSTATS, AUTO_REORG
- D. AUTO_TBL_MAINT, AUTO_REORG

Answer: B

7. Which statement about XQuery is correct?

- A. XQuery can be invoked from an SQL query.
- B. SQL is required in order to submit an XQuery statement.
- C. The DB2 9 engine translates XQuery expressions into SQL before processing requests for XML data.
- D. XQuery bypasses namespace processing in order to efficiently read XML data.

Answer: A

8. Which commands will set the throttling percentage for a running backup operation that has a Utility ID of 2 for a database named DBTEST in an instance named DB2INST1 to 10 percent?

- A. db2set UTIL_IMPACT_LIMIT=ON;
SET UTIL_IMPACT_PRIORITY FOR 2 TO 10;
- B. UPDATE DB CFG FOR dbtest USING UTIL_IMPACT_LIM ON;
SET UTIL_IMPACT_LIM FOR 2 TO 10;
- C. UPDATE DBM CFG USING UTIL_IMPACT_PRIORITY ON;
SET UTIL_IMPACT_LIMIT FOR 2 TO 10;
- D. UPDATE DBM CFG USING UTIL_IMPACT_LIM ON;
SET UTIL_IMPACT_PRIORITY FOR 2 TO 10;

Answer: D

9. Which three tasks should be performed to enable self tuning memory for all conditions? (Choose three.)

- A. Set the Database Configuration parameter SELF_TUNING_MEM to ON.
- B. Set the relevant Database Configuration parameters to AUTOMATIC.
- C. Set the DB2 registry variable SELF_TUNING_MEM to YES.
- D. Set the Database Manager Configuration parameter SELF_TUNING_MEM to ON.
- E. Set all buffer pool sizes to AUTOMATIC.

Answer: ABE

10. Click the Exhibit button.

Table CUSTOMER has an XML column named CUSTINFO which contains XML document values shown in the exhibit. Which statement will define an XML index that can be used by queries that return customer records with a specific ZIP/postal code?

- A.

```
CREATE INDEX custindex ON customer(custinfo)
GENERATE KEY USING XPATH '/customerinfo/addr/@zip-pcode'
AS SQL DOUBLE
```
- B.

```
CREATE INDEX custindex ON customer(custinfo)
GENERATE KEY USING XMLPATTERN '/customerinfo/addr/@zip-pcode'
AS SQL DOUBLE
```
- C.

```
CREATE INDEX custindex ON customer(custinfo)
GENERATE KEY USING XPATH '/customerinfo/addr/zip-pcode'
AS SQL DOUBLE
```
- D.

```
CREATE INDEX custindex ON customer(custinfo)
GENERATE KEY USING XMLPATTERN '/customerinfo/addr/zip-pcode'
AS SQL DOUBLE
```

Answer: B

11. A database administrator needs to obtain the self tuning settings for a database named MYDB. Which command should be issued?

- A. `db2set -all`
- B. `GET DBM CFG SHOW DETAIL`
- C. `GET DB CFG FOR mydb SHOW DETAIL`
- D. `LIST MEMORY SETTINGS FOR mydb`

Answer: C

12. Budget constraints are preventing a company from upgrading their test database system. The system hardware needs more memory and lacks overall disk space. In an attempt to limit system impact, the following commands were used to create a new database:

```
CREATE DATABASE mydb;
DROP EVENT MONITOR db2detaildeadlock;
```

Due to limited programming experience, test application developers began to experience numerous deadlocks when using this database.

Which DB2 9 option does IBM recommend to troubleshoot the problem with minimum system impact?

- A. Create an event monitor to capture deadlock information and write to a table, then use `db2evmon` to analyze the results.
- B. Create an event monitor to capture deadlock information and write to a pipe, then use `db2evmon` to analyze the results.
- C. Analyze the problem using `SYSIBMADM.SNAPLOCK` and `SYSIBMADM.SNAPLOCKWAIT` administrative views with SQL.
- D. Analyze the problem using `SNAPSHOT_APPL` and `SNAPSHOT_APPLINFO` table functions.

Answer: C

13. Which list of keywords contains values that are all valid input parameters for the `AUTOCONFIGURE` command?

- A. mem_percent, workload_type, tpm, isolation
- B. mem_percent, workload_type, stmm, isolation
- C. workload_type, isolation, num_apps, tpm
- D. mem_percent, tpm, stmm, isolation

Answer: A

14. Given the following server information:

Instance name: db2inst1

Port number: 50000

Service name: db2c_db2inst1

Hostname: 1080:0:0:0:8:800:200C:417A

Database: db2tcp

Which command will catalog a node for this server?

- A. CATALOG TCPIP6 NODE db2tcp 1080:0:0:0:8:800:200C:417A SERVER 50000
- B. CATALOG TCPIP6 NODE db2tcp REMOTE 1080:0:0:0:8:800:200C:417A SERVER 50000
- C. CATALOG TCPIP4 NODE db2tcp 1080:0:0:0:8:800:200C:417A SERVER 50000
- D. CATALOG TCPIP4 NODE db2tcp REMOTE 1080:0:0:0:8:800:200C:417A SERVER 50000

Answer: B

15. Given the following command:

```
BACKUP DB dbtest UTIL_IMPACT_PRIORITY 20
```

Which command should be executed prior to the BACKUP command in order for the backup operation to run in throttled mode?

- A. UPDATE DB CFG FOR dbtest USING UTIL_IMPACT_LIM ON
- B. UPDATE DBM CFG USING UTIL_IMPACT_LIM 100
- C. UPDATE DBM CFG USING UTIL_IMPACT_PRIORITY ON
- D. UPDATE DBM CFG USING UTIL_IMPACT_LIM 50

Answer: D

16. Which command exports all files necessary to register XML schemas and DTDs at the target database?

- A. db2look -d dbdev -x -xml -xd /home/xml/ddl/
- B. db2look -d dbdev -xd -xpath /home/smith
- C. db2look -d dbdev -xml -o dbdev.ddl
- D. db2look -d dbdev -a -e -xs -xdir /home/jones

Answer: D

17. Which option would be used to monitor the progress of a DB2 utility that has been assigned the ID 3?

- A. db2bfd -d sample -u -v
- B. LIST ACTIVE UTILITIES
- C. GET SNAPSHOT FOR UTILITIES AGENTID 3
- D. db2pd -utilities

Answer: D

18. During a routine inspection of database MYDB, a database administrator obtained the following information by executing the command GET DB CFG FOR mydb. (Note: output has been reduced to conserve space.)

Automatic maintenance (AUTO_MAINT) = OFF

Automatic database backup (AUTO_DB_BACKUP) = OFF

Automatic table maintenance (AUTO_TBL_MAINT) = OFF

Automatic runstats (AUTO_RUNSTATS) = OFF

Automatic statistics profiling (AUTO_STATS_PROF) = OFF

Automatic profile updates (AUTO_PROF_UPD) = ON

Automatic reorganization (AUTO_REORG) = ON

Which command will activate automatic statistics collection for the database MYDB?

- A. UPDATE DB CFG FOR mydb USING AUTO_MAINT ON AUTO_STATS_PROF OFF AUTO_PROF_UPD OFF
- B. UPDATE DB CFG FOR mydb USING AUTO_RUNSTATS ON AUTO_STATS_PROF ON
- C. UPDATE DB CFG FOR mydb USING AUTO_MAINT ON AUTO_TBL_MAINT ON AUTO_RUNSTATS ON
- D. UPDATE DB CFG FOR mydb USING AUTO_TBL_MAINT ON AUTO_STATS_PROF ON

Answer: C

19. Which explanation describing the AUTOCONFIGURE command is valid?

- A. The AUTOCONFIGURE command will only make recommendations based on the assumption of a single database per instance.
- B. When explicitly invoking the Configuration Advisor using the AUTOCONFIGURE command, the registry setting of DB2_ENABLE_AUTOCONFIG_DEFAULT will be honored; this variable must be set to ON in order for the AUTOCONFIGURE command to be run successfully.
- C. The AUTOCONFIGURE command does not require an explicit database connection.
- D. When using the BUFFERPOOL keyword and a value of 50, AUTOCONFIGURE will tell DB2 to use 50% of the database shared memory for the buffer pools.

Answer: A

20. Self tuning memory simplifies the task of memory configuration by automatically setting values for memory configuration parameters and sizing buffer pools. When enabled, the memory tuner dynamically distributes available memory resources between _____.

- A. several buffer pools
- B. several memory consumers including sort, package cache, lock list areas, and buffer pools
- C. several memory consumers including sort, package cache, monitor heap, and lock list areas
- D. several memory consumers including load and buffer pools

Answer: B

[000-736 Braindumps](#)

Related 000-736 Exams

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

[000-253](#) *Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn*

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

[000-918](#) *System Administration for IBM Informix Dynamic Server V11*

[000-798](#) *ib m tivoli monitoring for transaction perf v5.2 implement*

[000-351](#) *ib m eserver i5 iseries single system adminsitration v5r3*

[000-647](#) *Rational Performance Tester*

[000-807](#) *Test 807, Web Services Dev for IBMWeb Sphere App Server V6.1*

[000-664](#) *Test664.SOA Fundamentals*

[000-806](#) *IBM Test 806, IBMWeb Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

[000-792](#) *ib m tivoli access mgr for business integration v3.9.1 implmn*

[000-484](#) *enterprise connectivity with j2ee v1.3*

[000-834](#) *Object Oriented Analysis and Design-Part2(Design)*

[000-971](#) *System i Administrator V5.07.11*

[000-021](#) *IBM Tivoli Workload Scheduler V8.5 Implementation*

[000-734](#) *DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows*

[000-705](#) *business intelligence solutions v8.1*

Other IBM Exams

<u>000-647</u>	<u>000-232</u>	<u>000-222</u>	<u>005-002</u>	<u>000-M12</u>	<u>000-715</u>	<u>000-881</u>	<u>000-705</u>
<u>000-928</u>	<u>000-015</u>	<u>000-991</u>	<u>000-424</u>	<u>000-R09</u>	<u>000-J02</u>	<u>000-M06</u>	<u>000-643</u>
<u>000-541</u>	<u>000-933</u>	<u>000-190</u>	<u>000-048</u>				