

## 000-741 braindumps IBM IBM certifications II

**000-741: IBM High-End Disk Solutions. Version 4**

**Practice Exam:** 000-741 Exams

**Exam Number/Code:** 000-741

**Exam Name:** IBM High-End Disk Solutions. Version 4

**Questions and Answers:** 164 Q&As

( [IBM certifications II](#) )



"IBM High-End Disk Solutions. Version 4", also known as 000-741 exam, is a **Exam : [000-741](#)** IBM certification. With the complete collection of exam questions,

Just4Study has assembled to take you through 164 Q&As to your 000-741 exam preparation. In the 000-741 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-741 (IBM High-End Disk Solutions. Version 4) examination of original title complete coverage. 000-741 exam questions help you pass the exam.

### **Just4Study 000-741 Feature:**

\* High quality - High quality and valued for the 000-741 Exam: 100% Guarantee to Pass Your 000-741 exam and get your IBM certifications II certification.

\* Authoritative - Authoritative braindumps with complete details about 000-741 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-741 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-741 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### **Free 000-741 Demo Download**

Just4Study offers free demo for IBM certifications II 000-741 exam (IBM High-End Disk Solutions. Version 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM IBM certifications II 000-741** examination of original title complete coverage. 000-741 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 000-741**

Exam Name: IBM High-End Disk Solutions. Version 4( IBM certifications II )

Questions and Answers: 164 Q&A

[IBM 000-741](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-741 the newest Q&A, completely covers 000-741 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-741 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-741

Title : IBM High-End Disk Solutions. Version 4

1. An IBM TotalStorage DS6800 is being shipped to the customer. Who should set up the logical configuration?

- A. The IBM Field Technical Sales Specialist
- B. The customer's system administrator
- C. The IBM Support Service Representative
- D. The customer's operations manager

Answer: B

2. A customer's database application failed during a recent maintenance window. When the IBM TotalStorage DS6800 controller automatically rebooted, the database became inconsistent and failed. After the database was made consistent, the customer asked the storage specialist to recommend a method to test path failover on a test server. Which of the following would be the first step of the implementation plan?

- A. Install Redundant Dual Active Controllers (RDAC)
- B. Install Subsystem Device Driver (SDD)
- C. Unblock the switch port
- D. Monitor the database application

Answer: B

3. A customer has an IBM TotalStorage DS6800 and an IBM TotalStorage DS8100 at their computing center. They want to install a disaster recovery site 600 kilometers from their center using a DS8300. Which of the following IBM Resiliency Family solution offerings should be implemented?

- A. Metro Mirror
- B. Global Copy
- C. Global Mirror
- D. FlashCopy

Answer: C

4. An IBM Business Partner is analyzing customer requirements for a disk subsystem. To determine that the IBM TotalStorage DS8000 can operate in the customer's current host environment, what is the best source of information for the storage specialist to use?

- A. PartnerInfo
- B. PartnerLine
- C. Offline Configuration Tool
- D. The IBM TotalStorage Web Site

Answer: D

5. A long-term IBM disk customer would like to compare the DS8000 product family to the Hitachi Data Systems

TagmaStore. Which IBM storage products compare most favorably?

- A. DS8300 and SAN Volume Controller
- B. DS8000 and Tivoli Storage Manager
- C. DS8000 and IBM TotalStorage 3584 Tape Library
- D. DS8100 and IBM TotalStorage Productivity Center for Disk

Answer: A

6. During a review of environmental requirements before ordering an IBM z890 server and IBM TotalStorage DS8300, the customer states that the available power is 220 volts AC. Which feature should be included with the DS8300 order?

- A. Low voltage
- B. High Voltage
- C. Remote zSeries Power Control
- D. Remote force power off switch

Answer: A

7. A customer's IT department now mandates a fast backup and restoration process be in place before an application is deployed. What would be the simplest and most effective option to satisfy this mandatory requirement?

- A. Deploy PPRC
- B. Implement FlashCopy
- C. Install 10TB of additional disk space
- D. Consolidate all server disk space with RAID-5

Answer: B

8. A customer with a large number of UNIX servers has an IBM TotalStorage Enterprise Storage Server Model 800 for a 90-day trial. The ESS delivers excellent performance for most of the customer's tests, but does not meet the customer's expectations for a critical benchmark that heavily loads a few key volumes on one array. Which of the following changes should the storage specialist suggest to improve performance for this critical benchmark?

- A. Add Parallel Access Volumes
- B. Add Arrays Across Loops
- C. Turn off RAID-5 sparing
- D. Turn off cache and NVS

Answer: B

9. A customer has an existing IBM TotalStorage DS8100 Storage Server with 12 Megapacks of 73GB disks and 16 ESCON Adapters. How many additional FICON adapters and Megapacks can be installed in the expansion frame?

- A. 0 adapters and 12 Megapacks
- B. 4 adapters and 16 Megapacks
- C. 8 adapters and 4 Megapacks
- D. 16 adapters and 8 Megapacks

Answer: A

10. A company acquired two other companies and is consolidating their order entry application systems into an existing common disk storage pool on a single SAN fabric. During the consolidation, half of the users of one of the order entry systems could not access their application. The users who had access experienced slow performance. What is the first action the engineer should take to determine the source of the problem?

- A. Review SAN configuration, connectivity and zoning.
- B. Review application parameters for contention or tuning problems.
- C. Use internal disk monitoring tools to determine the problems source.
- D. Call the SAN and disk vendors to perform a healthcheck on their hardware.

Answer: A

11. A customer has an IBM Enterprise Storage Server Model 800 with 10 eight-packs formatted as Fixed Block

volumes. There is not enough unused space on the RAID ranks to act as FlashCopy targets for the existing LUNs. Which of the following should the storage specialist propose to enable the customer to shorten their backup window?

- A. Add FlashCopy Version 1 and use the full copy option
- B. Add FlashCopy Version 2 and additional capacity
- C. Add FlashCopy Version 1 and use NOCOPY option
- D. Add FlashCopy Version 2 and use incremental FlashCopy

Answer: B

12. A storage specialist is proposing an IBM TotalStorage DS6800 to replace a five-year old disk system. Which of the following would provide an effective cost justification for migration to DS6800?

- A. Centralized management
- B. Multi-platform attach capability
- C. Four year warranty
- D. FlashCopy feature

Answer: C

13. A customer has an installed IBM TotalStorage Enterprise Storage Server (ESS) Model 800 with 20TB of storage, 32GB cache and ESCON channels. The customer is beginning to experience throughput performance issues and has no additional ESCON channel expansion ability. To best address these performance considerations, which of the following steps should be suggested?

- A. Add a second ESS to allow additional ESCON connections.
- B. Convert the installed ESS from ESCON to FICON connections.
- C. Increase the cache on the ESS from 32GB to 48GB.
- D. Add additional eight-packs to provide more disk arms and increase performance.

Answer: B

14. A customer has a mixed iSeries, pSeries, Sun and Windows server environment:

Three Exchange servers each with 1.8TB database

Five iSeries Domino servers each with 1TB database

10TB Sun/SAP cluster

20TB of pSeries requirement

Annual growth rate of 12TB per year

Which solution provides them the most cost effective solution for three years?

- A. A DS4500 with 300GB drives
- B. A DS6800 with 300GB drives
- C. A DS8100 with 300GB drives
- D. An SVC with DS4100 with 250GB drives, and a DS6800 with 300GB drives

Answer: C

15. A customer has a rapidly expanding data warehouse application installed on an MVS-attached EMC storage system. They are running out of capacity and encountering performance degradation. Before proposing that they migrate to an IBM TotalStorage DS8000 model, which report should be used to identify potential performance bottlenecks?

- A. ACS
- B. RMF
- C. DFSMS
- D. VTSSTATS

Answer: B

16. A customer recently implemented a data warehousing application. What disk subsystem attribute is most important for this type of application?

- A. Read performance and scalability
- B. Large cache capability

- C. Remote copy function
- D. Block and file input/output capability

Answer: A

17. A customer is about to install ten Microsoft Windows servers, three Sun servers, and five AIX servers, all with Fibre Channel interfaces. A reliability requirement is to have two Fibre Channel interfaces in each of the servers. Which of the following is required?

- A. IBM Subsystem Device Driver
- B. IBM TotalStorage SAN File System
- C. IBM TotalStorage Productivity Center for Data
- D. IBM TotalStorage Productivity Center for Disk

Answer: A

18. A customer has recently installed an IBM TotalStorage DS8100 in their production environment. They have 5TB of capacity assigned to an IBM eServer zSeries host and 5TB of capacity assigned to pSeries servers. The customer would like to make point-in-time copies for 2TB of zSeries storage and 2TB of pSeries storage. What is the correct licensing option to recommend?

- A. 2TB
- B. 4TB
- C. 5TB
- D. 10TB

Answer: D

19. Which of the following is the most important action to ensure customer satisfaction when performing the implementation of an IBM SAN fabric with two IBM TotalStorage DS8300 units?

- A. Develop clear objectives that map to expectations.
- B. Complete a Solutions Assurance Review.
- C. Ensure that power and space are available in the Data Center.
- D. Get the customer to sign a completion form.

Answer: A

20. What is the minimum number of FCP/FICON host adapters required for a IBM TotalStorage DS8000 high availability configuration?

- A. 2
- B. 4
- C. 8
- D. 16

Answer: A

### [000-741 Braindumps](#)

#### **Related 000-741 Exams**

[000-903](#) *IBM Tivoli Netcool/xSM*

[000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

[000-253](#) *Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn*

[000-331](#) *Power Systems Sales for AIX and Linux*

[000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

[000-918](#) *System Administration for IBM Informix Dynamic Server V11*

[000-798](#) *ibm tivoli monitoring for transaction perf v5.2 implement*

[000-351](#) *ibm eserver i5 iseries single system adminsitration v5r3*

000-647 Rational Performance Tester

000-807 Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

000-664 Test664.SOA Fundamentals

000-806 IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

000-792 ib m tivoli access mgr for business integration v3.9.1 implmn

000-484 enterprise connectivity with j2ee v1.3

000-834 Object Oriented Analysis and Design-Part2(Design)

000-971 System i Administrator V5.07.11

000-021 IBM Tivoli Workload Scheduler V8.5 Implementation

000-734 DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

000-705 business intelligence solutions v8.1

000-631 rational-clearcase for unix

### Other IBM Exams

000-931      000-714      000-239      000-934      000-101      000-M18      000-695      000-257

000-206      000-440      000-773      000-R03      000-029      000-M22      LOT-755      000-736

000-851      000-901      000-884      000-431