

000-744 braindumps IBM IBM certifications I

000-744: DS4000 Technical Version 1

Practice Exam: 000-744 Exams

Exam Number/Code: 000-744

Exam Name: DS4000 Technical Version 1

Questions and Answers: 148 Q&As

([IBM certifications I](#))



Exam : [000-744](#)

"DS4000 Technical Version 1", also known as 000-744 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 148 Q&As to your 000-744 exam preparation. In the 000-744 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-744 (DS4000 Technical Version 1) examination of original title complete coverage. 000-744 exam questions help you pass the exam.

Just4Study 000-744 Feature:

* High quality - High quality and valued for the 000-744 Exam: 100% Guarantee to Pass Your 000-744 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-744 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-744 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-744 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-744 Demo Download

Just4Study offers free demo for IBM certifications I 000-744 exam (DS4000 Technical Version 1). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-744** examination of original title complete coverage.000-744 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-744

Exam Name: DS4000 Technical Version 1(IBM certifications I)

Questions and Answers: 148 Q&A

[IBM 000-744](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I

certificate, you also need to participate in other related test, the details you may visit the [IBM certifications](#) | certified topic, in there, you will see all related IBM certifications | certified subject of examination.

Just4Study professional provide IBM certifications | 000-744 the newest Q&A, completely covers 000-744 test original topic. With our complete IBM certifications | resources, you will minimize your IBM certifications | cost and be ready to pass your 000-744 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-744

Title : DS4000 Technical Version 1

1. What is the minimum number of HDDs required for RAID 6?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

2. When configuring a customer's multimedia sequential I/O environment, what must you do?

- A. use a small segment size with many disks
- B. select a stripe size that is the same or an even multiple of the I/O size
- C. use small segment size in conjunction with RAID 0
- D. select a segment size that minimizes the occurrences of a single I/O on multiple drives

Answer: B

3. In the Major Event Log (MEL), what does immediate Availability Initialization (IAF) completed on logical drive" indicate?

- A. The drive has been internally reformatted.
- B. The drive has just become accessible by the host.
- C. LUN has just been replaced.
- D. Hot sparing has occurred.

Answer: A

4. How do you configure SNMP traps in the Storage Manager GUI?

- A. from the Subsystem Management window, use the Storage Subsystem menu
- B. from the Subsystem Management window, use the Advanced menu
- C. from the Enterprise Management window, use the Advanced menu
- D. from the Enterprise Management window, use the Edit menu

Answer: D

5. Three hosts are redundantly connected to a DS4000 system. Two are running a non-clustered Windows 2003 Server and the other is running Red Hat Linux. How many Storage Partitions are used in this configuration?

- A. 0
- B. 1
- C. 3
- D. 8

Answer: C

6. When creating a FlashCopy of a logical drive, a repository logical drive is created. The repository logical drive is for metadata and copy-on-write data when a change is made to the FlashCopy source logical drive. By default, what is its size?

- A. 10% of the source volume
- B. 20% of the source volume
- C. 50% of the source volume
- D. 100% of the source volume

Answer: B

7. What best describes a drive in eplaced status?

- A. a drive that has replaced a failed drive and needs to be revived in order to complete the data recovery process
- B. a temporary status for a drive that has replaced a failed drive, but has not yet been reconstructed
- C. a hot spare that has spared out for a failed drive in an array causing the hot spare to become the active drive in the array
- D. the final state of a drive that has replaced a failed drive and has been reconstructed

Answer: B

8. When performing an array migration, what is NOT required?

- A. verification that there is no logical drive name duplication between the source and target systems
- B. removal of mappings for all logical drives within the array being migrated
- C. documenting the stripe order of the drives in the array for proper placement on the target subsystem
- D. Advanced Maintenance Place Array Offline

Answer: C

9. What does a flashing green LED on a drive indicate?

- A. status ok
- B. drive active
- C. failed drive
- D. hot spare in use

Answer: B

10. A customer is combining two separate IT operations in one central location. They are using a DS4800. Performance has been marginal. You look at the DS4800 Performance Monitor and observe that they are well within the DS4800 performance specifications. Which tool can be used to determine the cause of the problem?

- A. Capacity Magic
- B. Bandwidth Estimator
- C. IOMeter
- D. Disk Magic

Answer: D

11. To generate a premium feature key that can be installed on a DS4000 subsystem, you must provide certain information to IBM. This information includes the IBM machine type/model and what additional information?

- A. serial number, activation code, feature enable identifier and e-mail address
- B. serial number, activation code, and e-mail address
- C. activation code, e-mail address, controller firmware level
- D. serial number, and e-mail address, drive firmware level

Answer: A

12. When examining a profile you see the following:

Drive at Enclosure 5, Slot 8 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 8]

How should this be configured for enclosure loss protection?

- A. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9]

B. Drive at Enclosure 3, Slot 1 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 3, slot 1]

C. Drive at Enclosure 5, Slot 17 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 17]

D. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 15, slot 19]

Drive at Enclosure 15, Slot 19 [mirrored pair with drive at enclosure 5, slot 9]

Answer: B

13. You have been called in to assist the storage administrator who has been using Global Mirror with an Enhanced Remote Mirroring (ERM) configuration to mirror the company inventory database from headquarters to a data warehouse at a remote site. The storage administrator has been re-evaluating this approach and needs your help to change the mirroring mode to Metro Mirroring for better control over data going to the remote site. What must you do to help the storage administrator make the change?

A. advise the storage administrator to purchase two new licenses

B. break and re-establish the mirror relationship

C. back up the inventory data to tape

D. make the mode change in Storage Manager

Answer: D

14. In the exhibit, which management method is being used?

A. in-band

B. rlogin

C. client-host-band

D. out-of-band

Answer: D

15. What is one disadvantage of managing a storage subsystem through the Fibre Channel IO path?

A. The fibre cable used for data IO cannot be used for management commands.

B. An access logical drive is required to communicate with the controllers.

C. Management commands cannot be encapsulated by the Fibre Channel protocol.

D. Ethernet cables to the controllers are also required to send management commands.

Answer: B

16. In addition to the storage administrator's e-mail address, what information do you need to set up e-mail alerts to be sent to the storage administrator?

A. sender's SMTP server address, the sender's e-mail address

B. sender's POP server address, the sender's e-mail address

C. storage administrator's POP server address, the sender's e-mail address

D. storage administrator's SMTP server address, the sender's e-mail address

Answer: A

17. Which statement is FALSE regarding hot spare drives in the DS4000 subsystem?

A. The storage server will attempt to find a spare in the same enclosure as the failed drive first.

B. The storage server will give preference to a spare the same size as the failed drive.

C. The storage server will use a spare with at least the same capacity as the failed drive.

D. The controller may use a spare that is larger than the failed drive and block the remaining capacity from use.

Answer: B

18. You arrive at a customer site to implement the DS4000 solution and find that the customer wants to use RAID 1+0 instead of RAID 5 for everything. What is a possible concern in this situation?

A. capacity

B. random IO performance

C. throughput performance

D. disk rebuild times

Answer: A

19. A customer wants to use SATA drives to reduce costs. Which application matches SATA use?

A. TSM

B. Exchange

C. application with low IOPS

D. write once, read many times

Answer: C

20. Which statement about DS4000 firmware upgrades is true?

A. The controller firmware and NVSRAM files are closely tied to each other and must be installed in the proper combination.

B. Controller firmware and NVSRAM upgrades always require the ESM firmware to be upgraded at the same time.

C. Only one controller must be accessible via the Ethernet or fiber in order to perform a controller firmware upgrade.

D. The controller firmware and NVSRAM are independent from each other and can be upgraded at different times.

Answer: A

[000-744 Braindumps](#)

Related 000-744 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-913](#) informix 4gl development

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-665](#) Architecture design of soa solution

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-669](#) SOA Fundamentals (2008)

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-872](#) ib m tivoli storage manager v5.2 implementation

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

[000-286](#) test286,applecation development wweb sphere studio,v5.0

[000-995](#) IBM Web Sphere Process Server V6.1.System Administration

[000-890](#) IBM Tivoli Monitoring V6.1 Implementation

[000-076](#) IBM System x Sales

[000-017](#) Foundations of Tivoli process automation engine V7.1

Other IBM Exams

[000-297](#) [000-293](#) [000-712](#) [000-299](#) [000-061](#) [000-111](#) [000-296](#) [000-340](#)

[000-996](#) [000-907](#) [000-913](#) [000-896](#) [FPM-200](#) [000-113](#) [000-012](#) [006-002](#)

[000-633](#) [000-255](#) [000-960](#) [000-223](#)

