

000-806 braindumps

IBM IBM certifications II

000-806: IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn

Practice Exam: 000-806 Exams

Exam Number/Code: 000-806

Exam Name: IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn

Questions and Answers: 52 Q&As

([IBM certifications II](#))



Exam : [000-806](#)

"IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn", also known as 000-806 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 52 Q&As to your 000-806 exam preparation. In the 000-806 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-806 (IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn) examination of original title complete coverage. 000-806 exam questions help you pass the exam.

Just4Study 000-806 Feature:

* High quality - High quality and valued for the 000-806 Exam: 100% Guarantee to Pass Your 000-806 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-806 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-806 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-806 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-806 Demo Download

Just4Study offers free demo for IBM certifications II 000-806 exam (IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-806** examination of original title complete coverage.000-806 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-806

Exam Name: IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn(IBM certifications II)

Questions and Answers: 52 Q&A

[IBM 000-806](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-806 the newest Q&A, completely covers 000-806 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-806 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-806

Title : IBM Test806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn

1. What is the default base entry value for the built-in, file-based repository for the federated repository?

- A. o=WIMFileBasedRealm
- B. o=defaultWIMFileBasedRealm
- C. o=defaultWIMFileBasedRepository
- D. o=defaultWIMFileBaseEntry

Answer: B

2. Which statement most accurately states considerations that need to be taken when configuring a Web server farm that fronts a cluster of WebSphere application servers for the purpose of evenly distributing workload?

- A. A server weight value of less than one notifies the plugin that this application server must continue to receive an equal share of the new incoming requests.
- B. The number of Web servers in the configuration must be exactly identical to the maximum number of cluster members that can ever be active and receiving incoming requests at one time.
- C. When all server weights have been set to an equal value in the plugin configuration file, the weighting of the round robin approach for workload load distribution is effectively turned off.
- D. When the number of active Web servers in the configuration exceeds the number of application servers that are accepting incoming traffic, the excess Web servers will be placed in standby mode to conserve resources.

Answer: C

3. A junior administrator wants to configure a JDBC datasource for an application that will run on a cluster. The cluster members run on several different operating systems. What should a senior administrator instruct the junior administrator to do when creating the most manageable working configuration?

- A. Configure a single JDBC provider at the cluster level and a datasource for each member at the server level
- B. Configure a single JDBC provider at the cluster level using WebSphere variables. Configure the WebSphere variables at the node level for each cluster member then configure a single datasource at the cluster level
- C. Configure a single JDBC provider at the cluster level, configure WebSphere variables at the server level for each cluster member and configure a single datasource at the cluster level using the WebSphere variables
- D. Configure a JDBC provider and a datasource at the server level for each cluster member

Answer: B

4. An application with EJBs is deployed on a cluster. The workload for the application has increased. To keep up with the increased workload, the administrator has added more application servers to the cluster. However, this has resulted in some cluster members being overloaded and others being idle. Which exception to the WLM routing policy might be causing this problem?

- A. Preferred servers that are set servers in the cluster's replication domain

- B. Transaction Affinity caused by the application's runtime behavior
- C. The Preferred Server Only property is enabled in the cluster's coregroup
- D. Session affinity caused by the application's runtime behavior

Answer: B

5. Which statement is true about designing highly available infrastructures based on WebSphere Application Server ND V6.1 clusters?

- A. A stand-alone server topology provides the greatest amount of process isolation and therefore is the most effective building block in combination with other stand-alone servers for building a highly resilient cluster based infrastructure.
- B. A horizontal scaling topology provides the greatest opportunity to implement efficient use of single machine processing power so that should there be a failover in that environment, there will be sufficient capacity available for the remaining nodes to pick up the workload from the failed node.
- C. A vertical scaling topology provides the greatest opportunity to implement efficient use of machine processing power so that should there be failover in that environment, there is sufficient capacity available for the remaining cluster members to pick up the workload from the failed cluster member.
- D. A horizontal scaling topology provides the greatest amount of process isolation and therefore is the most effective building block in combination with other stand-alone servers for building a highly resilient cluster based infrastructure.

Answer: C

6. When enabling failover for Stateful Session Beans (SFSBs), the WebSphere EJB container will set the activation policy to activate at transaction boundary for:

- A. all EJBs in the EJB container.
- B. all Servlets, JSPs and EJBs.
- C. all stateless session beans.
- D. all SFSB.

Answer: D

7. A WebSphere Application Server ND V6.1 administrator has been asked to set up cache replication for an application. The application team wants to make sure it does not lose any cache data that is generated. What would make losing cache data least likely to happen?

- A. Full group replication
- B. Enable disk offload
- C. Push only
- D. Flush to disk

Answer: B

8. Which list is the most accurate description of the duties and benefits provided by a WebSphere Application Server ND V6.1 Trust Association Interceptor (TAI) module?

- A. Extract the user's credential information from the request
validate user authorizations
eliminate additional user authentication calls
- B. Validate the trust of the perimeter authentication service
extract user credentials
eliminate additional user authentication calls
- C. Extract the user's credential information from the request
validate trust relationship with perimeter authentication service
eliminate additional user authorization calls
- D. Validate the trust of the perimeter authentication service
validate user authorizations
eliminate additional user authentication calls

Answer: B

9. Which list of activities most accurately describes the duties that must be performed by the perimeter authentication service as a part of interfacing with its corresponding Trust Association Interceptor (TAI) module in targeted WebSphere Application Servers ND V6.1?

- A. Perform user authentication, establish a trust relationship with the WebSphere application server(s) and verify user role authorization(s)
- B. Verify user role authorization(s), perform user authentication, establish a trust relationship with the WebSphere application server(s) and extract user credential information from the requests
- C. Perform user authentication, establish a trust relationship with the WebSphere application server(s) and insert user credential information into HTTP requests
- D. Verify user role authorization(s), perform user authentication and insert user credential information into HTTP requests

Answer: C

10. To improve scalability of a cluster bus member, an administrator proposes adding messaging engines to the cluster. Which valid concern cannot be resolved through configuration?

- A. Multiple messaging engines starting on the same cluster member; a review of available resources on the cluster members must be conducted to determine if this can be tolerated
- B. Duplicate messages may actually decrease the scalability of the application; the application developers must be consulted to determine the performance impact
- C. Message order not being preserved; the application developers must be consulted to determine whether or not this will cause application errors
- D. Additional load on the deployment manager as it directs messages to the partitioned destinations; a review of available resources on the deployment manager must be conducted to determine if this can be tolerated

Answer: C

11. An administrator is configuring a cluster bus destination on a cluster with five members on five different physical machines. The administrator will configure two messaging engines which may be run on any of the five cluster members. What is the simplest configuration for the messaging engines' data stores that still ensures proper fail over?

- A. A file-based data store in the config directory that is kept in sync on all cluster members by the deployment manager
- B. A single remote database accessible by all cluster members with one schema to be shared by the messaging engines
- C. A single remote database accessible by all cluster members with two schemas
- D. Two remote databases accessible by all cluster members

Answer: C

12. Refer to the exhibit.

Which security delegation method is NOT supported in WebSphere Application Server ND V6.1 under any circumstances?

- A. Switch to default WebSphere internal identity credentials
- B. Switch to some other specified identity's credentials
- C. Switch to server1's credentials
- D. Keep the client credentials

Answer: A

13. A WebSphere Application Server ND V6.1 environment is installed and configured but no fixes are applied. The environment consists of multiple nodes, application servers as well as several Web servers. SSL is used to secure communication between the Web servers and the application servers. The "Dynamically update the run time when SSL configuration changes occur" setting is enabled. The environment functions correctly for about 10 months. Then, the Web server plugins lose the ability to communicate with the application servers.

What should the senior administrator suspect is most likely to be causing the problem.

- A. No one has registered the product and the trial license has expired after 300 days.
- B. The SSL Certificate Expiration Monitor has updated the application servers' SSL certificates, but the new

certificates have not been propagated to the plugins.

C. Due to the lack of fix applications, known bugs have caused the application servers' configuration directories to be corrupted.

D. The plugin has not been updated with fixes to handle the change in daylight savings time and this has caused communication with the application servers to fail.

Answer: B

14. An administrator is creating a plan for securing communication with a WebSphere Application Server ND V6.1. The plan consists of using SSL and making client certificate authentication mandatory. Which security concerns, as they relate to communication with the application server, have not been addressed by the plan?

A. Authentication

B. Data integrity

C. Data confidentiality

D. Authorization

Answer: D

15. The lexically lowest named server in a cell, server A, is an application server that happens to be started and stopped frequently. An administrator is planning to greatly increase the number of application servers and clusters in the cell. The administrator will also be adding a large number of destinations to the default messaging provider. Which action should the administrator take to prevent any scaling problems when adding the servers and destinations?

A. Create a cluster of several application servers using server A as a template

B. Add server A to a replication domain to replicate session information

C. Configure the DefaultCoreGroup's preferred coordinator servers to prefer servers other than server A

D. Move any default messaging provider messaging engines and destinations from server A to other servers in the cell

Answer: C

16. A WebSphere Application Server ND V6.1 administrator recently added a new cluster member. When the administrator checked the status of the servers in the cluster, they noticed the cluster showing a state of partially started. What does that mean?

A. All cluster members are running, but the node agents have not been started.

B. At least one of the cluster members is running.

C. The cluster was not started by the deployment manager.

D. The cluster was created, however the servers were never stopped then restarted cleanly.

Answer: B

17. What can be configured in the Application Server Toolkit (AST) to create an enhanced EAR file?

A. Datasources, JVM arguments and shared libraries

B. Datasources, JAAS authentication and JVM arguments

C. Class loader policies, JVM arguments and JAAS authentication

D. Datasources, class loader policies and shared libraries

Answer: D

18. Where is the file-based repository that is built into WebSphere stored?

A. <WAS_HOME>profiles<profileName>configcells<cellName>bultinFileRegistry.xml

B. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.props

C. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.properties

D. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.xml

Answer: D

19. What is one action that must be taken to allow the administrative console application to be accessed via the Web server?

A. Change admin_host virtual host group to include Web server port 80 (default)

B. Open port 80 on the firewall

- C. Stop and restart the node agent
- D. Change the deployment manager master configuration file and force the updates to all nodes

Answer: A

20. WebSphere administrative security is just enabled when suddenly, several of the deployed Java client applications fail with "security exceptions". Which configuration file should be investigated first?

- A. sas.server.props
- B. sas.client.props
- C. wsjass_client.conf
- D. ws-security.xml

Answer: B

[000-806 Braindumps](#)

Related 000-806 Exams

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement

[000-351](#) ibm eserver i5 iseries single system adminsitration v5r3

[000-647](#) Rational Performance Tester

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-664](#) Test664.SOA Fundamentals

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-792](#) ibm tivoli access mgr for business integration v3.9.1 implmn

[000-484](#) enterprise connectivity with j2ee v1.3

[000-834](#) Object Oriented Analysis and Design-Part2(Design)

[000-971](#) System i Administrator V5.07.11

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-734](#) DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

[000-705](#) business intelligence solutions v8.1

[000-631](#) rational-clearcase for unix

Other IBM Exams

[000-M10](#) [000-535](#) [000-853](#) [000-M05](#) [000-730](#) [000-232](#) [000-665](#) [000-M07](#)

[000-440](#) [000-792](#) [000-997](#) [000-701](#) [000-M17](#) [000-314](#) [000-324](#) [000-817](#)

[000-667](#) [000-857](#) [000-397](#) [000-284](#)