

000-807 braindumps IBM IBM certifications II

000-807: Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

Practice Exam: 000-807 Exams

Exam Number/Code: 000-807

Exam Name: Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

Questions and Answers: 110 Q&As

([IBM certifications II](#))



Exam : [000-807](#)

"Test 807, Web Services Dev for IBM Web Sphere App Server V6.1", also known as 000-807 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 110 Q&As to your 000-807 exam preparation. In the 000-807 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-807 (Test 807, Web Services Dev for IBM Web Sphere App Server V6.1) examination of original title complete coverage. 000-807 exam questions help you pass the exam.

Just4Study 000-807 Feature:

* High quality - High quality and valued for the 000-807 Exam: 100% Guarantee to Pass Your 000-807 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-807 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-807 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-807 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-807 Demo Download

Just4Study offers free demo for IBM certifications II 000-807 exam (Test 807, Web Services Dev for IBM Web Sphere App Server V6.1). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-807** examination of original title complete coverage.000-807 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-807

Exam Name: Test 807, Web Services Dev for IBM Web Sphere App Server V6.1(IBM certifications II)

Questions and Answers: 110 Q&A

[IBM 000-807](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination. Just4Study professional provide IBM certifications II 000-807 the newest Q&A, completely covers 000-807 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-807 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-807

Title : Test807, Web Services Dev for IBM WebSphere App Server V6.1

1. Which describes a Java return type for a Java method?

- A. <wsdl:message>
- B. <wsdl:part>
- C. <wsdl:output>
- D. <wsdl:fault>

Answer: C

2. In WebSphere Application Server V6.1, 'trust method' is part of which collection?

- A. Required Integrity
- B. Required Confidentiality
- C. Required security token
- D. Caller
- E. Add time stamp

Answer: D

3. Which three are WS-Security wizards in Rational Application Developer V7.0?

- A. Add XML Encryption
- B. Add XML Signature
- C. Add WS Federation
- D. Add WS Secure Conversation
- E. Add WS Security Policy
- F. Add Stand Alone Security Token
- G. Add SAML Support

Answer: ABF

4. Which command line utility can be use to create a Web service using a bottom-up approach?

- A. Java2WSDL
- B. WSDL2Java
- C. Java2WS
- D. XML2WSDL

Answer: A

5. By default, which security token type does WebSphere Application Server V6.1 NOT support?

- A. username token
- B. binary security token, including the X.509 certificate

- C. LTPA token
- D. Kerberos token

Answer: D

6. A developer has a WSDL file open in the WSDL Editor. Another developer sends out notification that the DTD referenced in the WSDL file has changed. Which action, if any, should be taken to ensure that the schema changes are enforced?

- A. Problems tab > Quick fix
- B. WSDL Editor > Reload Dependencies
- C. On the popup menu for the element that was changed, select the File > Update option
- D. No action is needed since the WSDL Editor will detect the schema changes automatically.

Answer: B

7. What is the output of the Bean2WebService tool?

- A. A Service Endpoint Interface (SEI) file
- B. An EAR file
- C. A WSDL file
- D. web.xml and webservices.xml files

Answer: B

8. Several methods have been proposed for supporting binary data in Web services. Which method is effectively obsolete at this point?

- A. Base 64 Encoding
- B. SOAP with Attachments (SwA)
- C. WS-Attachments with Direct Internet Message Encapsulation (DIME)
- D. Message Transmission Optimization Mechanism (MTOM)

Answer: C

9. What is out of scope for the JSR 921 specification?

- A. SOAP 1.1 and SOAP with Attachments (SwA)
- B. WSDL 1.1
- C. UDDI 1.0
- D. Basic reliable message semantics

Answer: D

10. Which task can the `_setProperty` method in the `javax.xml.rpc.Stub` interface be used to perform?

- A. To configure the document style in the SOAP message
- B. To change the parameter of a Web service operation
- C. To modify the target service endpoint address
- D. To enable Transport Level Security (TLS)

Answer: C

11. Which are three valid `clientType` options for the `WSDL2Client` command?

- A. java
- B. application
- C. EJB
- D. EJBclient
- E. serMet
- F. webclient

Answer: BCE

12. Which server-side configuration task should be performed to reduce the chances of a replay attack?

- A. Add a binary security token in the Request Generator Configuration -> Security Token section

- B. Require a timestamp in the Request Consumer Configuration -> Add Timestamp section
- C. Add a nonce word to encrypted parts, through the Request Generator Configuration -> Confidentiality section
- D. Require a nonce word in digital signatures, through the Request Consumer Configuration -> Required Integrity section

Answer: D

13. The code below is typical of which type of client?

```
WeatherForecastServiceLocator wsloc = new WeatherForecastServiceLocator();
WeatherForecastService wserv= (WeatherForecastService) wsloc.getWeather();
//Invoke the Web service
String temp = wserv.getTemperature();
System.out.println(temp);
```

- A. Dynamic proxy
- B. Static stub
- C. Dynamic Invocation Interface
- D. Service Data Object

Answer: B

14. Which database management systems will the Web Service User-Defined Function wizard work for?

- A. Apache Derby 10.2.2.0
- B. DB2 for Z/OS 9.1
- C. Oracle 10g Release 1
- D. DB2 UDB for Linux 8.1.2

Answer: D

15. The following WSDL snippet represents which message transmission style?

```
<wsdl:portType .... >
<wsdl:operation name="someOperation">
<wsdl:output name="oname" message="somename"/>
<wsdl:input name="iname" message="anothename"/>
</wsdl:operation>
</wsdl:portType .... >
```

- A. One-way
- B. Request-response
- C. Solicit-response
- D. Notification

Answer: C

16. WSDL faults are mapped to which three Java classes?

- A. javax.wsdl.WSDLFault
- B. javax.wsdl.WSDLException
- C. java.rmi.RemoteException
- D. javax.xml.rpc.handler.Exception
- E. javax.xml.rpc.soap.SOAPFaultException
- F. Service-specific Java exception

Answer: CEF

17. When creating an EJB Web service using the WSDL2Java command, what must be included on the command line?

- A. type ejb
- B. implementation ejb
- C. container ejb
- D. create ejb

Answer: C

18. Which is NOT a prerequisite for a service implementation defined in a Session EJB Web service?

- A. The Session EJB must have a default public constructor.
- B. The remote interface of the Session EJB must implement the endpoint interface.
- C. The Session EJB must have a default EJB create method.
- D. The Session EJB must have one or more remote methods.

Answer: B

19. In which scenario should Web service traffic be secured at the transport level over the message level?

- A. Security information must be kept intact from the client to the Web service, regardless of the underlying transport.
- B. Messages are passed between multiple intermediaries, multiple transports.
- C. Only parts of the message need to be kept confidential.
- D. High performance and security are top concerns.

Answer: D

20. For the following SOAP fault, which is a mandatory field that contains a human-readable description of the fault occurred?

```
<SOAP-ENV:Fault xmlns="">
<faultcode> value1 </faultcode>
<faultstring> value2 </faultstring>
<faultactor> value3 </faultactor>
<detail>
<e:faultNod xmlns:e="http://faultNod">
<e:message> value4 </e:message>
<e:errorCode> value5 </errorCode>
</e:faultNod>
</detail>
</SOAP-ENV:Fault>
```

- A. value1
- B. value2
- C. value3
- D. value4
- E. value5

Answer: B

21. Which type of client is least used in the WebSphere Application Server 6.1 environment?

- A. Unmanaged static stub
- B. Unmanaged dynamic proxy
- C. Managed Dynamic Invocation Interface
- D. Managed dynamic proxy

Answer: C

22. What are the prerequisites for creating a Web service from an EJB using SOAP/HTTP transport in Rational Application Developer V7.0?

- A. Create an EAR project
Create an EJB project and add it to the EAR project
Create or import an enterprise bean into the EJB project
Deploy the enterprise bean
Create an EJB router project
- B. Create an EAR project
Create an EJB project and add it to the EAR project
Create or import an enterprise bean into the EJB project

C. Create an EJB project

Create or import an enterprise bean into the EJB project

Deploy the enterprise bean

Create a Web project

D. Create an EAR project

Create an EJB project and add it to the EAR project

Create or import an enterprise bean into the EJB project

Create an EJB router project

Deploy the router project

Answer: B

23. Which interface in SAAJ generically represents any literal part in a SOAP message?

A. javax.xml.soap.Text

B. javax.xml.soap.Node

C. javax.xml.soap.DetailEntry

D. javax.xml.soap.SOAPElement

E. javax.xml.soap.SOAPBodyElement

Answer: D

24. What is the purpose of specifying a namespace when creating a WSDL file?

A. To point to the XML Schema to use to validate the WSDL file

B. To avoid name collisions when referencing elements

C. To uniquely identify a company's URI

D. To allow Rational Application Developer V7.0 to create a WSDL skeleton for the new file

Answer: B

25. In addition to usenametoken and digestvalue, which other predefined keywords are supported by WebSphere Application Server for encryption?

A. bodycontent

B. body

C. timestamp

D. passwordtoken

Answer: A

26. Which two are valid SOAP messages?

A. <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" >

<soap:Header>...</soap:Header>

<soap:Body>...</soap:Body>

</soap:Envelope>

B. <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" >

<soap:Body>...</soap:Body>

<soap:Header>...</soap:Header>

</soap:Envelope>

C. <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" >

<soap:Header>...</soap:Header>

</soap:Envelope>

D. <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" >

<soap:Body>...</soap:Body>

</soap:Envelope>

E. <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" > </soap:Envelope>

Answer: AD

27. From which method is the proxy of Service obtained in the Dynamic Proxy client?

- A. getPort()
- B. getQName()
- C. getPortType()
- D. getService()

Answer: A

28. What is the least appropriate scenario for Web services?

- A. To integrate legacy systems
- B. For B2B (business to business) applications
- C. To help with process choreography
- D. To tightly couple internal systems

Answer: D

29. Which client retrieves Call Instance from the javax.xml.rpc.Call interface?

- A. Managed static stub
- B. Unmanaged static stub
- C. Unmanaged dynamic proxy
- D. Dynamic Invocation Interface

Answer: D

30. In a top-down creation of a Web service, what does the WSDL portType map to?

- A. A Java method invocation
- B. A Stateless session EJB
- C. A JAX-RPC mapping
- D. A Service Endpoint Interface (SEI)

Answer: D

[000-807 Braindumps](#)

Related 000-807 Exams

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-798](#) ib m tivoli monitoring for transaction perf v5.2 implement

[000-351](#) ib m eserver i5 iseries single system adminsitration v5r3

[000-647](#) Rational Performance Tester

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-664](#) Test664.SOA Fundamentals

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-792](#) ib m tivoli access mgr for business integration v3.9.1 implmn

[000-484](#) enterprise connectivity with j2ee v1.3

[000-834](#) Object Oriented Analysis and Design-Part2(Design)

[000-971](#) System i Administrator V5.07.11

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-734](#) DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

000-705 *business intelligence solutions v8.1*

000-631 *rational-clearcase for unix*

Other IBM Exams

<u>000-200</u>	<u>000-915</u>	<u>000-273</u>	<u>000-094</u>	<u>000-644</u>	<u>000-886</u>	<u>000-M03</u>	<u>LOT-721</u>
<u>000-427</u>	<u>000-744</u>	<u>000-964</u>	<u>000-887</u>	<u>000-907</u>	<u>000-223</u>	<u>000-646</u>	<u>000-347</u>
<u>000-998</u>	<u>000-550</u>	<u>000-736</u>	<u>000-972</u>				