

000-852 braindumps

IBM IBM certifications III

000-852: windows integration for iseries solution sales

Practice Exam: 000-852 Exams

Exam Number/Code: 000-852

Exam Name: windows integration for iseries solution sales

Questions and Answers: 60 Q&As

([IBM certifications III](#))



Exam : [000-852](#)

"windows integration for iseries solution sales", also known as 000-852 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 60 Q&As to your 000-852 exam preparation. In the 000-852 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications III 000-852 (windows integration for iseries solution sales) examination of original title complete coverage. 000-852 exam questions help you pass the exam.

Just4Study 000-852 Feature:

* High quality - High quality and valued for the 000-852 Exam: 100% Guarantee to Pass Your 000-852 exam and get your IBM certifications III certification.

* Authoritative - Authoritative braindumps with complete details about 000-852 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications III resources, you will minimize your **IBM IBM certifications III** cost and be ready to pass your 000-852 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications III demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-852 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-852 Demo Download

Just4Study offers free demo for IBM certifications III 000-852 exam (windows integration for iseries solution sales). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **IBM IBM certifications III 000-852** examination of original title complete coverage. 000-852 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 000-852

Exam Name: windows integration for iseries solution sales(IBM certifications III)

Questions and Answers: 60 Q&A

[IBM 000-852](#) Test belongs to one of the IBM certifications III certified test, if needs to obtain the IBM certifications III certificate, you also need to participate in other related test, the details you may visit the [IBM certifications III](#) certified topic, in there, you will see all related IBM certifications III certified subject of examination.

Just4Study professional provide IBM certifications III 000-852 the newest Q&A, completely covers 000-852 test original topic. With our complete IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-852 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-852

Title : Windows Integration for Iseries Solution Sales

1. Which of the following describes what is needed to keep user IDs and passwords synchronized between OS/400 and Microsoft Windows?

- A. OS/400 user profile management creates a file to send to Windows for importing into the user manager.
- B. A synchronization job can be run via the job scheduler to send user IDs and passwords from OS/400 to Windows.
- C. OS/400 can be configured as a Domain controller for Windows servers to use for user ID and password verification.
- D. iSeries user enrollment function will keep profiles synchronized for all OS/400 user profiles enrolled in the Windows domain.

Answer: D

2. An iSeries with at least one spare IXS installed has experienced a failure of one of the production IXS units. Which of the following will recover from this failure with minimal disruption?

- A. Assign the Network Server Description to the spare IXS and restart the spare IXS.
- B. IPL the iSeries server to allow the failed network server to connect to the spare IXS.
- C. Load Microsoft Windows on the spare IXS, attach the server storage from the failed server, and restart the spare IXS.
- D. Load Microsoft Windows and applications onto the spare IXS, attach the server storage from the failed server, and restart the spare IXS.

Answer: A

3. A customer with an eServer i5 520 wants to enable secure, high-speed communication between two i5/OS partitions and one Linux partition and an IXS using Virtual Ethernet. Which of the following tools is needed to accomplish this?

- A. HMC
- B. iSeries Navigator
- C. Dedicated Service Tools
- D. VM Ware ESX

Answer: A

4. Which of the following correctly describes the disk usage of Microsoft Windows on an IXS?

- A. Disk assigned to the IXS is automatically extended as needed.
- B. Disk storage is assigned to the IXS from a dedicated disk pool.
- C. Disk storage is assigned to the IXS using a network storage space.
- D. Disk controllers and attached disk units are allocated to Windows.

Answer: C

5. An iSeries customer has two Windows servers that share a set of large read-only files. Which of the following

describes an advantage of migrating these servers with IXS adapters on the iSeries?

- A. A single iSeries data space can be shared as a read-only virtual drive.
- B. Each IXS can use a copy of the data space on one drive of an OS/400 mirrored pair.
- C. The OS/400 HA Services feature can keep the two data spaces synchronized with no additional software.
- D. Multiple IXS/IXA adapters can share a virtual drive as read-only while another IXS/IXA adapter updates the data.

Answer: A

6. A customer running V4R5 plans to replace a 333MHz Integrated Netfinity Server (INS) with a 2.0 GHz IXS. The INS shares a LAN adapter with OS/400 for network access. Which of the following is required to support this change?

- A. OS/400 must be upgraded to V5R2.
- B. Install a 10/100/1000Mb switch to support all legacy hardware.
- C. A dedicated LAN adapter must be assigned to OS/400, and OS/400 must be upgraded to V5R2.
- D. Microsoft Windows must be configured to use the Virtual Ethernet LAN for network access.

Answer: C

7. An eServer i5 520 customer running line of business applications needs to add a mission-critical financial application that requires a highly scalable Microsoft Windows 2003 Server. The customer lacks the resources to manage both environments. Which of the following solutions meets these requirements?

- A. An n-way IXS installed in an iSeries sharing iSeries disk, tape, and CD/DVD
- B. An n-way xSeries server attached via the IXA sharing iSeries disk, tape, and CD/DVD
- C. An IXS with maximum memory and VMWare to manage the scaling
- D. An IXS and an IXA with iSeries Cluster Support

Answer: B

8. A disk volume on a Microsoft Windows 2000 server running on an IXS is critically low on free space. No files can be deleted from the volume. Which of the following steps are required to increase the available storage on the volume?

- A. Create an additional NWS Storage Space, assign it to the appropriate IXS, then in Windows disk manager extend the volume. No downtime is required.
- B. Install at least one additional disk unit into the iSeries, allocate the unit(s) to the IXS, then in Windows disk manager extend the volume. No downtime is required.
- C. Install at least one additional disk unit into the iSeries, vary off the IXS, allocate the unit(s) to the IXS, vary on the IXS, then in Windows disk manager extend the volume. Downtime is required.
- D. Vary off the IXS, create a larger NWS Storage Space and assign it to the IXS. Vary on the IXS and then copy the full disk volume to the new larger volume. Vary off the IXS and remove the old volume, then vary on the IXS. Downtime is required.

Answer: A

9. An iSeries customer with 500 users connecting to an IXS is concerned about an increase in the time required for user account management between OS/400 and Windows. The customer would like an automated method to synchronize user IDs on both OS/400 and their Windows servers. Which of the following will meet their requirements?

- A. Microsoft Active Directory service
- B. Kerberos Services on the iSeries
- C. OS/400 Windows Integration User ID Export Utility
- D. iSeries Windows Integration User Administration Service

Answer: D

10. A customer has an iSeries with three OS/400 partitions. The customer plans to implement a Windows application that will interact with all three partitions. Which of the following is an advantage of an IXS compared with a stand-alone PC server?

- A. The IXS provides LAN interface sharing.
- B. The IXS comes standard with two LAN interfaces.
- C. iSeries HSL provides PC server to OS/400 communications.
- D. PC server to OS/400 traffic can be handled by the iSeries Virtual LAN.

Answer: D

11. How is the ability to recover a Microsoft Windows server on IXS/IXA enhanced by iSeries Virtual storage?

- A. The xSeries can write to parallel storage spaces shared by a hot spare xSeries.
- B. The storage spaces can be allocated to the hot spare xSeries and activated by restarting the iSeries.
- C. The Network Server Description (NWSD) can be switched to a hot spare xSeries without re-starting the iSeries.
- D. The storage spaces can be switched to the hot spare xSeries, and only the Windows operating system must be reloaded.

Answer: C

12. An i720 customer running V5R1 plans to move a stand-alone PC application to an IXS. The application requires a minimum of 800 MHz processing power. Which of the following is required to allow this application to run on an IXS?

- A. Install an i810 at V5R1 and then install a 2.0 GHz IXS (2892-002) in an I/O tower.
- B. Install an 8xx with V5R2 and then install a 2.0 GHz IXS (2892-002) in the system unit.
- C. Upgrade the 720 to V5R2 and then install a 2.0 GHz IXS (2892-002) in an I/O tower.
- D. Install an eServer i5 520 on V5R3 and then install a 2.0 GHz IXS (2892-002) in the system unit.

Answer: B

13. What are the minimum iSeries hardware and software requirements to support the IXA?

- A. V5R2 on a Model 270, Model 8xx or later system
- B. V5R1 on a Model 270, Model 8xx or later system
- C. V5R2 on a Model 810 or larger system
- D. V5R1 on a Model 820 or larger system

Answer: B

14. A customer is concerned that iSeries Windows Integration will not provide support for an SMP processor configuration. Which of the following options addresses this concern?

- A. Multiple IXS adapters with Windows clustering
- B. IXA with externally attached SMP xSeries models
- C. IXA with xSeries BladeCenter Adapter feature
- D. IXS cards placed in successive slots can function in SMP Mode.

Answer: B

15. Which of the following correctly describes Microsoft Windows integration on iSeries?

- A. 64-bit versions of Windows run in iSeries partitions with dedicated disk, tape, and CD/DVD.
- B. Off-the-shelf Windows software runs on a standard PC with a custom LAN based attachment to OS/400.
- C. 32-bit versions of Windows software run in an OS/400 guest partition, sharing selected iSeries I/O hardware.
- D. Off-the-shelf Windows software runs on an auxiliary Intel-based processor, sharing selected iSeries I/O hardware.

Answer: D

16. Which of the following describes how the use of an integrated Windows server can improve backup and recovery planning?

- A. An IXS/IXA can be used for remote backup of all servers to a single tape drive.
- B. BRMS SAVSYSIMG will save the OS/400 QSYS library and the Windows OS/400 folders concurrently.
- C. BRMS Network Feature provides automated backup staging of Windows Server data using an IXS/IXA.
- D. IXS/IXA backup using iSeries tape provides higher compression than the same drive natively attached to a PC.

Answer: A

17. An ERP application is being deployed on an xSeries in an existing iSeries shop. Management is considering standalone xSeries servers. The iSeries administrator is recommending putting this application on xSeries servers connected to the iSeries via IXA cards. Which of the following is a benefit of accepting this recommendation?

- A. Reduced licensing costs of Microsoft Windows software
- B. Single point of backup and recovery

C. Automatic application of Microsoft Service Packs through PTFs

D. Better file sharing capabilities with the QDLS file system

Answer: B

18. Which of the following is a benefit of Remote Administration of Microsoft Windows on the IXS/IXA?

A. Windows servers on IXS/IXA can share disk storage spaces.

B. Applications can be loaded to multiple Windows servers simultaneously.

C. Users can be automatically added to a Windows server from OS/400.

D. Microsoft Windows Service Packs can be loaded to multiple Windows servers simultaneously.

Answer: C

19. The iSeries Integration for Windows Server (5722-WSV) service pack contains PTFs for IXS units. After the iSeries system administrator applies the PTFs, how are the integration code PTFs applied to the IXS?

A. Downloaded to the IXS through Dedicated Service Tools

B. Directly on the IXS using the iSeries CD/DVD drive

C. Downloaded to the IXS with the update program

D. On the IXS via Internet connection

Answer: C

20. Which of the following tools can be used to control the Windows console of an IXS/IXA attached server in a remote iSeries 810?

A. Telnet

B. Management Central

C. iSeries Navigator

D. Terminal Services

Answer: D

21. An iSeries customer plans to purchase an xSeries server. Which of the following will indicate if this server is supported by iSeries Windows Integration?

A. xSeries product announcements

B. iSeries product announcements

C. iSeries Windows Integration website

D. iSeries Windows Integration Redbooks

Answer: C

22. An iSeries customer has a requirement for a symmetric multiprocessing (SMP) application running under Microsoft Windows 2003. Which of the following will support this new application?

A. IXS with a 3-way or greater iSeries

B. Multiple IXS units on the iSeries

C. xSeries Model 335 with IXA

D. xSeries Model 365 with IXA

Answer: D

23. A customer is planning to add an IXA card to an existing xSeries server. What must be done with the existing internal xSeries disk?

A. All xSeries disk units and controllers must be removed.

B. Internal xSeries disk must be converted to external disk.

C. The internal xSeries disk must be configured for RAID protection.

D. A single xSeries disk unit must be used only for configuration utilities.

Answer: A

24. An iSeries customer with an i820 running V5R1 would like to replace their existing 700MHz IXS with a 2.0 GHz IXS. Which of the following describes the minimum operating system requirements to support the new server?

- A. OS/400 V5R2 and Windows 2000 Server
- B. OS/400 V5R1 and Windows NT 4.0 Server
- C. OS/400 V5R2 and NT 4.0 Server
- D. OS/400 V5R1 and Windows 2000 Server

Answer: A

25. Which of the following describes a benefit of iSeries Windows integration?

- A. Microsoft Windows 3.1, NT 3.51, and later versions are supported.
- B. Microsoft Windows and OS/400 User IDs and passwords can be synchronized.
- C. Microsoft Windows and OS/400 can share LAN adapters.
- D. Microsoft Windows can share iSeries disk and memory.

Answer: B

26. A Windows system administrator is asked to install Windows Server 2003 on an IXS in an iSeries server. What does the systems administrator use for the display, keyboard, and mouse?

- A. Display, keyboard, and mouse that are plugged directly into the IXS
- B. Display, keyboard, and mouse on the iSeries Operations Console PC
- C. Display, keyboard, and mouse on the iSeries Operations Console PC via a virtual LAN
- D. Display, keyboard, and mouse on a LAN Network Station able to support Windows Server 2003

Answer: A

27. A customer has an AS/400 model 720 and three stand-alone PC servers installed. Each PC server and the AS/400 have two LAN adapters, one for a dedicated server-to-server network and another to the customer's network. A consolidation to an eServer i5 520 partitioned server with three IXS adapters is being planned. How many LAN adapters will be connected to the external network?

- A. 1
- B. 3
- C. 4
- D. 8

Answer: C

28. Microsoft Cluster Services installed on an IXS/IXA requires which of the following?

- A. At least one 1Gb LAN adapter
- B. Identical IXS or IXA hardware
- C. Dedicated memory for each server
- D. Be located in the primary partition of the iSeries

Answer: B

29. Which of the following describes the use of iSeries tape devices by Microsoft Windows on IXS/IXA?

- A. Tape drives must be varied on in OS/400 and then allocated to Windows from the iSeries integration menu. The tape must be formatted to a Windows format.
- B. Tape drives must be allocated to Windows from the iSeries integration menu. The tape must be formatted to an OS/400 format.
- C. Tape drives can be shared by all xSeries servers concurrently without allocation. The tape must be formatted to a Windows format.
- D. Tape drives must be allocated to Windows from the Windows management snap-in. The tape must be formatted to a Windows format.

Answer: D

30. Which of the following requirements must be met to attach an existing supported n-way xSeries server to an iSeries with an IXA?

- A. All internal disk must be removed from the xSeries.
- B. All internal disk and PCI cards must be removed from the xSeries.

- C. At least 4GB of internal disk must be installed in the xSeries to hold the Windows Operating System.
 D. At least 4GB of internal disk must be installed in the xSeries along with the Remote Supervisor Adapter.

Answer: A

[000-852 Braindumps](#)

Related 000-852 Exams

[000-100](#) ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX

[000-330](#) Power Systems Technical Support for AIX and Linux

[000-418](#) IBM Websphere Datastage V.8.0

[000-101](#) Virtualization Technical Support for AIX and Linux

[000-136](#) Rational Application Developer v7

[000-210](#) IBM Storage Networking Solutions,Version 4

[COG-480](#) IBM Cognos 8 Planning Professional

[000-R18](#) IBM SurePOS ACE V5 Technical Professional

[000-433](#) IBM Tivoli Storage Manager V5.5 Implementation

[000-071](#) ib m eserver x series technical principle v5

[000-019](#) IBM Tivoli Network Manager IP Edition V3.8 Implementation

[COG-300](#) IBM Cognos TM1 Analyst

[000-M22](#) IBM Rational Application Developer Tech Sales Mastery V1

[000-M15](#) IBM Rational Quality Mgt Technical Sales Mastery Test v1

[000-960](#) IBM Storage Sales Exam

[000-114](#) Storage Implementation Entry/Mid Range DS Series

[000-432](#) IBM Tivoli Storage Manager V5.5 Operator

[000-046](#) DOORS v9

[000-866](#) ib m eserver iseries techincal solutions design v5r3

[000-R13](#) IBM Retail Enviroment for SuSELinux(IRES) Sales prof.

Other IBM Exams

[000-911](#) [000-934](#) [000-415](#) [000-084](#) [000-349](#) [000-970](#) [000-778](#) [000-114](#)

[000-113](#) [000-154](#) [000-M18](#) [000-636](#) [000-042](#) [000-856](#) [000-071](#) [000-M14](#)

[000-705](#) [000-436](#) [000-R13](#) [000-638](#)