

000-874 braindumps

IBM IBM certifications I

000-874: IBM Tivoli Workflows V3.1

Practice Exam: 000-874 Exams

Exam Number/Code: 000-874

Exam Name: IBM Tivoli Workflows V3.1

Questions and Answers: 90 Q&As

([IBM certifications I](#))



Exam : [000-874](#)

"IBM Tivoli Workflows V3.1", also known as 000-874 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 90 Q&As to your 000-874 exam preparation. In the 000-874 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-874 (IBM Tivoli Workflows V3.1) examination of original title complete coverage. 000-874 exam questions help you pass the exam.

Just4Study 000-874 Feature:

* High quality - High quality and valued for the 000-874 Exam: 100% Guarantee to Pass Your 000-874 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-874 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-874 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-874 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-874 Demo Download

Just4Study offers free demo for IBM certifications I 000-874 exam (IBM Tivoli Workflows V3.1). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-874** examination of original title complete coverage.000-874 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-874

Exam Name: IBM Tivoli Workflows V3.1(IBM certifications I)

Questions and Answers: 90 Q&A

[IBM 000-874](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I

certificate, you also need to participate in other related test, the details you may visit the [IBM certifications](#) | certified topic, in there, you will see all related IBM certifications | certified subject of examination.

Just4Study professional provide IBM certifications | 000-874 the newest Q&A, completely covers 000-874 test original topic. With our complete IBM certifications | resources, you will minimize your IBM certifications | cost and be ready to pass your 000-874 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-874

Title : IBM Tivoli Workflows V3.1

1. The following is the contents of a file called myWorkflow.wkf:

```
workflow Gees_Workflow LocaleInsensitive
```

```
var vlan1 = "786"
```

```
var vlan2 = "787"
```

```
var subnet1 = "194.168.786.86"
```

```
var subnet2 = "194.168.787.87"
```

```
var netmask = "255.255.255.192"
```

```
DCMInsert <<EOINSERT
```

```
<subnetwork ipaddress="$subnet1" netmask="$netmask">
```

```
<vlan vlan-number="$vlan1" fabric="Default Fabric"/>
```

```
</subnetwork>
```

```
EOINSERT
```

```
DCMInsert <<EOINSERT
```

```
<subnetwork ipaddress="$subnet2" netmask="$netmask">
```

```
<vlan vlan-number="$vlan2" fabric="Default Fabric"/>
```

```
</subnetwork>
```

```
EOINSERT
```

```
DCMInsert <<EOINSERT
```

```
<switch name="gee-sw1" is-device-model="Cisco 3548" fabric="Default Fabric" locale="en_US">
```

```
<switch-module name="0">
```

```
<switch-port vlan="$vlan1" port-number="24"/>
```

```
<switch-port vlan="$vlan2" port-number="19"/>
```

```
</switch-module>
```

```
</switch>
```

```
EOINSERT
```

When this workflow file is imported, compiled, and executed, which statement is true?

- A. The Workflow Execution succeeds.
- B. The Workflow Execution fails because multiple subnets cannot be defined in the same workflow.
- C. The Workflow Execution fails because a subnet and switch cannot be defined in the same workflow.
- D. The Workflow Execution succeeds, but a warning is displayed because OINSERT?is a reserved deployment engine keyword.

Answer: A

2. Which of the following is true if a server "belongs to" an application tier?

- A. The server may be provisioned to only that one tier from its home resource pool.
- B. The server automatically inherits SAP configurations from the tier.
- C. Once de-provisioned, the server may be provisioned to other tiers if they draw from the same resource pool.

D. The server may not be de-provisioned from this tier.

Answer: D

3. The deployment engine shuts down. Where can the deployment engine process ID be found?

A. \$TIO_HOME/logs/deploymentengine/deploymentengine.pid

B. \$WAS_HOME/AppServer/deploymentengine.pid

C. \$TIO_LOGS/deploymentengine/deploymentengine.pid

D. \$WAS_HOME/logs/deploymentengine/deploymentengine.pid

Answer: C

4. You need to update a device-model. Before you can update the device-model, you must first uninstall the automation package containing the device-model definition. What are the two locations that identify the device models associated with a particular automation package? (Choose two.)

A. the automation package manifest file

B. the Device Models section of the GUI

C. the output of the dcmExport command

D. the output of a DCMQuery command of the device-model

E. the output of running a tc-driver-manager command

Answer: AE

5. Which command is used to get the numerical ID of the server sun-e3500-4, which exists in the Data Center model?

A. soapcli.cmd gazoo gazoo http://localhost:9080/tcSoap/wsdl/com/ibm/tc/soap/ResourceInformationService.wsdl getObjectldFromHostName sun-e3500-4

B. soapcli.cmd gazoo gazoo http://localhost:9080/tcSoap/wsdl/com/ibm/tc/soap/ResourceInformationService.wsdl getDCMObjectldFromHostName sun-e3500-4

C. soapcli.cmd gazoo gazoo http://localhost:9080/tcSoap/wsdl/com/ibm/tc/soap/DataCenterModelInformationService.wsdl getObjectldFromHostName sun-e3500-4

D. soapcli.cmd gazoo gazoo http://localhost:9080/tcSoap/wsdl/com/ibm/tc/soap/DataCenterModelInformationService.wsdl getDCMObjectldFromHostName sun-e3500-4

Answer: B

6. <device-models>

```
<device-model name="MyCompany_Solution_SoftwareInstallable" category="MyCompany_SampleSolution">
```

```
<workflow name="MyCompany_Solution_Install"/>
```

```
<workflow name="MyCompany_Solution_UnInstall"/>
```

```
</device-model>
```

```
<device-model name="MyCompany_Solution_Installation" category="MyCompany_SampleSolution">
```

```
<workflow name="MyCompany_Solution_RemoveInstance"/>
```

```
<workflow name="MyCompany_Solution_AddInstance"/>
```

```
<workflow name="MyCompany_Solution_UpdateDCM"/>
```

```
</device-model>
```

```
<device-model name="MyCompany_Solution_Instance" category="MyCompany_SampleSolution">
```

```
<workflow name="MyCompany_Solution_StopInstance"/>
```

```
<workflow name="MyCompany_Solution_StartInstance"/>
```

```
</device-model>
```

Given the example representing the device models for the MyCompany_Solution software solution, which two workflows are in the wrong device model based on the IBM Tivoli Intelligent Orchestrator software model? (Choose two.)

A. MyCompany_Solution_AddInstance

B. MyCompany_Solution_UnInstall

C. MyCompany_Solution_UpdateDCM

D. MyCompany_Solution_RemoveInstance

E. MyCompany_Solution_Install

Answer: BD

7. What is a valid argument to the Automation Package (tcdriver) Manager?

- A. forceDriver
- B. listDeviceModels
- C. listDeviceDrivers
- D. listInstalledModels

Answer: B

8. You want to write a simple workflow to delete all access rules associated with the ACL named "test" using the DCMAccess constructs. Which string would you include in the workflow?

- A. foreach rule in DCMQuery (/acl[@name="test"]/accessRule) do ACMDelete(/acl[@name=\$rule]) done
- B. DCMDelete(/acl[@name="test"]/accessRule/@id="**")
- C. DCMDelete(/acl[@name="test"]/accessRule/@id="**")
- D. foreach rule in DCMQuery (/acl[@name="test"]/accessRule) doACMDelete(/accessRule[@id=\$rule]) done

Answer: D

9. A target server has a Host SSH SAP with an RSA credential. The RSA credential has "dbadmin" as the search key and "db2inst1" as the username. Which of the following is a true statement about the username for the credential on the corresponding client SAP?

- A. The username must be "dbadmin"
- B. The username must be "db2inst1"
- C. The username must be "tioadmin"
- D. The username does not matter

Answer: D

10. Click the Exhibit button AND review the error log below.

A workflow is performing an SSH_RSA_Execute_Command and the following error message is given:

ERROR CODE:

COPTDM076EdeCannotFindMatchingClientCredentials

ERROR MESSAGE:

COPTDM076E The system cannot find matching client credentials on device ID: "3306" against host SAP ID: "3157".

ERROR DETAIL:

Workflow line: 23

Error Code = COPTDM076EdeCannotFindMatchingClientCredentials

ERROR MESSAGE = COPTDM076E The system cannot find matching client credentials on device ID: "3306" against host

SAP ID: "3157".

IP = 9.23.109.220

THREAD = Deployment Request 17996

STACK TRACE ==>

com.thinkdynamics.kanaha.de.DeploymentException: COPTDM076E The system cannot find matching client credentials on device ID: "3306" against host SAP ID: "3157".

at com.thinkdynamics.kanaha.de.javaplugin.sap.GetSapExecutionCredentials.dolt
(GetSapExecutionCredentials.java:93)

at com.ibm.tivoli.orchestrator.de.instruction.impl.INVOKE_JAVA.execute(INVOKE_JAVA.java:95) at
com.ibm.tivoli.orchestrator.de.instruction.impl.AbstractInstructionExecutor.execute(AbstractIns
tructionExecutor.java:91)

at com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker.executeWorkflow(DeploymentWorker.java:409) at
com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker.executeWorkflow(DeploymentWorker.java:280) at

com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker\$1.run(DeploymentWorker.java:631) at

java.security.AccessController.doPrivileged(Native Method)

at javax.security.auth.Subject.doAs(Subject.java(Compiled Code))

at com.ibm.websphere.security.auth.WSSubject.doAs(WSSubject.java(Compiled Code))
at com.thinkdynamics.users.JaasClientProxy.run(JaasClientProxy.java(Compiled Code))
at com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker.execute(DeploymentWorker.java:604) at
com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker.execute(DeploymentWorker.java:586) at
com.ibm.tivoli.orchestrator.de.engine.DeploymentWorker.run(DeploymentWorker.java:563)

How can this problem be resolved?

- A. remove the Telnet SAP from the TARGETSERVER
- B. select the non-host radio button for SAP SSH on TIOSERVER
- C. make the credential for the SSH SAP on TIOSERVER default
- D. make SSH the default access point for execute-command on the TARGETSERVER

Answer: B

11. The customer wants to install a new application in IBM Tivoli Intelligent Orchestrator. The application consists of three vendor-provided files. One file is an RPM, which installs a custom Linux install utility called RAR. The other two files are packaged in the RAR format. The package names are:

UNRAR.RPM

RegisterClient.RAR

DownloadClientCode.RAR

After installation the RegisterClient application needs a 10-minute delay in order to contact the Client server. The customer wants the application to be installed via their existing end-to-end workflow, which uses SoftwareModule.Install LDO.

Which two SoftwareInstallable.Install workflows would implement the customer's request? (Choose two.)

- A. workflow Install_UNRAR (SoftwareID, DeviceID, SoftwareResourceTemplateID) implements SoftwareInstallable.Install
- B. workflow Install_RAR_package (SoftwareID, DeviceID, SoftwareResourceTemplateID) implements SoftwareInstallable.Install
- C. workflow Install_RPM_package (SoftwareID, DeviceID, SoftwareResourceTemplateID) implements SoftwareInstallable.Install
- D. workflow Install_RegisterClient (SoftwareID, DeviceID, SoftwareResourceTemplateID) implements SoftwareInstallable.Install
- E. workflow Install_DownloadClientCode (SoftwareID, DeviceID, SoftwareResourceTemplateID) implements SoftwareInstallable.Install

Answer: BC

12. An automation package has been downloaded from the IBM On Demand Automation Catalog, and some customizations have been made to the package contents, by the automation team. The automation team has not told you which customizations have been made, and they now ask you to install this package using the Automation Package Manager command line utility.

You run the Automation Package Manager command line utility and this succeeds with no error messages reported.

However, during your testing of this automation package, you note that you are missing workflows, which are mentioned in the Automation Package documentation, which you downloaded from the IBM website. Also, some workflows are failing with errors saying the shell scripts are not found in the \$TIO_HOME/bin directory

Which reasons would explain this situation? Choose two answers.

- A. The wrong user id and password were specified when you ran the Automation Package Manager command line utility.
- B. The workflows are missing and some workflows are failing as entries with the <item> tag have been removed from <items> section in the manifest file contained in the Automation Package.
- C. You forgot to manually extract the files with an extension of .wkf in the Automation Package, and copy them into the \$TIO_HOME/drivers directory.
- D. You forgot to manually extract the shell scripts in the Automation Package, and copy them into the \$TIO_HOME/config directory.
- E. Whilst you are running your tests, the automation team has removed some of the shell scripts required by the Automation Package from the \$TIO_HOME/bin directory.

Answer: BE

13. A manifest file for an automation package has several components. What are three valid sections of the manifest file? (Choose three.)

- A. workflows
- B. java-plugins
- C. device-models
- D. dcm
- E. post-install-workflows
- F. logical-device-operations

Answer: CDE

14. Click the Exhibit button.

The Acme Corporation plans to roll out a new Internet web site to serve as a focal point for product information, customer service and direct sales of product. They have provided you with some basic information on what they wish to accomplish.

They want their website to be available 24/7 and to grow with customer demand. They anticipate a variable load with their online shopping application, as it varies based on the publishing cycle of printed ad campaigns and direct marketing email. The email campaign is supported by the SMTP server. The online shopping application is supported by the Web application server.

Acme's Web applications, Web application server, database, SMTP and Exchange servers are housed on one Bladecenter with 14 blades (4 PowerPC processors, 10 Xeon processors).

The Web server is currently hosted on one 2-way Xeon blade running Linux and Apache.

The Web Application server is currently hosted by one 2-way Xeon blade running Linux and Websphere Application Server.

The backend MySQL database is hosted on one PowerPC blade running Linux.

The SMTP server is hosted on one 2-way Xeon blade running Windows 2003.

The voicemail system is hosted by an SGI workstation running IRIX. The email and voicemail systems are integrated via a custom TAPI application that runs on the Windows 2003 Exchange Server.

They want to be able to scale their applications as demand grows without investing in additional resources. They also want to manage all their systems through IBM Tivoli Intelligent Orchestrator.

Currently most of the servers are built and maintained by Acme IT department. A standard build is used for all Linux and Windows 2003 servers. Acme corporate mail server is running Windows 2003/Exchange server. The SGI workstation, voicemail and custom TAPI application was installed and are supported by an outside vender.

Which element(s) of the customer's environment is a poor candidate for workflow automation? (Choose two.)

- A. the MySQL database
- B. the voicemail system
- C. the online shopping application
- D. the Exchange server
- E. the web server

Answer: BD

15. Click the Exhibit button.

Workflow execution fails. The error message is shown in the exhibit. What is the most likely cause of the problem?

- A. No device driver has been associated with the target server.
- B. No device driver has been associated with a service access point used by the workflow.
- C. No service access point has been defined for the execute-command function on the target server.
- D. The workflow is referencing the Device.CopyFile logical operation instead of the Device.ExecuteCommand logical operation.

Answer: B

16. What are the valid states for a workflow execution request?

- A. Successful, Failed, In Progress, Created

- B. Success, Failed, Running, Created, Canceled
- C. Completed, Failed, In Progress, Created, Canceled
- D. Successful, Failed, In Progress, Created, Canceled

Answer: D

17. Which log file provides information on IBM Tivoli Intelligent Orchestrator errors?

- A. \$TIO_HOME/xml/config.xml
- B. \$WAS_HOME/AppServer/logfile
- C. \$TIO_LOGS /workflow/error.log
- D. \$WAS_HOME/logs/server1/SystemOut.log

Answer: D

18. A customer wants two AIX V5.2 images created and set up in IBM Tivoli Intelligent Orchestrator (TIO) with the following specifications:

Operating System Name Description

AIX V5.2 Normal SSH daemon installed. RSA credentials for root user with root login enabled

AIX V5.2 High Security SSH daemon installed. RSA credentials for non-root user with root login disabled. Access to administrative commands will be done through sudo

They want the new images to be used in application deployments in their current TIO installation, which does not contain any third-party TCDRIVERS.

What is sudo?

Which three types of workflows must be implemented to enable the AIX V5.2 High Security OS image to be used by the customer to deploy an application using the given workflow? (Choose three.)

- A. SoftwareModule.Install workflow
- B. Switch.MovePortToVLAN workflow
- C. IPSystem.Add IP Address workflow
- D. IPSystem.Apply Routing Table workflow
- E. LoadBalancer.AddRealIPToVirtualIP workflow
- F. any specific SoftwareInstallable.Install workflows that are executed directly on the target machine and require root access

Answer: CDF

19. Which of the following constructs allow for the section of code represented by the ellipse (? to be repeated?

(Choose two.)

- A. foreach var in (array) do?done
- B. do until (condition) done
- C. while (condition) doone
- D. for(condition) do... done
- E. while (condition) loop

Answer: AC

20. The customer has two resource pools and one application that currently uses both resource pools.

How would you define a new application tier for the existing application?

- A. define a new application, define a new application tier, associate tier with a resource pool
- B. define a new resource pool, associate a server template with resource pool, define a new application tier
- C. define a new application tier, associate tier with a resource pool, associate workflows for application tier, and associate server template with application tier
- D. define a new application tier, associate tier with both resource pools, associate workflows for application tier, and associate server template with application tier

Answer: C

Related 000-874 Exams

000-223 IBM System p Administrator

000-377 Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

000-974 Power Systems Technical Support for i

000-417 IBM Web Sphere Information Analyzer v8.0

000-015 IBM Maximo Asset Management V7.1 Implementation

000-913 informix 4gl development

000-316 IBM Web Sphere Integration Developer V6.1

000-431 IBM Tivoli Storage Manager V5.5 Administration

000-667 IBM Test 667, Architectural Design of SOA Solutions

000-665 Architecture design of soa solution

000-908 Tivoli Monitoring V6.2 Implementation

000-669 SOA Fundamentals (2008)

000-111 IBM Distributed Systems Storage Solutions Version 7

000-872 ib m tivoli storage manager v5.2 implementation

000-011 IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

000-286 test286, applocation development wweb sphere studio, v5.0

000-995 IBM Web Sphere Process Server V6.1. System Administration

000-890 IBM Tivoli Monitoring V6.1 Implementation

000-076 IBM System x Sales

000-017 Foundations of Tivoli process automation engine V7.1

Other IBM Exams

000-965 000-642 000-217 000-294 LOT-721 000-274 000-093 000-920

000-424 000-154 000-799 LOT-711 000-222 000-513 000-877 000-015

000-923 000-907 000-741 000-060