

## 000-891 braindumps

### IBM IBM certifications I

**000-891: IBM Tivoli Federated Identity Manager V6.1**

**Practice Exam:** 000-891 Exams

**Exam Number/Code:** 000-891

**Exam Name:** IBM Tivoli Federated Identity Manager V6.1

**Questions and Answers:** 140 Q&As

( [IBM certifications I](#) )



"IBM Tivoli Federated Identity Manager V6.1", also known as 000-891 exam, is a IBM certification. With the complete collection of exam questions,

Exam : [000-891](#)

Just4Study has assembled to take you through 140 Q&As to your 000-891 exam preparation. In the 000-891 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-891 (IBM Tivoli Federated Identity Manager V6.1) examination of original title complete coverage. 000-891 exam questions help you pass the exam.

#### **Just4Study 000-891 Feature:**

\* High quality - High quality and valued for the 000-891 Exam: 100% Guarantee to Pass Your 000-891 exam and get your IBM certifications I certification.

\* Authoritative - Authoritative braindumps with complete details about 000-891 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-891 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-891 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 000-891 Demo Download**

Just4Study offers free demo for IBM certifications I 000-891 exam (IBM Tivoli Federated Identity Manager V6.1). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-891** examination of original title complete coverage.000-891 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-891**

Exam Name: IBM Tivoli Federated Identity Manager V6.1( IBM certifications I )

Questions and Answers: 140 Q&A

[IBM 000-891](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications](#) I certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-891 the newest Q&A, completely covers 000-891 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-891 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-891

Title : IBM Tivoli Federated Identity Manager V6.1

1. Which two software components are prerequisite products for the Common Audit and Reporting Service (CARS) event server? (Choose two.)

- A. IBM DB2 Server
- B. Crystal Enterprise Server
- C. IBM Tivoli Directory Server
- D. IBM WebSphere Application Server
- E. IBM Tivoli Access Manager Authorization Server

Answer: AD

2. When recovering from a disaster, the backup and restore operation you use is similar to the export/import configuration procedure, with one additional step. Which additional step must you take when recovering from a disaster?

- A. A new WebSphere profile is required to restore the configuration.
- B. The restored system requires the IBM Tivoli Access Manager for e-business (TAMeb) JRTE to be manually configured against the WebSphere's Java Runtime to allow the IBM Tivoli Federated Identity Manager (ITFIM) Runtime to function properly.
- C. The ITFIM Domain needs to be created manually within the Integrated Solution Console.
- D. The ITFIM Runtime instance needs to be re-registered with the TAMeb policy server by running the SvrSslCfg command.

Answer: C

3. What limitations exist for a SAML Partner Provider ID configured at the Identity Provider?

- A. The Provider ID can be any string.
- B. The Provider ID can only include alphanumeric characters.
- C. The Provider ID must match the prefix of Target URLs in SSO requests.
- D. The Provider ID must match the Succinct ID configured at the Service Provider.

Answer: C

4. Click the Exhibit button.

You want to use TCPMON between the two WS-Provisioning Service instances.

How do you configure the endpoint of the partner WS-Provisioning service (i.e., the destination of step 3) so that TCPMON can be used?

- A. modify the ITFIMClientID.properties file
- B. modify the ITFIMClientScript.constants file
- C. use the IBM Tivoli Federated Identity Manager Console to modify a custom runtime parameter
- D. use the WebSphere Application Server Administration Console to modify the WS-Provisioning application

properties

Answer: C

5. What is the default trace file (for Linux) that is used for the initial debugging of IBM Tivoli Federated Identity Manager Runtime?

- A. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/msg.log
- B. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/trace.log
- C. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/trace.log
- D. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/SystemOut.log

Answer: B

6. What is the default message level configured for IBM Tivoli Federated Identity Manager?

- A. error messages only
- B. disable all messages
- C. error and warning messages only
- D. info, error and warning messages

Answer: D

7. When designing a system to use WS-Federation, which browser Single Sign-On (SSO) method should be used?

- A. Browser GET
- B. Browser POST
- C. Browser Artifact
- D. Browser Response

Answer: B

8. Click the Exhibit button.

When planning for secure communications between a partner and the Point of Contact, at what level is the SSL connection defined?

- A. each individual partner within a single federation
- B. all federations configured for an instance of IBM Tivoli Federated Identity Manager (ITFIM)
- C. each individual federation within an instance of ITFIM
- D. all federation functionality fronted by a single instance of IBM Tivoli Access Manager for e-business WebSEAL

Answer: C

9. You have successfully configured EchoClient and EchoApplication secured by Web Services Security Management (WSSM). You want to test that authorization is correctly being performed on the request. Which technique would allow you to do this?

- A. stop all running instances of PDAACL
- B. log in to the EchoClient as a different IBM Tivoli Access Manager for e-business (TAMeb) user
- C. change the TAMeb ACL policy applying to the Web Services namespace
- D. update the authorization module configuration in the Trust Service using the IBM Tivoli Federated Identity Manager Console

Answer: C

10. What must be done after adding a partner to a Federated-Single Sign-On (F-SSO) Federation to allow the partner's users to Single Sign-On (SSO)?

- A. restart WebSEAL
- B. enable the Partner
- C. stop/restart IBM Tivoli Directory Server
- D. restart Integrated Solutions Console (ISC)

Answer: B

11. Click the Exhibit button.

If an invalid username and password is entered on the EchoClient, which log files will be the first to record this (assuming all components have necessary logging and tracing enabled)?

- A. the PDACLD authentication audit log
- B. the EchoClient log during token generation
- C. IBM Tivoli Federated Identity Manager (ITFIM) tracing on AppSrv01 during token validation
- D. ITFIM tracing on AppSrv03 during an attempted JAAS login

Answer: A

12. What are three functions of a WebSphere Node Agent? (Choose three.)

- A. monitors performance
- B. manages JVM memory
- C. serves J2EE applications
- D. manages the deployment manager
- E. manages configuration synchronization
- F. routes administrative requests to servers

Answer: AEF

13. Which utility is used to configure the WebSEAL Server once the files are installed?

- A. pdadmin
- B. pdconfig
- C. web\_config
- D. config\_web

Answer: B

14. Which XSL if statement checks for the existence of a homepage attribute within an STS Universal User XML structure?

- A. `<xsl:if test="//stsuser:AttributeList/stsuser:Attribute[attr='homepage']">`
- B. `<xsl:if test="//stsuser:AttributeList/stsuser:Attribute[@name='homepage']">`
- C. `<xsl:if-exists="//stsuser:AttributeList/stsuser:Attribute/custom:Homepage">`
- D. `<xsl:if-exists="//stsuser:AttributeList/stsuser:Attribute[@name='homepage']">`

Answer: B

15. Which statement is true about a Dynamic Chain Selection Module instance?

- A. It is the first module in the partner module chain in Web Services Security Management (WSSM).
- B. It is the last module in the partner module chain in WSSM.
- C. It is the first module in the application module chain for partner.
- D. It is the last module in the application module chain for the partner.

Answer: B

16. The configuration of a Web Services Security management (WSSM) Partner allows for the specification of XSL mapping rules. What is the input and output of these XSL mapping rules?

- A. The input to the XSL mapping rules of a WSSM Partner is the binary security token as received on the Web Service request. The output of the mapping rules is a new security token ready for use by the Web Service application.
- B. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an arbitrary collection of attributes that will be made available to the Web Services application.
- C. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is a new STSUniversalUser XML document that represents the security token required by the application.
- D. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an IBM Tivoli Access Manager for e-business credential that will be used to authorize the partner's access to the Web Service application.

Answer: C

17. What are two functions of a custom mapping module? (Choose two.)

- A. records the token assertion
- B. maps a STSUUSER input to a SAML token
- C. looks up attributes in an external data source
- D. maps a user's alias during the account linkage operation in SAML 2.0 and Liberty 1.2 protocol
- E. maps a GUI XML attributes into UI controls that are used by the IBM Tivoli Federated Identity Manager Console to collect the input data

Answer: AC

18. Which security token may carry user attribute information as part of the defined token format?

- A. Kerberos
- B. RACF Token
- C. SAML Assertion
- D. Username Token

Answer: C

19. RBTelco is a large multinational company that outsources health care benefit management to RBBenefits.

RBTelco employees access RBBenefits resources through an authenticate-able account at each company. RBBenefit and RBTelco will use SAML V1.0.

Which IBM Tivoli Access Manager for e-business (ITAMeb) and IBM Tivoli Federated Identity Manager (ITFIM) components are required to be installed at RBTelco?

- A. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console
- B. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application Developer Kit
- C. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb Java Runtime Environment, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application Developer Kit
- D. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb Java Runtime Environment, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, ITFIM Demonstration Scenarios, WebSEAL Application Developer Kit

Answer: A

20. Which two tasks are required to install Service Integration Bus Web Services? (Choose two.)

- A. install the Resource Adapter
- B. configure SOAP listener port
- C. deploy the Service Integration Bus application
- D. install the Service Data Objects (SDO) Repository
- E. create a new WebSphere Application Server profile

Answer: AD

### [000-891 Braindumps](#)

#### **Related 000-891 Exams**

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM Web Sphere Information Analyzer v8.0*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

000-913 *informix 4gl development*

000-316 *IBM Web Sphere Integration Developer V6.1*

000-431 *IBM Tivoli Storage Manager V5.5 Administration*

000-667 *IBM Test 667, Architectural Design of SOA Solutions*

000-665 *Architecture design of soa solution*

000-908 *Tivoli Monitoring V6.2 Implementation*

000-669 *SOA Fundamentals (2008)*

000-111 *IBMDistributed Systems Storage Solutions Version 7*

000-872 *ib m tivoli storage manager v5.2 implementation*

000-011 *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

000-286 *test286,application development wwebsphere studio,v5.0*

000-995 *IBM Web Sphere Process Server V6.1.System Administration*

000-890 *IBM Tivoli Monitoring V6.1 Implementation*

000-076 *IBM System x Sales*

000-017 *Foundations of Tivoli process automation engine V7.1*

### **Other IBM Exams**

000-935    000-886    000-180    000-m13    000-M20    000-314    000-P01    000-899

000-797    000-047    000-026    000-630    000-084    000-015    000-833    000-432

000-714    000-341    000-217    000-017