

## 000-897 braindumps

### IBM IBM certifications II

#### 000-897: IBM Tivoli Network Manager IP Edition V3.7 Implementation

**Practice Exam:** 000-897 Exams

**Exam Number/Code:** 000-897

**Exam Name:** IBM Tivoli Network Manager IP Edition V3.7 Implementation

**Questions and Answers:** 126 Q&As

( [IBM certifications II](#) )



"IBM Tivoli Network Manager IP Edition V3.7 Implementation", also known as 000-897 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 126 Q&As to your 000-897 exam preparation. In the 000-897 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-897](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-897 (IBM Tivoli Network Manager IP Edition V3.7 Implementation) examination of original title complete coverage. 000-897 exam questions help you pass the exam.

#### **Just4Study 000-897 Feature:**

\* High quality - High quality and valued for the 000-897 Exam: 100% Guarantee to Pass Your 000-897 exam and get your IBM certifications II certification.

\* Authoritative - Authoritative braindumps with complete details about 000-897 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-897 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-897 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 000-897 Demo Download**

Just4Study offers free demo for IBM certifications II 000-897 exam (IBM Tivoli Network Manager IP Edition V3.7 Implementation). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-897** examination of original title complete coverage.000-897 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-897**

Exam Name: IBM Tivoli Network Manager IP Edition V3.7 Implementation( IBM certifications II )

Questions and Answers: 126 Q&A

[IBM 000-897](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-897 the newest Q&A, completely covers 000-897 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-897 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-897

Title : IBM Tivoli Network Manager IP Edition V3.7 Implementation

1. What is the minimum recommended Ethernet connection required to run a large discovery with IBM Tivoli Network Manager IP Edition?

- A. 1 Gbps full duplex
- B. 10 Mbps full duplex
- C. 100 Mbps full duplex
- D. 1100 Mbps half duplex

Answer: C

2. Which additional step must be taken after using the IBM Tivoli Network Manager IP Edition V3.7 GUI to install IBM Tivoli Network Manager IP Edition V3.7 on a UNIX or Linux server as a nonroot user?

- A. Log in to Netcool GUI Foundation and enable nonroot access.
- B. Log in to Netcool Security Manager and enable nonroot access.
- C. Log in to the IBM Tivoli Network Manager IP Edition V3.7 server as root and run the appropriate shell script to enable nonroot access.
- D. Log in to the IBM Tivoli Network Manager IP Edition V3.7 server as a nonroot user and run the appropriate shell script to enable nonroot access.

Answer: C

3. Assume an installed IBM Tivoli Network Manager IP Edition V3.7.

In which file can an administrator verify the name of the ObjectServer that the IBM Tivoli Network Manager IP Edition V3.7 gateway will connect to?

- A. NcoLogin.cfg
- B. NcoGateInserts.cfg
- C. DbLogins.<DOMAIN>.cfg
- D. CtrlServices.<DOMAIN>.cfg

Answer: D

4. What must be done before the installation of IBM Tivoli Network Manager IP Edition V3.7?

- A. Obtain geographic location of all network devices.
- B. Gather list of network devices that provide syslog messages.
- C. Gather list of network devices that do not provide SNMP access.
- D. Obtain IBM Tivoli Network Manager IP Edition 3.7 server root level access or equivalent.

Answer: D

5. Which command should be used to encrypt a community string (EXAMPLE) during manual configuration of the IBM Tivoli Network Manager IP Edition V3.7 SNMP passwords file?

- A. nco\_crypt EXAMPLE
- B. ncp\_crypt EXAMPLE
- C. nco\_crypt -password EXAMPLE
- D. ncp\_crypt -password EXAMPLE

Answer: D

6. What are two valid seed file entries for use with a file finder discovery configuration? (Choose two.)

- A. 192.168.0.\*:Network1
- B. Router1 192.168.0.10
- C. 192.168.0.10;Router1
- D. 192.168.0.1-254,Network1
- E. 192.168.0.10-16:Router1 interfaces

Answer: BC

7. What must be done to prepare for an IBM Tivoli Network Manager IP Edition V3.7 installation?

- A. Change the user name of the administrative user to netcool.
- B. Restore the default security settings for Netcool GUI Foundation.
- C. Manually run a new provisioning script for Netcool GUI Foundation.
- D. Gather details for required architecture (servers, database, failover, size).

Answer: D

8. Before the installation of IBM Tivoli Network Manager IP Edition V3.7, which piece of information would be used to gauge the physical size (CPU, memory, disk) of the server required to support the core IBM Tivoli Network Manager IP Edition processes (discovery, root cause analysis, and active monitoring)?

- A. number of servers in the target network
- B. number of connections between devices
- C. number of interfaces in the target network
- D. number of concurrent read-and-write users accessing Topoviz

Answer: C

9. Which statement is true about using the file finder with the discovery service?

- A. Multiple seed files can be used.
- B. The ping finder must be disabled.
- C. The discovery scope is automatically generated.
- D. Device SNMP community strings are read from the seed file.

Answer: A

10. Which table should be queried to verify whether all the IP addresses for a particular device are discovered successfully?

- A. Details.returns
- B. finders.returns
- C. AssocAddress.returns
- D. translations.ipToBaseName;

Answer: C

11. Click the Exhibit button.

The IBM Tivoli Network Manager IP Edition administrator has configured the ifOutErrors poll. Which corrective action needs to be taken to poll every switch and router that has been discovered?

- A. Clear the EndNode box.
- B. Clear the Sun box because Sun servers can act as routers.
- C. Select the InferredCE box because these could be routers or switches.
- D. Clear the 3ComFDDI box because these do not support the ifOutErrors MIB variable.

Answer: A

12. Which command is used to start a non-GUI installation if IBM Tivoli Network Manager IP Edition V3.7 is installed as a nonroot user on a UNIX system?

- A. ./SETUP -console
- B. ./INSTALL -errorlevel 4
- C. ./INSTALL -errorlevel debug
- D. ./INSTALL -console -errorlevel info

Answer: D

13. NcoGateSchema contains information used for root cause analysis. What are the two primary fields used in this file for this function? (Choose two.)

- A. RuleSetMap
- B. ncpRuleName
- C. RCAErrorMap
- D. ErrorMapName
- E. EventMapName

Answer: BE

14. Which type of file is the parameter description file when using the silent option in the command-line installation on Windows?

- A. txt
- B. tab
- C. xml
- D. csv

Answer: C

15. Which three operating systems are officially supported for IBM Tivoli Network Manager IP Edition V3.7? (Choose three.)

- A. AIX 5.3
- B. Centos 4
- C. Solaris 9
- D. HP-UX 11
- E. Red Hat Linux 3.0
- F. Windows 2000 Server

Answer: ACE

16. If you have installed Netcool and other components on the same server as a nonroot user, which other Netcool components residing on the same system need to be installed as a nonroot user?

- A. Netcool/OMNibus.
- B. Netcool GUI Foundation.
- C. Netcool Security Manager.
- D. No other components are required.

Answer: D

17. Which file would be edited to run the ExtraDetails agent during the next discovery?

- A. CtrlServices.<DOMAIN>.cfg
- B. DiscoAgents.<DOMAIN>.cfg
- C. DiscoSchema.<DOMAIN>.cfg
- D. MonitorSchema.<DOMAIN>.cfg

Answer: B

18. If the IBM Tivoli Network Manager IP Edition V3.7 NCIM database is going to be installed on a remote server, which of the following statements is true?

- A. Using a remote NCIM database is not advised for performance reasons.
- B. The local database must be MySQL; the remote can be Oracle, DB2, or MySQL.
- C. The local and remote databases must share the same database ID and user credentials to allow replication.
- D. The local IBM Tivoli Network Manager (ncpoller and ncmib) databases and NCIM database must all be MySQL.

Answer: B

19. The customer has specified two IBM Tivoli Network Manager IP Edition domains (Domain A and B, on different servers) for different administrative areas. However, the customer would like to visualize and administer and configure both domains from a central point using a single NGF server.

Given the three available servers, where would the NCIM database reside to meet the requirements and ensure the best possible performance?

- A. on the server for Domain A
- B. on the server for Domain B
- C. on or located logically close to the Netcool GUI Foundation server
- D. on both of the IBM Tivoli Network Manager IP Edition domain hosting servers

Answer: C

20. If IBM Tivoli Network Manager IP Edition V3.7 is installed as nonroot and the application will run as root, what should be done after this installation?

- A. Run the script set\_run\_as\_root.sh.
- B. Run the script setup\_run\_as\_setuid\_root.sh.
- C. Run the command chown R root:sys \$NCHOME/precision.
- D. Run the command chown R netcool:netcool \$NCHOME/precision.

Answer: A

### [000-897 Braindumps](#)

#### **Related 000-897 Exams**

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement

[000-351](#) ibm eserver i5 iseries single system admnsitration v5r3

[000-647](#) Rational Performance Tester

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-664](#) Test664.SOA Fundamentals

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-792](#) ibm tivoli access mgr for business integration v3.9.1 implmn

[000-484](#) enterprise connectivity with j2ee v1.3

[000-834](#) Object Oriented Analysis and Design-Part2(Design)

[000-971](#) System i Administrator V5.07.11

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-734](#) DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

[000-705](#) business intelligence solutions v8.1

[000-631](#) rational-clearcase for unix

**Other IBM Exams**

<u>000-206</u>	<u>000-079</u>	<u>000-818</u>	<u>000-417</u>	<u>000-P01</u>	<u>000-897</u>	<u>000-427</u>	<u>000-647</u>
<u>000-M11</u>	<u>000-890</u>	<u>000-910</u>	<u>000-896</u>	<u>000-664</u>	<u>000-M05</u>	<u>000-869</u>	<u>000-894</u>
<u>000-M26</u>	<u>000-861</u>	<u>000-879</u>	<u>000-641</u>				