

000-920 braindumps IBM IBM certifications II

000-920: IBM Tivoli Comp Ap.Mgr for Response Time V6.2

Implementation

Practice Exam: 000-920 Exams

Exam Number/Code: 000-920

Exam Name: IBM Tivoli Comp Ap.Mgr for Response Time V6.2
Implementation

Questions and Answers: 109 Q&As

([IBM certifications II](#))



Exam : [000-920](#)

"IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation", also known as 000-920 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 109 Q&As to your 000-920 exam preparation. In the 000-920 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-920 (IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation) examination of original title complete coverage. 000-920 exam questions help you pass the exam.

Just4Study 000-920 Feature:

* High quality - High quality and valued for the 000-920 Exam: 100% Guarantee to Pass Your 000-920 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-920 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-920 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-920 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-920 Demo Download

Just4Study offers free demo for IBM certifications II 000-920 exam (IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-920** examination of original title complete coverage.000-920 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-920

Exam Name: IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation(IBM certifications II)

Questions and Answers: 109 Q&A

[IBM 000-920](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination. Just4Study professional provide IBM certifications II 000-920 the newest Q&A, completely covers 000-920 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-920 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-920

Title : IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation

1. How can you determine whether or not the Windows Network Monitor has been installed on a monitored system?

- A.from the CLI, run net start | grep Windows Network Monitor
- B.view the Network Connection Properties
- C.on a Windows system, run the ipconfig /all command
- D.use the netstat a command

Answer: B

2. You are planning for the deployment of ITCAM for Robotic Response Time.

Which three characteristics affect the time that is needed to complete a single iteration of a robotic script? (Choose three.)

- A.script content
- B.script complexity
- C.location of the Tivoli Data Warehouse
- D.the system the script is accessing during playback
- E.operating system of the Tivoli Enterprise Portal Server
- F.version of Rational Performance Administrator used to create the script

Answer: ABD

3. Which parameter must be set when installing the ITCAM for Web Response Time agent in appliance mode?

- A.KFC_OWN_NETWORK_DATA_ONLY=Y
- B.KFC_OWN_NETWORK_DATA_ONLY=N
- C.KFC_CAPTURE_OWN_DEVICE_NAME=Y
- D.KFC_CAPTURE_OWN_DEVICE_NAME=N

Answer: C

4. Which three communication protocol settings can the ITCAM for Client Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

- A.SNA
- B.SSH
- C.FTP
- D.IP.UDP
- E.DecNet
- F.IP.SPIPE

Answer: ADF

5. An operator can only see numbers (not names) for objects in the Tivoli Enterprise Portal workspaces of a particular agent type.

What is the likely solution for this problem?

- A. reinstall that agent on the problematic server
- B. reinstall that agent type on the monitored servers
- C. reinstall the agent support files for that agent type on Tivoli Enterprise Portal
- D. reinstall the agent support files for that agent type on Tivoli Enterprise Portal Server
- E. reinstall the agent support files for that agent type on the Tivoli Enterprise Console
- F. reinstall the agent support files for that agent type on Tivoli Enterprise Monitoring Server

Answer: CDF

6. You are planning the deployment of the ITCAM for End User Response Time Dashboard.

What information is needed with regard to the Tivoli Data Warehouse database configuration options parameters?

(Choose two.)

- A. database version
- B. database name or SID name
- C. JMX SOAP connector server port
- D. Tivoli Data Warehouse Schema user login name
- E. operating system of the Tivoli Enterprise Monitoring Server

Answer: BD

7. Which two actions must be completed to enable robotic playback of a Rational Robot scripts? (Choose two.)

- A. set DCOM Config Security permissions
- B. install the Rational Robot application on the robotic monitor host
- C. install the ITCAM for Client Response Time agent on the robotic monitor host
- D. install the ITCAM for Robotic Response Time application support files on the robotic monitor host
- E. configure the Rational Robot parameters on the ITCAM for Rational Response Time Tivoli Enterprise Monitoring Server

Answer: AB

8. What is the port number referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. the port number of the Tivoli Data Warehouse database
- B. the listening port for the Tivoli Enterprise Monitoring Server
- C. the transmission port for the ITCAM for Client Response Time agent
- D. the transaction port name for the Tivoli Enterprise Monitoring Server

Answer: B

9. When implementing ITCAM for Response Time V6.2, you forgot to add support files for the Tivoli Enterprise Portal Server.

What happens as the result of this omission?

- A. Only ITCAM for Response Time V6.2 agent situations will be affected.
- B. Only ITCAM for Response Time V6.2 agent workspaces will be affected.
- C. ITCAM for Response Time V6.2 situations will only be affected for a day.
- D. ITCAM for Response Time V6.2 situations and workspaces will be affected.

Answer: D

10. What information is required when installing the ITCAM End User Response Time Dashboard agent on a Windows system?

- A. Tivoli Data Warehouse IP address or host name
- B. Tivoli Enterprise Portal Server IP address or host name
- C. Tivoli Enterprise Monitoring Server IP address or host name
- D. Tivoli Enterprise Portal Desktop Client IP address or host name

Answer: C

11. Which Tivoli Enterprise Monitoring Agent can be used in the customers environment to monitor custom Application Response Measurement (ARM) enabled applications?

- A. ITCAM for Web Response Time
- B. ITCAM for Robotic Response Time
- C. ITCAM for SOA (Service Oriented Architecture)
- D. ITCAM for End User Response Time Dashboard

Answer: B

12. What is the minimum disk space required for the deployment of the ITCAM for Response Time V6.2 Web Response Time agent for deployment planning purposes?

- A. 256 KB
- B. 512 MB
- C. 1024 KB
- D. 1024 MB

Answer: B

13. Which ITCAM for Web Response Time component detects and tracks network transactions between the Web server and end users or other machines, and calculates response time for each transaction?

- A. the Analyzer
- B. the Collector
- C. the HTTPS Filter
- D. the Tivoli Enterprise Portal Server

Answer: A

14. What is an important consideration when designing the placement of the Rational Performance Tester workbench with regard to the ITCAM for End User Response Time Dashboard?

- A. the operating system of the ITCAM for Robotic Response Time agent
- B. the type of database that is used to support the Tivoli Data Warehouse
- C. the operating system of the ITCAM for End User Response Time Dashboard agent
- D. there should be no firewalls between the Rational Performance Tester workbench system and ITCAM for End User Response Time Dashboard

Answer: D

15. During the planning phase of a customer deployment of ITCAM for Response Time V6.2, the customer needs to monitor custom ARM-enabled applications.

Which two Tivoli Enterprise Monitoring Agents provide custom Application Response Measurement (ARM) application response time monitoring? (Choose two.)

- A. ITCAM for Web Response Time
- B. ITCAM for Client Response Time
- C. ITCAM for Robotic Response Time
- D. ITCAM for SOA (Service Oriented Architecture)
- E. ITCAM for End User Response Time Dashboard

Answer: BC

16. Where are the support files for ITCAM for Response Time V6.2 agents installed on UNIX and Linux by default?

- A. /opt/IBM/ITM
- B. /opt/Tivoli/ITM
- C. /usr/bin/IBM/ITM
- D. /usr/local/IBM/ITM

Answer: C

17. What is the name of the ITCAM for Web Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A. T3V620_Silent.txt
- B. T4V620_Silent.txt
- C. T5V620_Silent.txt
- D. T6V620_Silent.txt

Answer: C

18. Given the following screen shot of a default ITCAM for Response Time V6.2 workspace:

How would you find this workspace in the physical Tivoli Enterprise Portal Navigator?

- A. click Applications under any Web Response Time node
- B. click any Client Response Time node in the Navigator
- C. click Dashboard under any Robotic Response Time node
- D. click Dashboard under the End User Response Time node

Answer: D

19. Which network protocol is preferred if the ITCAM for Web Response Time agent is connecting to a Tivoli Enterprise Monitoring Server via a firewall?

- A. SNA
- B. IP.UDP
- C. IP.PIPE
- D. IP.SPIPE

Answer: C

20. When is historical data collection configuration possible?

- A. when Tivoli Enterprise Portal is up and running as required
- B. when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Portal
- C. when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Monitoring Server
- D. when Tivoli Enterprise Portal Server is connecting as required with Tivoli Enterprise Monitoring Server

Answer: C

21. The Web Response Time remote deployment bundle can be optionally added to which system?

- A. Tivoli Enterprise Console
- B. Tivoli Enterprise Portal Server
- C. Tivoli Enterprise Monitoring Server
- D. Tivoli Enterprise Portal desktop client

Answer: C

22. What do you do to successfully install ITCAM for Response Time V6.2 agent support files?

- A. You install the support files and check the next day.
- B. You reboot the component, install the support files, configure, and restart.
- C. You stop the Tivoli Monitoring component, install the support files, and restart the component.
- D. You install the support files. The Tivoli monitoring component will be stopped in the process and you will need to restart it.

Answer: C

23. What is the name of the ITCAM for End User Response Time Dashboard information file for silent installation of the monitoring agent on a Linux or UNIX platform?

- A. T3V620_Silent_UNIX.txt
- B. T4V620_Silent_UNIX.txt
- C. T5V620_Silent_UNIX.txt
- D. T6V620_Silent_UNIX.txt

Answer: A

24. What is the host name referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. Tivoli Enterprise Monitoring Console
- B. Tivoli Data Warehouse database
- C. ITCAM for Web Response Time agent
- D. Tivoli Enterprise Monitoring Server

Answer: D

25. During the planning phase of a customer deployment of ITCAM for Response Time V2, the customer needs to monitor real user 3270 transactions.

Which Tivoli Enterprise Monitoring Agent needs to be deployed in the customers environment?

- A. ITCAM for Web Response Time
- B. ITCAM for Client Response Time
- C. ITCAM for Robotic Response Time
- D. ITCAM for End User Response Time Dashboard

Answer: B

26. What is the name of the ITCAM for Client Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A. T3V620_Silent.txt
- B. T4V620_Silent.txt
- C. T5V620_Silent.txt
- D. T6V620_Silent.txt

Answer: B

27. Which statement is true about robotic script depots within the enterprise on a Tivoli Enterprise Monitoring Server hub?

- A. There should be two file depots.
- B. There should be three file depots.
- C. There should be only one file depot.
- D. There should be a primary and secondary depot.

Answer: C

28. Which three communication methods can the ITCAM for Web Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

- A. SSH
- B. SNA
- C. FTP
- D. IP.UDP
- E. IPX/SPX
- F. IP.SPIPE

Answer: BDF

29. Which type of Tivoli Enterprise Monitoring Server can be selected when installing the ITCAM for End User Response Time Dashboard agent on a remote Tivoli Enterprise Monitoring Server?

- A. Tivoli Enterprise Monitoring Server Master Hub
- B. Tivoli Enterprise Monitoring Server Remote Hub
- C. Tivoli Enterprise Monitoring Server Hot Standby
- D. Tivoli Enterprise Monitoring Server Cold Standby

Answer: C

30. What is the name of the ITCAM for Robotic Response Time Information file for silent installation of the monitoring agent on a Windows platform?

- A.T3V620_Silent.txt
 - B.T4V620_Silent.txt
 - C.T5V620_Silent.txt
 - D.T6V620_Silent.txt
- Answer: D

[000-920 Braindumps](#)

Related 000-920 Exams

000-903	<i>IBM Tivoli Netcool/xSM</i>
000-926	<i>IBM Certified Deployment Professional-Maximo V6 ITSM</i>
000-253	<i>Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn</i>
000-331	<i>Power Systems Sales for AIX and Linux</i>
000-833	<i>Object Oriented Analysis and Design-Part1(Analysis)</i>
000-918	<i>System Administration for IBM Informix Dynamic Server V11</i>
000-798	<i>ib m tivoli monitoring for transaction perf v5.2 implement</i>
000-351	<i>ib m eserver i5 iseries single system adminsitration v5r3</i>
000-647	<i>Rational Performance Tester</i>
000-807	<i>Test 807, Web Services Dev for IBMWeb Sphere App Server V6.1</i>
000-664	<i>Test664.SOA Fundamentals</i>
000-806	<i>IBM Test 806, IBMWeb Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn</i>
000-792	<i>ib m tivoli access mgr for business integration v3.9.1 implmn</i>
000-484	<i>enterprise connectivity with j2ee v1.3</i>
000-834	<i>Object Oriented Analysis and Design-Part2(Design)</i>
000-971	<i>System i Administrator V5.07.11</i>
000-021	<i>IBM Tivoli Workload Scheduler V8.5 Implementation</i>
000-734	<i>DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows</i>
000-705	<i>business intelligence solutions v8.1</i>
000-631	<i>rational-clearcase for unix</i>

Other IBM Exams

000-912	000-995	000-640	000-M22	000-442	000-027	000-737	000-732
000-990	000-m27	000-933	000-774	000-010	000-818	000-399	000-667
000-257	000-356	000-971	000-M24				