

## 000-927 braindumps

### IBM IBM certifications I

#### 000-927: IBM Tivoli Netcool/Proviso V4.4.1 Administration

**Practice Exam:** 000-927 Exams

**Exam Number/Code:** 000-927

**Exam Name:** IBM Tivoli Netcool/Proviso V4.4.1 Administration

**Questions and Answers:** 106 Q&As

( [IBM certifications I](#) )



Exam : [000-927](#)

"IBM Tivoli Netcool/Proviso V4.4.1 Administration", also known as 000-927 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 106 Q&As to your 000-927 exam preparation. In the 000-927 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-927 (IBM Tivoli Netcool/Proviso V4.4.1 Administration) examination of original title complete coverage. 000-927 exam questions help you pass the exam.

#### **Just4Study 000-927 Feature:**

\* High quality - High quality and valued for the 000-927 Exam: 100% Guarantee to Pass Your 000-927 exam and get your IBM certifications I certification.

\* Authoritative - Authoritative braindumps with complete details about 000-927 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-927 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-927 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 000-927 Demo Download**

Just4Study offers free demo for IBM certifications I 000-927 exam (IBM Tivoli Netcool/Proviso V4.4.1 Administration). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-927** examination of original title complete coverage.000-927 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-927**

Exam Name: IBM Tivoli Netcool/Proviso V4.4.1 Administration( IBM certifications I )

Questions and Answers: 106 Q&A

[IBM 000-927](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-927 the newest Q&A, completely covers 000-927 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-927 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-927

Title : IBM Tivoli Netcool/Proviso V4.4.1 Administration

1. Click the Exhibit button.

What is the number of total actual metric responses coming back as a result of the SNMP queries in the last hour?

- A. 2765
- B. 3054
- C. 3272
- D. 61477

Answer: C

2. What is dbMgr purgePartitions used for?

- A. Delete unwanted Proviso metadata partitions older than a certain number of days.
- B. Delete unwanted Proviso metric data partitions older than a certain number of days.
- C. Delete only NRAW Proviso metric data partitions older than a certain number of days.
- D. Delete unwanted Proviso metadata and metric data partitions older than a certain number of days.

Answer: B

3. ProvisoInfo Browser provides a Database Status tab. What would you expect to see within the tab if the database status is critical?

- A. "The database status is Critical" message
- B. A list of all the table spaces within Proviso
- C. A list of all the files that need extending because of critical status
- D. A list of all the table spaces that have critical utilization within Proviso

Answer: D

4. An issue has been identified with a Complex Metric Engine (CME) formula that is causing the CME to fail. The CME has several days of outstanding data to process. The offending formula has been corrected, but the CME is still failing. What should be done?

- A. Deactivate the collection request for this formula.
- B. Restart the CME to force it to resynchronize with the database.
- C. Delete any files in the CME state directory and restart the CME.
- D. Apply the corrected formula to the historical version of the formula using resmgr and the frmH entity.

Answer: D

5. When a discovery formula is tested, which part of the result line must be unique?

- A. label
- B. dbIndex
- C. invariant

D. properties

Answer: C

6. You have been asked to produce a report that will highlight any device whose availability is less than 100% for more than 1 hour (cumulative) in a single day. Which of the following parameter sets is the most appropriate for the associated period threshold?

A. The threshold mode should be over, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.

B. The threshold mode should be under, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.

C. The threshold mode should be over, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.

D. The threshold mode should be under, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.

Answer: D

7. Click the Exhibit button.

What is Generic-Agent in the exhibit?

A. An element property

B. A subelement family

C. A subelement property

D. An element family name

Answer: D

8. Click the Exhibit button.

Proviso has just been installed by user pvuser with group pvgroup. The administrator had created UNIX users with the following command:

```
useradd -g staff -m -d /export/home/user1 -k /etc/skel -s /bin/ksh user1
```

```
useradd -g staff -m -d /export/home/user2 -k /etc/skel -s /bin/ksh user2
```

```
useradd -g pvgroup -m -d /export/home/user3 -k /etc/skel -s /bin/ksh user3
```

The permissions were assigned through the DataMart GUI in the exhibit.

What additional steps should be carried out so that user1, user2, and user3 can have complete access to the DataMart GUI - Users Configuration?

A. Assign user2 to group1.

B. Change UNIX group of user1 and user2 to pvgroup, and assign user2 to group1.

C. Create a new group group2 with read and write permission to DataMart GUI - Users Configuration, and assign user1, user2, and user3 to group2.

D. Assuming ~/datamart is the datamart directory, change the ~/datamart/bin/userconf file permission to be executable by others through the UNIX command:

```
chmod o+x ~/datamart/bin/userconf
```

Answer: B

9. On a UBA-based bulk collector, which Proviso applications should be running?

A. AMGR, UBA

B. AMGR, UBA, FTE

C. UBA, FTE, CMGR

D. CMGR, AMGR, UBA, FTE

Answer: A

10. There are two DataChannels installed on one machine.

The configuration is:

DataChannel 1 is collecting from two SNMP DataLoads.

DataChannel 2 is collecting from two bulk collectors and one UBA collector.

If the command `findvisual` is run, how many visual processes should be running, excluding the administrative processes?

- A. five FTE, five CME, two LDR, two DLDR
- B. five FTE, five CME, five LDR, five DLDR
- C. one UBA, two BCOL, five FTE, five CME, two LDR, two DLDR
- D. one UBA, two BCOL, two SNMP, five FTE, five CME, two LDR, two DLDR

Answer: C

11. Which `resmgr` object type can be used to obtain all of the metric IDs used in a report?

- A. `app`
- B. `agp`
- C. `appS`
- D. `LinkGroupAPP`

Answer: A

12. You have been asked to produce a report that will immediately highlight as critical any device whose utilization exceeds 75%. Which of the following parameter sets is most appropriate?

- A. The threshold mode should be over, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.
- B. The threshold mode should be under, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.
- C. The threshold mode should be over, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.
- D. The threshold mode should be under, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

Answer: C

13. What is the name of the SilverStream log file?

- A. `Silver.log`
- B. `catalina.out`
- C. `agserver.log`
- D. `SilverServerConsole.log`

Answer: D

14. Given a Proviso solution with multiple DataChannel hosts, where would the `proviso.log` file be produced?

- A. A single log file would be produced by the DataMart host.
- B. A separate log file would be produced by each DataChannel host.
- C. A single log file would be produced by the Channel Manager host.
- D. All log messages are sent to the syslog daemon, which produces a single log file.

Answer: C

15. Which three DataView reports support the use of subelement properties? (Choose three.)

- A. Ratio Chart
- B. Detail Chart
- C. Group Summary Table
- D. Resource Planning Table
- E. Resource Summary Table
- F. DataView Analysis Report

Answer: BDE

16. You have just installed Proviso, and you are in the process of creating a DataView user. Assuming the SilverStream database instance name is PV, which steps create a DataView user?

- A. On the DataMart server, run `cd ~/datamart/bin`, and then run `./smc`.

- B. Download smc from the SilverStream server, and run the smc.exe command from a Windows workstation.
- C. On the DataMart server, run `cd ~/datamart/bin`, and then run `./SilverJRunner hostname:8080 PV DVUserEditor`.
- D. Download the SilverJRunner client from the SilverStream server, and run the `SilverJRunner.exe hostname:8080 PV DVUserEditor` command from a Windows workstation.

Answer: D

17. There have been a few issues when running the network discovery during the inventory process. The collector is running properly, but the discovery portion seems to stop before finishing properly. What would be the next step to diagnose the problem?

- A. Restart the SNMP collector.
- B. Check the TracelInventory.log file for messages.
- C. Use the dccmd tool to check the status of the DataChannel.
- D. Check the proviso.log for messages pertaining to the service DISC.

Answer: D

18. Part of a formula is:

`Dim I1 AS Integer Default * NAME Interface`

You want to test the formula using the Formula Editor GUI and you want to test only instances 2 through 4. What would you enter in the instance field?

- A. `I1<1,2,3>`
- B. `Interface<1-3>`
- C. `Interface<2-4>`
- D. You cannot specify multiple instances.

Answer: C

19. What is the default behavior for a new SilverStream user that you have just created?

- A. No reporting group is assigned by default.
- B. The top group for the current project is assigned.
- C. The NOC Reporting group is assigned by default.
- D. The user is assigned the same reporting group as other users within the same SilverStream group.

Answer: A

20. Which of the following sequences is the default operational processing logic of Proviso DataChannel components with no error conditions?

- A. The File Transfer Engine, Complex Metric Engine, Loader, and Daily Loader all pick up the files every minute.
- B. The File Transfer Engine picks up the files produced by the DataLoad Server every minute; the Complex Metric Engine and Loader, every hour; and the Daily Loader, once a day.
- C. The File Transfer Engine and Complex Metric Engine pick up the files produced by the DataLoad Server every minute; the Loader, once an hour; and the Daily Loader, once a day.
- D. The File Transfer Engine picks up the the files produced by the DataLoad Server every minute, while the Complex Metric Engine, Loader, and Daily Loader pick up the files once an hour.

Answer: C

### [000-927 Braindumps](#)

#### **Related 000-927 Exams**

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM Web Sphere Information Analyzer v8.0*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

000-913 *informix 4gl development*

000-316 *IBM Web Sphere Integration Developer V6.1*

000-431 *IBM Tivoli Storage Manager V5.5 Administration*

000-667 *IBM Test 667, Architectural Design of SOA Solutions*

000-665 *Architecture design of soa solution*

000-908 *Tivoli Monitoring V6.2 Implementation*

000-669 *SOA Fundamentals (2008)*

000-111 *IBMDistributed Systems Storage Solutions Version 7*

000-872 *ib m tivoli storage manager v5.2 implementation*

000-011 *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

000-286 *test286,application development wwebsphere studio,v5.0*

000-995 *IBM Web Sphere Process Server V6.1.System Administration*

000-890 *IBM Tivoli Monitoring V6.1 Implementation*

000-076 *IBM System x Sales*

000-017 *Foundations of Tivoli process automation engine V7.1*

### **Other IBM Exams**

<u>000-236</u>	<u>000-703</u>	<u>000-M04</u>	<u>000-m25</u>	<u>000-M15</u>	<u>000-206</u>	<u>000-887</u>	<u>000-114</u>
<u>000-S02</u>	<u>000-M01</u>	<u>000-M07</u>	<u>000-M06</u>	<u>000-747</u>	<u>000-376</u>	<u>000-003</u>	<u>000-417</u>
<u>000-102</u>	<u>000-M09</u>	<u>000-076</u>	<u>000-643</u>				