

000-933 braindumps

IBM IBM certifications I

000-933: IBM Tivoli Netool/OMNibus V7.2 Implementation

Practice Exam: 000-933 Exams

Exam Number/Code: 000-933

Exam Name: IBM Tivoli Netool/OMNibus V7.2 Implementation

Questions and Answers: 114 Q&As

([IBM certifications I](#))



Exam : [000-933](#)

"IBM Tivoli Netool/OMNibus V7.2 Implementation", also known as 000-933 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 114 Q&As to your 000-933 exam preparation. In the 000-933 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications I 000-933 (IBM Tivoli Netool/OMNibus V7.2 Implementation) examination of original title complete coverage. 000-933 exam questions help you pass the exam.

Just4Study 000-933 Feature:

* High quality - High quality and valued for the 000-933 Exam: 100% Guarantee to Pass Your 000-933 exam and get your IBM certifications I certification.

* Authoritative - Authoritative braindumps with complete details about 000-933 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications I resources, you will minimize your **IBM IBM certifications I** cost and be ready to pass your 000-933 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications I demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-933 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-933 Demo Download

Just4Study offers free demo for IBM certifications I 000-933 exam (IBM Tivoli Netool/OMNibus V7.2 Implementation). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-933** examination of original title complete coverage.000-933 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-933

Exam Name: IBM Tivoli Netool/OMNibus V7.2 Implementation(IBM certifications I)

Questions and Answers: 114 Q&A

[IBM 000-933](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

Just4Study professional provide IBM certifications I 000-933 the newest Q&A, completely covers 000-933 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-933 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-933

Title : IBM Tivoli Netcool/OMNIBus V7.2 Implementation

1. Which syntax is used to determine which options are available for the INSTALL utility?

- A. ./INSTALL -info
- B. ./INSTALL -help
- C. ./INSTALL props
- D. ./INSTALL -options

Answer: B

2. A common user requirement is to provide a "north-bound" interface from the Netcool ObjectServer to a third-party Network Management System. This is used to pass event data from the Netcool ObjectServer to the third-party system.

Which component of Netcool can be used to satisfy this requirement?

- A. TL1 TSM
- B. socket probe
- C. SNMP gateway
- D. generic log file probe

Answer: C

3. If a probe patch needs to be removed or backed out, the following command can be used:

```
$NCHOME/omnibus/install/nco_patch -remove
```

How can you determine the patch_ID needed by the nco_patch utility?

- A. You run the command \$OMNIHOME/install/nco_patch -print=short.
- B. You look up the name of the patch in the .pdf documentation for the probe.
- C. The name of the patch_ID is the same as the name of the probe executable.
- D. You run the command \$OMNIHOME/bin/nco_id for a list of installed packages.

Answer: A

4. How do you change the default installation location for IBM Tivoli Netcool/OMNIBus v7.2?

- A. You use the command line override to the Common Installer.
- B. You check the Verbose Install option in the Common Installer GUI.
- C. You extract the .jar files and move the contents to the desired location.
- D. The directory cannot be changed during installation and must be modified afterwards.

Answer: A

5. Which command creates an ObjectServer named NCOMS on a Windows machine?

- A. %NCHOME%omnibusbin\ncodbinit -name NCOMS
- B. %NCHOME%omnibusbin\ncodbinit -server NCOMS

- C. %NCHOME%omnibusinnco_new_server -name NCOMS
- D. %NCHOME%omnibusinnco_new_server -server NCOMS

Answer: B

6. Which two properties must be set to enable a bidirectional gateway to maintain two ObjectServers synchronized? (Choose Two.)

- A. Gate.MapFile
- B. Gate.Transfer.FailoverSyncRate
- C. Gate.Mapper.ForwardHistoricJournals
- D. Gate.ObjectServerB. TblReplicateDefFile
- E. Gate.ObjectServerA. RefreshCacheOnUpdate

Answer: AD

7. A government institution is interested in monitoring their Oracle-based internally developed applications with the Tivoli Netcool suite. They only allow secure, encrypted communications between components of the solution. Which procedure should the institution implement to ensure secure communication is implemented?

- A. No additional procedures are necessary, as there is documentation stating encryption is supported by both applications.
- B. They only need to implement SSL between the internally developed Oracle applications and a Netcool probe since the default configuration communicates with the ObjectServer using encryption methods.
- C. They should set up network equipment to enforce routing policies between the internally developed Oracle applications and the Netcool since encryption is not supported with the Tivoli Netcool probe communication libraries.
- D. They should test communications between the internally developed Oracle applications and the Netcool suite by running a probe local to the host where the database is located and configuring the probe to run in secure mode and establish an SSL session with the ObjectServer.

Answer: D

8. What is the proper syntax for calling procedure jinsert?

- A. ./jinsert (old.Serial, \$user.userid, gettime(), *string)
- B. exec jinsert (old.serial, %user.userid, getdate(), %string)
- C. execute jinsert (old.Serial, %user.user_id, getdate(), 'string');
- D. begin execute jinsert (old.Serial, %user.user_id, timestampe(), '\$string');

Answer: C

9. Your customer wants to install the IBM Tivoli Netcool Suite on AIX.

What is the default installation location of Netcool Omnibus on AIX?

- A. /usr/netcool
- B. /opt/netcool
- C. /usr/omnibus
- D. /root/omnibus

Answer: A

10. Click the Exhibit button.

An engineer starts the Syslog probe to test the IBM Tivoli Netcool/OMNibus v7.2 configuration. The probe dies immediately, so the engineer checks the log file and views the output in the exhibit.

What is a possible cause of the problem?

- A. There is a syntax error in the probe's rules file.
- B. Another Syslog probe is already running on the machine.
- C. Another Syslog probe is already connected to the ObjectServer.
- D. The interfaces. file has not been configured with the correct connection information.

Answer: D

11. Which two configuration modes are used to run an Oracle gateway? (Choose Two.)

- A. Audit
- B. Query
- C. Archive
- D. Reporter
- E. Historical

Answer: AD

12. Assuming a default UNIX/Linux installation of IBM Tivoli Netcool/OMNIBus v7.2 with default probe settings, what is the path and filename of the log file for the Simnet probe?

- A. \$NCHOME/log/simnet.log
- B. \$NCHOME/log/probes/simnet.log
- C. \$NCHOME/omnibus/log/simnet.log
- D. \$NCHOME/omnibus/log/probes/simnet.log

Answer: C

13. When configuring the Uni-directional Gateway between a master ObjectServer and a Desktop ObjectServer, the gateway map file needs to be modified to populate the Desktop ObjectServer alerts.status field MasterSerial.

What is the purpose of this action?

- A. to provide identification of which ObjectServer first received the event
- B. to provide unique identification of the events in the master ObjectServer
- C. to ensure that when the ObjectServer is started, it functions as a Desktop ObjectServer
- D. to ensure that any connected client recognizes that the ObjectServer is functioning as a Desktop ObjectServer

Answer: B

14. Which argument can you use to configure a probe to communicate with a particular ObjectServer using the command line?

- A. -name
- B. -agent
- C. -server
- D. -manager

Answer: C

15. Probe patches for Windows are delivered with which file extension?

- A. .gz
- B. .zip
- C. .tar.Z
- D. .tar.gz

Answer: B

16. A large service provider with one NOC at a central Data Center and several Business Silo's spread across the nation adding up to 60 native desktop clients. The customer does not want to maintain desktop Object Servers. What is the best solution architecture for this environment.

- A. two high capacity servers running Object Servers that support event collection and support the NOC users
- B. a single low capacity server running an Object Server, all event collection and display is done from this server
- C. a tiered architecture where one Object Server is collecting events and running automations and another Object Server to support the NOC users
- D. a tiered architecture with a single Object Server for event collection, and heavy use NOC users are using desktop object servers, all other users use the single Object Server

Answer: C

17. Which three pieces of information are required to generate a working ObjectServer interfaces. file. (Choose Three.)

- A. A server hostname
- B. ObjectServer name

- C. ObjectServer password
- D. ObjectServer username
- E. A resolvable server hostname
- F. Port that the ObjectServer should run on

Answer: BEF

18. Which two do you use to configure a probe to communicate with a particular ObjectServer? (Choose Two.)

- A. the -name property on the command line
- B. the -server property on the command line
- C. the Name property in the probe properties file
- D. the Server property in the probe properties file
- E. the Manager property in the probe properties file

Answer: BD

19. What is the default value for the NCHOME environment variable for a Windows installation?

- A. C:\Program Files\netcool
- B. C:\Program Files\omnibus
- C. C:\Program Files\IBMTivoliNetcool
- D. C:\Program Files\Micromusenetcool

Answer: C

20. The customer needs to manage a nationwide network. To minimize network traffic across WAN links, Collection ObjectServers will be deployed toward the edges of the networks at regional data centers. Aggregation and Display ObjectServers will be located in a central location. Bi-directional gateways, running on the collection server, connect the collection and aggregation ObjectServers. There are firewalls between the regional data centers (collection ObjectServers) and the central location (aggregation ObjectServers).

Which of the following ports must be opened in the firewall to enable alarm data to be transferred from the Collection ObjectServers to the Aggregation ObjectServers? (Choose Two.)

- A. The port on which the display ObjectServer is running.
- B. The port on which the collection ObjectServer is running.
- C. The IDUC port that the aggregation ObjectServer is using.
- D. The port on which the aggregation ObjectServer is running.
- E. SNMP port so that the SNMP gateway can forward events as traps.

Answer: CD

[000-933 Braindumps](#)

Related 000-933 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-913](#) informix 4gl development

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-665](#) Architecture design of soa solution

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-669](#) SOA Fundamentals (2008)

000-111 IBM Distributed Systems Storage Solutions Version 7

000-872 ib m tivoli storage manager v5.2 implementation

000-011 IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

000-286 test286,applecation development wweb sphere studio,v5.0

000-995 IBM Web Sphere Process Server V6.1.System Administration

000-890 IBM Tivoli Monitoring V6.1 Implementation

000-076 IBM System x Sales

000-017 Foundations of Tivoli process automation engine V7.1

Other IBM Exams

000-901 000-664 000-792 000-438 000-062 000-647 000-961 000-871

000-J02 000-555 000-719 000-744 000-669 000-023 000-897 000-419

000-594 COG-480 000-083 000-648