

000-970 braindumps IBM IBM certifications II

000-970: System i Operations V5.07.10

Practice Exam: 000-970 Exams

Exam Number/Code: 000-970

Exam Name: System i Operations V5.07.10

Questions and Answers: 112 Q&As

([IBM certifications II](#))



Exam : [000-970](#)

"System i Operations V5.07.10", also known as 000-970 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 112 Q&As to your 000-970 exam preparation. In the 000-970 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-970 (System i Operations V5.07.10) examination of original title complete coverage. 000-970 exam questions help you pass the exam.

Just4Study 000-970 Feature:

* High quality - High quality and valued for the 000-970 Exam: 100% Guarantee to Pass Your 000-970 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-970 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-970 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-970 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-970 Demo Download

Just4Study offers free demo for IBM certifications II 000-970 exam (System i Operations V5.07.10). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-970** examination of original title complete coverage.000-970 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-970

Exam Name: System i Operations V5.07.10(IBM certifications II)

Questions and Answers: 112 Q&A

[IBM 000-970](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II

certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination.

Just4Study professional provide IBM certifications II 000-970 the newest Q&A, completely covers 000-970 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-970 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-970

Title : System i Operations V5.07.10

1. An i5 system with multiple i5/OS partitions has a single tape library shared between the partitions. Which of the following correctly describes how to determine where the tape library is assigned?

A. Access Management Central on the service partition to view a list of allocated media devices by partition.

B. From the partition that needs the tape, run command:

`VRYCFG CFGOBJ(TAPMLB01) CFGTYPE(*DEV) STATUS(*ALLOCATE)`

C. On the HMC, display the properties of the managed system. Click on the I/O tab to see where the tape IOA is assigned.

D. Sign on to each partition; use SST to access Hardware Service Manager; select the option to display allocated media devices.

Answer: C

2. What part of BRMS defines the objects that are to be saved in a particular save operation?

A. Media policy

B. Control group

C. Backup policy

D. Object policy

Answer: B

3. After completing a reclaim storage from the twinax console of an i550 partition, the operator accidentally disconnects the console before returning the partition to an unrestricted state. Which of the following is the correct recovery?

A. Use the HMC to shut down and restart the Partition.

B. Connect to ASMI to force DST and IPL the Managed System.

C. Reconnect the console, recover the session, and start the controlling subsystem.

D. Use the Console Takeover function on the HMC and start the controlling subsystem.

Answer: A

4. Which of the following IFS designations is used to identify the i5/OS Library/File/Member structure?

A. QDLS

B. Root

C. QSYS.LIB

D. QFileSvr.400

Answer: C

5. Presuming the operator is using the Intermediate assistance level:

On the WRKCFGSTS *LIN display, which of the following status values indicates a dial-up line is ready to start communications?

- A. Active
- B. VARIED ON
- C. VARY ON PENDING
- D. CONNECT PENDING

Answer: D

6. By default, how is the initial library list established for a submitted job?

- A. From the QINLLIBL system value
- B. From the Subsystem to which the job was submitted
- C. From the library list of the job issuing the SBMJOB
- D. From the job description parameter in the SBMJOB command

Answer: C

7. An operator has been asked to make all appropriate PTFs in a group PTF package active after the next system IPL. Which of the following commands will perform the request?

- A. LODPTF
- B. WRKPTF
- C. INSPTF
- D. ACTPTF

Answer: C

8. An operator needs to ensure all tape and optical libraries are varied-on after a system IPL. Which of the following commands allow control of all connected and functional tape and optical libraries?

- A. WRKMLBSTS
- B. WRKDEVSTS
- C. WRKMEDSTS DEV(*TAP *OPT)
- D. WRKCFGSTS CFGTYPE(*DEV) CFGD(*TAPMLB *OPTMLB)

Answer: A

9. An operator needs a job to process from the job queue ahead of other jobs in the queue. Which of the following parameters will accomplish this goal?

- A. JOBORD
- B. JOBPTY
- C. RUNPTY
- D. OUTPTY

Answer: B

10. A job that normally creates multiple output files in output queue ABC is now creating them in output queue QPRINT. Which of the following is the likely cause of this problem?

- A. The writer for output queue ABC is not started.
- B. The system value QDFTOUTQ has been set to QPRINT.
- C. The job was submitted with a change to the JOBQ parameter.
- D. The user submitting the job does not have *SPLCTL special authority.

Answer: C

11. What is the default run priority for interactive jobs in the QINTER subsystem?

- A. 10
- B. 20
- C. 50
- D. 70

Answer: B

12. An operator is performing the nightly backup when the message "CPF6792 - Device TAP01 Needs to be cleaned"

appears on the operator console for the first time. Which of the following is the correct action?

- A. Call IBM Hardware maintenance to perform required cleaning.
- B. Hold the backup and insert the appropriate tape cleaning cartridge.
- C. Insert the tape cleaning cartridge when the current cartridge unloads.
- D. Cancel the backup and clean the tape drive using the brushes provided.

Answer: C

13. An operator has used the DSPTAP command to determine what objects in a library were saved on the currently mounted tape. The output shows that the library is on the tape, but shows no objects in the library. What is the most likely cause for this problem?

- A. The tape was not rewound prior to running DSPTAP.
- B. An incorrect parameter was specified in the DSPTAP command.
- C. The tape device does not support detailed viewing of saved items.
- D. The SAVLIB command was used to create the tape instead of the SAVOBJ command.

Answer: B

14. In System i Navigator which function key will allow subsetting of the data displayed?

- A. F4
- B. F11
- C. F12
- D. F21

Answer: B

15. Which of the following is the name for a "virtual" optical set?

- A. Media Image
- B. Image Catalog
- C. Virtual Image
- D. Virtual Catalog

Answer: B

16. The system operator's evening checklist includes verifying disk utilization in the system ASP. Which of the following commands accomplishes this task?

- A. WRKSYSSTS
- B. WRKASPSTS
- C. WRKSYSSTG
- D. WRKASPSTG

Answer: A

17. An operator has just called a program from the command line and needs to see what messages the job has produced. Which of the following commands would the operator use?

- A. DSPLOG
- B. DSPJOBLOG
- C. DSPJOBMSG
- D. DSPCONMSG

Answer: B

18. The operator is attempting to vary on a dial-up communications line. The vary-on of the line failed. Which of the following describes why the vary-on failed?

- A. The modem is turned off.
- B. The controller is in failed status.
- C. The telco line cord is disconnected.
- D. Another line using the resource name is already varied on.

Answer: D

19. All the i5's in the computer room get their power from the UPS. After a recent power failure, the operator noticed that there was no message in the QSYSOPR message queue about the power failure. Which of the following is the most likely cause?

- A. The i5 has the system value QMAXUPSDLY set to *NOMAX.
- B. The signal cable between the UPS and the i5 is not connected.
- C. The i5 was running an uninterruptible instruction set during the power failure.
- D. All Critical Console messages over severity 50 are being diverted to QSECOFR msgq.

Answer: B

20. When displaying messages in System i Navigator, an operator only wants to see the messages from the QSYSOPR message queue with a severity of 40 or more on a system named Mysystem. After expanding My Connections -> Mysystem -> Basic Operations, what is the procedure to accomplish this?

- A. Right-click QSYSOPR and change Lowest Severity Level to 40.
- B. Right click Messages. Select Change and set the severity filter to 40.
- C. Right-click Messages. Select Include and System Operator and change Lowest Severity Level to 40.
- D. Right-click Messages, then Customize This View. Click Include and select System Operator and change Lowest Severity Level to 40.

Answer: D

[000-970 Braindumps](#)

Related 000-970 Exams

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Ntwork Development V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-798](#) ib m tivoli monitoring for transaction perf v5.2 implement

[000-351](#) ib m eserver i5 iseries single system adminsitration v5r3

[000-647](#) Rational Performance Tester

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-664](#) Test664.SOA Fundamentals

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-792](#) ib m tivoli access mgr for business integration v3.9.1 implmn

[000-484](#) enterprise connectivity with j2ee v1.3

[000-834](#) Object Oriented Analysis and Design-Part2(Design)

[000-971](#) System i Administrator V5.07.11

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-734](#) DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

[000-705](#) business intelligence solutions v8.1

[000-631](#) rational-clearcase for unix

Other IBM Exams

[000-719](#) [000-150](#) [000-991](#) [000-740](#) [000-208](#) [000-430](#) [000-642](#) [000-m13](#)

[000-228](#) [000-634](#) [000-789](#) [000-M32](#) [000-Z01](#) [000-416](#) [000-742](#) [000-875](#)

[000-643](#) [000-879](#) [000-644](#) [000-079](#)

