

## 000-993 braindumps

### IBM Deployment Professional

000-993: test993,ibm websphere intrchnng srvrv4.3&toolset.deployment

Practice Exam: 000-993 Exams

Exam Number/Code: 000-993

Exam Name: test993,ibm websphere intrchnng srvrv4.3&toolset.deployment

Questions and Answers: 130 Q&As

( [Deployment Professional](#) )



"test993,ibm websphere intrchnng srvrv4.3&toolset.deployment", also known as 000-993 exam, is a IBM certification. With the complete collection of exam questions, Just4Study has assembled to take you through 130 Q&As to your 000-993 exam preparation. In the 000-993 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Exam : [000-993](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM Deployment Professional 000-993 (test993,ibm websphere intrchnng srvrv4.3&toolset.deployment) examination of original title complete coverage. 000-993 exam questions help you pass the exam.

#### Just4Study 000-993 Feature:

\* High quality - High quality and valued for the 000-993 Exam: 100% Guarantee to Pass Your 000-993 exam and get your Deployment Professional certification.

\* Authoritative - Authoritative braindumps with complete details about 000-993 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Deployment Professional resources, you will minimize your **IBM Deployment Professional** cost and be ready to pass your 000-993 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Deployment Professional demo before you decide to buy it in <http://www.Just4Study.com>.

#### Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-993 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### Free 000-993 Demo Download

Just4Study offers free demo for Deployment Professional 000-993 exam (test993,ibm websphere intrchnng srvrv4.3&toolset.deployment). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM Deployment Professional 000-993** examination of original title complete coverage.000-993 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 000-993**

Exam Name: test993,ibm websphere intrchnng srvrv4.3&toolset.deployment( Deployment Professional )

Questions and Answers: 130 Q&A

[IBM 000-993](#) Test belongs to one of the Deployment Professional certified test, if needs to obtain the Deployment Professional certificate, you also need to participate in other related test, the details you may visit the [Deployment Professional](#) certified topic, in there, you will see all related Deployment Professional certified subject of examination. Just4Study professional provide Deployment Professional 000-993 the newest Q&A, completely covers 000-993 test original topic. With our complete Deployment Professional resources, you will minimize your Deployment Professional cost and be ready to pass your 000-993 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-993

Title : Test993,IBM Websphere Intrchnng Srvv4.3&  
toolset.deployment

1. A collaboration sends purchase order data to application X through port A. The business process states that before the PO data goes to application X, it must go to application Y through port B to verify the vendor's credit rating. The credit rating verification process can be instantaneous or take up to 24 hours, but should never take more than 48 hours. What is the BEST type of service call to use for port B?

A. Asynchronous outbound with long lived business process support configured with a timeout value of 48 hours

B. Synchronous with long lived business process support configured with a timeout value of 48 hours

C. Synchronous with compensation and long lived business process support configured with a timeout value of 24 hours

D. Synchronous outbound, no timeout value, although a second synchronous service call will be created to receive the response back from

application Y with a configured timeout value of 48 hours

Answer: B

2. When implementing a non composite key child cross reference, which of the following is required?

A. maintainSimpleIdentityRelationship() API within the sub map that transforms the child

B. maintainCompositeRelationship() API within the map that transforms the child

C. maintainHierarchicalRelationship() API within the parent map that transforms the child

D. updateCompositeRelationship() API with the sub map that transforms the child

Answer: A

3. During collaboration execution, an error in a service call request map causes a ServiceCallException to be thrown. What is the BEST way to identify the root cause of the exception?

A. Wrap a try-catch block around the suspected failure code in the map.

B. Use the Exception.getMessage() method to help determine the cause of the service call failure.

C. Place the following code in the action node, that is called as a result of an exception, following the service call: if (currentException.getType().equals("ServiceCallException"))

```
String type = currentException.getType();
```

```
logError("Caught exception " + type );
```

D. Place the following code in the action node, that is called as a result of an exception, following the service call: if (currentException.getType().equals("ServiceCallException"))

```
String subType = currentException.getSubType();
```

```
logError("Caught exception " + subType );
```

Answer: D

4. Which of the following pairs of queues are required for exposing a collaboration as a SOAP/JMS web service?

- A. InputQueue and ErrorQueue
- B. InputQueue and InProgressQueue
- C. InProgressQueue and ReplyToQueue
- D. ArchiveQueue and ErrorQueue

Answer: B

5. At design time, a collaboration developer is considering whether to add a Dynamic Service Call to the collaboration.

All of the following guidelines should be considered EXCEPT:

- A. Dynamic service calls cannot support compensation.
- B. Long-lived business process cannot be a consumer of a dynamic service call.
- C. Long-lived business process can make dynamic service to a connector using JMS as its transport type.
- D. The dynamic service call may not change the event sequencing instance queue.

Answer: D

6. A reference-valued business object, received by a collaboration, contains which of the following?

- A. The business object with its Primary Keys
- B. The business object with its ObjectEventId
- C. The business object along with its child objects and its attributes
- D. The business object along with its attributes, but not its child objects

Answer: A

7. The purpose of Event Sequencing within the WebSphere InterChange Server architecture is to ensure that:

- A. Events involving the same data entity in an application are processed by the WebSphere InterChange Server in the order in which they occurred in the application.
- B. The same event is not processed concurrently by two Collaborations in the WebSphere InterChange Server.
- C. All events in an application are processed by a Connector Controller in the WebSphere InterChange Server in the order in which they occurred in the application.
- D. All events in an application are processed by a collaboration in the WebSphere InterChange Server in the order in which they occurred in the application.

Answer: A

8. A map has tested correctly in the Map Designer, but a failure still occurs within the WebSphere InterChange Server (not at the agent) in an end to end flow. What is the MOST likely cause of this problem?

- A. The destination business object in the map did not have its proper calling context value coded and set with a value.
- B. The destination business object in the map did not have its verb value coded and set with a value.
- C. An attribute marked as "Required" in the business object attributes definition was not properly coded and set with a value.
- D. An attribute marked as a "Key" in the business object attributes definition was not properly coded and set with a value.

Answer: B

9. When the status for a collaboration object is set to pause, which of the following situations can generate a critical error?

- A. The adapter agent's status is unknown
- B. Any exception that results in a failed collaboration flow
- C. An exception in the event delivery map
- D. Not setting the verb in the event delivery map

Answer: A

10. After creating a static relationship with the checkbox of Cached marked in the Relationship Designer and then saving it, a user goes to the database and notices that the relationship tables are missing. What is the MOST likely reason for the absence of the relationship tables?

- A. Tables are not used for static relationships since the data is kept in text files and cached when processing.

- B. The "IBM WBI managed" checkbox did not have a check mark in it before the relationship was saved.
- C. The static relationship needs to be deployed to the WebSphere InterChange Server with the setting "Create schema" checked.
- D. The tables will not be created until the WebSphere InterChange Server is restarted.

Answer: C

11. An error occurs during the execution of a scenario. The WebSphere InterChange Server rolls back the scenario, executing the compensation for each sub-transactional step. What is the lowest transaction level of the collaboration that should be used?

- A. Best Effort
- B. Minimal Effort
- C. Normal
- D. Stringent

Answer: B

12. Which of the following two features significantly decrease the amount of time necessary for the WebSphere InterChange Server to reboot during a recovery?

- A. Asynchronous Recovery and collaboration "Blocking Type" is checked.
- B. Asynchronous Recovery and collaboration "Persist Call In Transit State" checkbox is blank.
- C. Asynchronous Recovery and setting maximum number of concurrent events to a higher value
- D. Asynchronous Recovery and storing business object keys as part of the WIP data

Answer: D

13. During benchmark testing of the WebSphere InterChange Server, it is noticed that the system throughput is being constrained by the large number of calls to the database by the relationships. In order to reduce the calls to the database and increase system throughput, what is the documented recommendation when considering whether or not to cache relationships?

- A. Only those static relationships that have less than 1000 rows of data should be cached.
- B. Only those dynamic and static relationships that have less than 1000 rows of data should be cached.
- C. All of the static relationships should be cached.
- D. All of the dynamic and static relationships should be cached.

Answer: A

14. The WebSphere InterChange Server fails to start and gives the following error: "Error 11135:Activation of collaboration <collaboration\_name> group could cause a potential deadlock with one or more existing collaboration groups, and is therefore disallowed" Which of the following actions will allow the WebSphere Business Integration administrator to restart the WebSphere InterChange Server so that the administrator can resolve the problem?

- A. Clear the WIP tables and restart the server.
- B. Shut Down the collaboration which will clear the deadlocks.
- C. Add a line DEADLOCK\_DETECTOR\_CHECK=false to the COLLABORATION section in the WebSphere InterChange Server configuration file and restart the server.
- D. Add a line DEADLOCK\_RESOLVER=true to the SERVER section in the WebSphere InterChange Server configuration file and restart the server.

Answer: C

15. A collaboration object requires a port type that is external to the collaboration when that port is bound to which of the following?

- A. An adapter agent that is running on another machine.
- B. A web client running on a different machine as the WebSphere InterChange Server.
- C. A collaboration running in a different WebSphere InterChange Server on the same machine.
- D. A collaboration running in a different WebSphere InterChange Server on a different machine.

Answer: B

16. A business object from the source application consists of an order object that contains an array of child order line objects. However, the business object that will be placed on the destination application consists of an order object and each order contains only a single order line object. Which of the following is the BEST possible mapping solution if the goal is not to lose order lines in the interface?

- A. Use java code within the map to separate the child objects and place them with a unique parent object.
- B. Have the adapter controller of the source application call a polymorphic map that will separate the child objects and place them with a unique parent object.
- C. Have the destination adapter controller call a map that calls another map that will separate the child objects and place them with a unique parent object.
- D. Have the collaboration call a map that will separate the child objects and place them with a unique parent object.

Answer: D

17. A collaboration is configured with the "Maximum number of concurrent events" set to 5. The collaboration has 20 flows currently in progress as seen in the Collaboration Statistics window in the System Monitor. Which of the following events will MOST likely cause this behavior?

- A. Web Services events
- B. Server Access Calls
- C. Event triggered flows
- D. Long Lived Business Transactions in the collaboration

Answer: B

18. For proper child object management, in which map is the updateMyChildren() method called?

- A. Within the parent map after the call to maintainCompositeRelationship() for all maps that transform dependent child objects
- B. Within the child map after the call to maintainCompositeRelationship() for all maps that transform dependent child objects
- C. Within the child map before the call to maintainSimpleIdentityRelationship() for all maps that transform dependent child objects
- D. Within the parent map before the call to maintainCompositeRelationship() for all maps that transform dependent child objects

Answer: A

19. On Event delivery of a business object, when is a map called to convert the Application Specific Business Object to the Generic Business Object?

- A. In the adapter agent, after the message is retrieved from the source application and before the message is forwarded to adapter framework.
- B. In the adapter framework, after the message is received from the adapter agent and before the messages is forwarded to the controller.
- C. In the controller, after the message is retrieved from the messaging queue and before the message is published to subscribing collaborations.
- D. In the collaboration, after the message is received from the controller and before the message is processed by the collaboration object.

Answer: C

20. In the collaboration code, if two string variables b and c need to be appended, which of the following is the least memory consuming way of achieving this?

- A. `String a = b + c;`
- B. `StringBuffer a = StringBuffer(b)+ StringBuffer(c);`
- C. `StringBuffer a = new StringBuffer();`  
`a.append(b);`  
`a.append(c);`
- D. `StringBuffer a = new StringBuffer();`  
`a = b + c;`

Answer: C

[000-993 Braindumps](#)

**Related 000-993 Exams**

000-027 IBM Maximo Asset Management V6.2 Implementation

000-025 IBM Tivoli Storage Manager V6.1 Implementation

000-799 ib m tivoli storage manager v5.3 implementation

000-026 Fundamentals of Applying Tivoli Storage Solutions 2009

000-993 test993,ib m web sphere intrchg srvrv4.3&toolset.deployment

000-023 IBM Tivoli Support Provider Tools and Processes

**Other IBM Exams**

<u>000-M24</u>	<u>000-M02</u>	<u>LOT-801</u>	<u>000-933</u>	<u>000-922</u>	<u>000-M22</u>	<u>000-010</u>	<u>000-807</u>
<u>LOT-983</u>	<u>000-135</u>	<u>000-443</u>	<u>000-207</u>	<u>000-070</u>	<u>COG-145</u>	<u>000-011</u>	<u>LOT-982</u>
<u>000-377</u>	<u>000-873</u>	<u>000-441</u>	<u>000-446</u>				