

## 156-215.1 braindumps

### CheckPoint CheckPoint

**156-215.1: Check Point Certified Security Administrator NGX**

**Practice Exam:** 156-215.1 Exams

**Exam Number/Code:** 156-215.1

**Exam Name:** Check Point Certified Security Administrator NGX

**Questions and Answers:** 254 Q&As

( [CheckPoint](#) )



"Check Point Certified Security Administrator NGX", also known as 156-215.1 Exam : [156-215.1](#) exam, is a CheckPoint certification. With the complete collection of exam questions, Just4Study has assembled to take you through 254 Q&As to your 156-215.1 exam preparation. In the 156-215.1 exam resources, you will cover every field and category in CheckPoint Certification helping to ready you for your successful CheckPoint Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for CheckPoint CheckPoint 156-215.1 (Check Point Certified Security Administrator NGX) examination of original title complete coverage. 156-215.1 exam questions help you pass the exam.

#### **Just4Study 156-215.1 Feature:**

\* High quality - High quality and valued for the 156-215.1 Exam: 100% Guarantee to Pass Your 156-215.1 exam and get your CheckPoint certification.

\* Authoritative - Authoritative braindumps with complete details about 156-215.1 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CheckPoint resources, you will minimize your **CheckPoint CheckPoint** cost and be ready to pass your 156-215.1 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free CheckPoint demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 156-215.1 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 156-215.1 Demo Download**

Just4Study offers free demo for CheckPoint 156-215.1 exam (Check Point Certified Security Administrator NGX). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **CheckPoint CheckPoint 156-215.1** examination of original title complete coverage.156-215.1 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 156-215.1**

Exam Name: Check Point Certified Security Administrator NGX( CheckPoint )

Questions and Answers: 254 Q&A

[CheckPoint 156-215.1](#) Test belongs to one of the CheckPoint certified test, if needs to obtain the CheckPoint certificate, you also need to participate in other related test, the details you may visit the [CheckPoint](#) certified topic, in there, you will see all related CheckPoint certified subject of examination.

Just4Study professional provide CheckPoint 156-215.1 the newest Q&A, completely covers 156-215.1 test original topic. With our complete CheckPoint resources, you will minimize your CheckPoint cost and be ready to pass your 156-215.1 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Check Point 156-215.1

Title : Check Point Certified Security Administrator NGX

1. Gary is a Security Administrator in a small company. He needs to determine if the company's Web servers are accessed for an excessive number of times from the same host. How would he configure this setting in SmartDefense?

- A. Successive multiple connections
- B. HTTP protocol inspection
- C. Successive alerts
- D. General HTTP worm catcher
- E. Successive DoS attacks

Answer: A

2. By default, when you click File > Switch Active File from SmartView Tracker, the SmartCenter Server:

- A. Opens a new window with a previously saved log file.
- B. Purges the current log file, and starts a new log file.
- C. Purges the current log, and prompts you for the new log's mode.
- D. Saves the current log file, names the log file by date and time, and starts a new log file.
- E. Prompts you to enter a filename, then saves the log file.

Answer: D

3. Which of the following commands is used to restore NGX configuration information?

- A. cpconfig
- B. cpinfo -i
- C. restore
- D. fwm dbimport
- E. upgrade\_import

Answer: E

4. You are setting up a Virtual Private Network, and must select an encryption scheme. Network performance is a critical issue - even more so than the security of the packet. Which encryption scheme would you select?

- A. In-place encryption
- B. Tunneling mode encryption
- C. Either one will work without compromising performance

Answer: A

5. When you change an implicit rule's order from "last" to "first" in Global Properties, how do you make the change effective?

- A. Close SmartDashboard, and reopen it.

- B. Select install database from the Policy menu.
- C. Select save from the file menu.
- D. Reinstall the Security Policy.
- E. Run fw fetch from the Security Gateway.

Answer: D

6. Ellen is performing penetration tests against SmartDefense for her Web server farm. She needs to verify that the Web servers are secure against traffic hijacks. She has selected the "Products > Web Server" box on each of the node objects. What other settings would be appropriate? Ellen:

- A. needs to configure TCP defenses such as "Small PMTU" size.
- B. should enable all settings in Web Intelligence.
- C. needs to create resource objects for the web farm servers and configure rules for the web farm.
- D. must activate the Cross-Site Scripting property.
- E. should also enable the Web intelligence > SQL injection setting.

Answer: D

7. In NGX, what happens if a Distinguished Name (DN) is NOT found in LDAP?

- A. NGX takes the common-name value from the Certificate subject, and searches the LDAP account unit for a matching user id.
- B. NGX searches the internal database for the username.
- C. The Security Gateway uses the subject of the Certificate as the DN for the initial lookup.
- D. If the first request fails or if branches do not match, NGX tries to map the identity to the user id attribute.
- E. When users authenticate with valid Certificates, the Security Gateway tries to map the identities with users registered in the external LDAP user database.

Answer: B

8. Frank wants to know why users on the corporate network cannot receive multicast transmissions from the Internet. An NGX Security Gateway protects the corporate network from the Internet. Which of the following is a possible cause for the connection problem?

- A. NGX does not support multicast routing protocols and streaming media through the Security Gateway.
- B. Frank did not install the necessary multicast license with SmartUpdate, when he upgraded to NGX.
- C. The Multicast Rule is below the Stealth Rule. NGX can only pass multicast traffic, if the Multicast Rule is above the Stealth Rule.
- D. Multicast restrictions are not configured properly on the corporate internal network interface properties of the Security Gateway object.
- E. Anti-spoofing is enabled. NGX cannot pass multicast traffic, if anti-spoofing is enabled.

Answer: D

9. Brianna has three servers located in a DMZ, using private IP addresses. She wants internal users from 10.10.10.x to access the DMZ servers by public IP addresses. Internal\_net 10.10.10.x is configured for Hide NAT behind the Security Gateway's external interface.

What is the best configuration for 10.10.10.x users to access the DMZ servers, using the DMZ servers' public IP addresses?

- A. Configure automatic Static NAT rules for the DMZ servers.
- B. Configure manual Static NAT rules to translate the DMZ servers, when connecting to the Internet.
- C. Configure manual static NAT rules to translate the DMZ servers, when the source is the internal network 10.10.10.x.
- D. Configure Hide NAT for the DMZ network behind the DMZ interface of the Security Gateway, when connecting to internal network 10.10.10.x.
- E. Configure Hide NAT for 10.10.10.x behind DMZ's interface, when trying to access DMZ servers.

Answer: C

10. If the LDAP scheme is not updated on the LDAP server, which Check Point user settings are stored locally in the

Check Point user template?

- A. Time settings, Authentication type, Location settings
- B. Location settings, Authentication type, Password
- C. Authentication type, Time settings, Password
- D. Password, Authentication type, Time settings

Answer: A

11. How do you block some seldom-used FTP commands, such as CWD, and FIND from passing through the Gateway?

- A. Use FTP Security Server settings in SmartDefense.
- B. Use an FTP resource object.
- C. Configure the restricted FTP commands in the Security Servers screen of the Global properties.
- D. Enable FTP Bounce checking in SmartDefense.
- E. Add the restricted commands to the aftp.conf file in the SmartCenter Server.

Answer: A

12. Larry is the Security Administrator for a software-development company. To isolate the corporate network from the developers' network, Larry installs an internal Security Gateway. Larry wants to optimize the performance of this Gateway. Which of the following actions is most likely to improve the Gateway's performance?

- A. Remove unused Security Policies from Policy Packages.
- B. Clear all Global Properties check boxes, and use explicit rules.
- C. Use groups within groups in the manual NAT Rule Base.
- D. Put the least-used rules at the top of the Rule Base.
- E. Use domain objects in rules, where possible.

Answer: A

13. You create implicit and explicit rules for the following network. The group object "internal-networks" includes networks 10.10.10.0 and 10.10.0. Assume "Accept ICMP requests" is enabled as before last in the Global Properties. Based on these rules, what happens if you Ping from host 10.10.10.5 to a host on the Internet, by IP address? ICMP will be:

- A. dropped by rule 0.
- B. dropped by rule 2, the Cleanup Rule.
- C. accepted by rule 1.
- D. dropped by the last implicit rule.
- E. accepted by the implicit rule.

Answer: C

14. Choose the BEST sequence for configuring user management on SmartDashboard, for use with an LDAP server:

- A. Enable LDAP in Global Properties, configure a host-node object for the LDAP Server, and configure a server object for the LDAP Account Unit.
- B. Configure a workstation object for the LDAP server, configure a server object for the LDAP Account Unit, and enable LDAP in Global Properties.
- C. Configure a server object for the LDAP Account Unit, enable LDAP in Global Properties, and create an LDAP server using an OPSEC application.
- D. Configure a server object for the LDAP Account Unit, enable LDAP in Global Properties, and create an LDAP resource object.
- E. Configure a server object for the LDAP Account Unit, and create an LDAP resource object.

Answer: A

15. In SmartDashboard, you configure 45 MB as the required free hard-disk space to accommodate logs. What can you do to keep old log files, when free space falls below 45 MB?

- A. Define a secondary SmartCenter Server as a log server, to transfer the old logs.
- B. Configure a script to archive old logs to another directory, before old log files are deleted.

- C. Do nothing. Old logs are deleted, until free space is restored.
- D. Use the `fwm logexport` command to export the old log files to other location.
- E. Do nothing. The SmartCenter Server archives old logs to another directory.

Answer: B

16. Which of the following is the final step in an NGX backup?

- A. Test restoration in a non-production environment, using the `upgrade_import` command.
- B. Move the `*.tgz` file to another location.
- C. Run the `upgrade_export` command.
- D. Copy the `conf` directory to another location.
- E. Run the `cpstop` command.

Answer: A

17. Your users are defined in a Windows 2000 Active Directory server. You must add LDAP users to a Client Authentication rule. Which kind of user group do you need in the Client Authentication rule in NGX?

- A. All Users
- B. A group with generic\* user
- C. External-user group
- D. LDAP account-unit group
- E. LDAP group

Answer: E

18. Which NGX logs can you configure to send to DShield.org?

- A. Account and alert logs
- B. SNMP and account logs
- C. Active and alert logs
- D. Audit and alert logs
- E. Alert and user-defined alert logs

Answer: E

19. If a digital signature is used to achieve both data-integrity checking and verification of sender, digital signatures are only used when implementing:

- A. A symmetric encryption algorithm.
- B. CBL-DES.
- C. ESP.
- D. An asymmetric encryption algorithm.
- E. Triple DES.

Answer: D

20. Which SmartConsole tool verifies the installed Security Policy name?

- A. SmartView Server
- B. SmartUpdate
- C. SmartView Status
- D. Eventia Reporter
- E. SmartView Monitor

Answer: E

### [156-215.1 Braindumps](#)

#### **Related 156-215.1 Exams**

[156-315.65](#) Check Point Certified Expert NGX R65

[156-515](#) Check Point Certified Security Expert Plus NGX

156-110 CheckPoint Certified Security Principles Associate (CCSPA)

156-215.65 Check Point Security Administration I NGX

156-315 Check Point Certified Security Expert NGX

156-215 Check Point Security Administration NGX

156-210 Check Point CCSA NG

156-310 Check Point CCSE NG

156-915.65 Accelerated CCSE NGX R65

156-215.1 Check Point Certified Security Administrator NGX

156-816 Check Point Certified Managed Security Expert Plus VSX NGX

156-510 VPN-1/FireWall-1 Management III

156-815 Check Point Certified Managed Security Expert NGX

156-315.1 Check Point Certified Security Expert NGX

156-915.1 Accelerated CCSE 1.1 NGX

### **Other CheckPoint Exams**

<u>156-815</u>	<u>156-110</u>	<u>156-510</u>	<u>156-310</u>	<u>156-</u>	<u>156-315.1</u>	<u>156-315</u>	<u>156-210</u>
				<u>315.65</u>	<u>156-816</u>	<u>156-215.1</u>	<u>156-</u>
							<u>915.65</u>
<u>156-915.1</u>	<u>156-515</u>	<u>156-</u>	<u>156-215</u>				
		<u>215.65</u>					