

## 1D0-437 braindumps

### CIW Master CIW Enterprise Developer

#### 1D0-437: CIW PERL FUNDAMENTALS

**Practice Exam:** 1D0-437 Exams

**Exam Number/Code:** 1D0-437

**Exam Name:** CIW PERL FUNDAMENTALS

**Questions and Answers:** 150 Q&As

( [Master CIW Enterprise Developer](#) )



Exam : [1D0-437](#)

"CIW PERL FUNDAMENTALS", also known as 1D0-437 exam, is a CIW certification. With the complete collection of exam questions, Just4Study has assembled to take you through 150 Q&As to your 1D0-437 exam preparation. In the 1D0-437 exam resources, you will cover every field and category in CIW Certification helping to ready you for your successful CIW Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for CIW Master CIW Enterprise Developer 1D0-437 (CIW PERL FUNDAMENTALS) examination of original title complete coverage. 1D0-437 exam questions help you pass the exam.

#### **Just4Study 1D0-437 Feature:**

\* High quality - High quality and valued for the 1D0-437 Exam: 100% Guarantee to Pass Your 1D0-437 exam and get your Master CIW Enterprise Developer certification.

\* Authoritative - Authoritative braindumps with complete details about 1D0-437 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Master CIW Enterprise Developer resources, you will minimize your **CIW Master CIW Enterprise Developer** cost and be ready to pass your 1D0-437 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Master CIW Enterprise Developer demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1D0-437 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 1D0-437 Demo Download**

Just4Study offers free demo for Master CIW Enterprise Developer 1D0-437 exam (CIW PERL FUNDAMENTALS). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **CIW Master CIW Enterprise Developer 1D0-437** examination of original title complete coverage. 1D0-437 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

#### **VUE/Prometric Code: 1D0-437**

Exam Name: CIW PERL FUNDAMENTALS( Master CIW Enterprise Developer )

Questions and Answers: 150 Q&A

[CIW 1D0-437](#) Test belongs to one of the Master CIW Enterprise Developer certified test, if needs to obtain the Master

CIW Enterprise Developer certificate, you also need to participate in other related test, the details you may visit the [Master CIW Enterprise Developer](#) certified topic, in there, you will see all related Master CIW Enterprise Developer certified subject of examination.

Just4Study professional provide Master CIW Enterprise Developer 1D0-437 the newest Q&A, completely covers 1D0-437 test original topic. With our complete Master CIW Enterprise Developer resources, you will minimize your Master CIW Enterprise Developer cost and be ready to pass your 1D0-437 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

*[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : CIW 1D0-437

Title : CIW PERL FUNDAMENTALS

1. Consider the following program code:

```
$y = 1;
$x = 2;
$z = 3;
do
{
print ($y );
} while ($y eq 2);
do
{
print ($x );
} until ($x eq 2);
print ($z );
```

What is the result of executing this program code?

A. The code will output the following:

1 2 3

B. The code will output the following:

3

C. The code will output the following:

2 3

D. The code will output the following:

3 2 1

Answer: A

2. Running your Perl scripts with a d switch will perform which task?

A. Invoke the Perl debugger

B. Send standard error to a file

C. Disable breakpoints

D. Display a stack trace

Answer: A

3. Consider the following program code:

```
$x = 150;
$y = "250";
if (($x + 100) == $y) { print("1 "); }
```

```
if ("250" == $y) { print("2 "); }  
if ("250" eq $y) { print("3 "); }  
if ($x lt $y) { print("4 "); }  
if ($x ge $y) { print("5 "); }
```

What is the result of executing this program code?

A. The code will output the following:

1 2 3 4

B. The code will output the following:

1 3 4

C. The code will output the following:

1 3 5

D. The code will output the following:

1 2 3 4 5

Answer: A

4. Consider the following program code:

```
@array = (10, Masami, 10..13, Niklas);  
for ($i = 1; $i < $#array; $i++)  
{  
  print($array[$i] );  
}
```

What is the result of executing this program code?

A. The code will output the following:

Masami 10 11 12 13

B. The code will output the following:

10 Masami 10 11 12 13

C. The code will output the following:

10 Masami 11 12 13 Niklas

D. The code will output the following:

Masami 10 11 12 13 Niklas

Answer: A

5. Consider the following code block:

```
BEGIN {print ("Jan ");}  
BEGIN {print ("Feb ");}  
END {print ("Mar ");}  
END {print ("Apr ");}  
Print ("May ");
```

What is the result of this code block?

A. Jan Feb May Apr Mar

B. Jan Feb Mar Apr May

C. Mar Apr May Jan Feb

D. May Jan Feb Mar Apr

Answer: A

6. Consider that a file named test.txt contains this line of text:

One line of test text.

What is the output of the following lines of code?

```
$file = "test.txt";  
open (OUT, "<$file") || (die "cannot open $file: $!");  
seek(OUT, 15, 0);  
read(OUT, $buffer, 5);  
print $buffer . "n";
```

```
print tell(OUT);
```

A. t text

20

B. t tex

19

C. t text

19

D. t tex

20

Answer: D

7. Which line of code represents the correct syntax to establish a reference to a database handle?

A. \$dbh = DBI::connect("dbi:mysql:myPhoneBook");

B. \$dbh = DBD:->connect("dbi::mysql::myPhoneBook");

C. \$dbh = DBD::connect("mysql:dbi:myPhoneBook");

D. \$dbh = DBI->connect("dbi:mysql:myPhoneBook");

Answer: D

8. Consider the following program code:

```
$x = 10;
```

```
LOOP: while ($x < 15)
```

```
{
```

```
print ($x );
```

```
if ($x >= 14 && $x <= 20)
```

```
{
```

```
$x += 2;
```

```
redo LOOP;
```

```
}
```

```
else
```

```
{
```

```
$x++;
```

```
}
```

What is the result of executing this program code?

A. The code will output the following:

11 12 13 14 15 16 17 18 19

B. The code will output the following:

10 11 12 13 14 16 18 20 22

C. The code will output the following:

10 11 12 13 14 16 18 20

D. The code will output the following:

10 11 12 13 14 15 16 17 18 19 20

Answer: B

9. Consider the following program code:

```
%employees = ("Lucy", "Accounting", "Armando", "Finance",
```

```
"Adrienne", "Marketing");
```

```
delete($employees{"Lucy"});
```

Which of the following lines of code has the same effect as the preceding code?

A. %employees = ("Adrienne", "Marketing");

B. %employees = ("Lucy", "Accounting");

C. %employees = ("Lucy", "Accounting", "Armando", "Finance");

D. %employees = ("Armando", "Finance", "Adrienne", "Marketing");

Answer: D

10. Consider the following program code:

```
$x = 0;
$y = 5;
do
{
print ($x $y );
}
while (++$x < 5 && ++$y < 10);
print ($x $y );
```

What is the result of executing this program code?

A. The code will output the following:

1 6 2 7 3 8 4 8 5 10 6 11

B. The code will output the following:

0 5 1 6 2 7 3 8 4 9 4 9

C. The code will output the following:

0 5 1 6 2 7 3 8 4 9 5 10

D. The code will output the following:

0 5 1 6 2 7 3 8 4 9 5 9

Answer: D

11. Consider the following program code:

```
$val = 5;
if ($val++ == 6)
{
print("True ");
}
else
{
print("False ");
}
if ($val++ == 6)
{
print("True ");
}
else
{
print("False ");
}
```

What is the output of this code?

A. False False

B. False True

C. True False

D. True True

Answer: B

12. Consider the following statement:

```
$buffer = a string;
```

Also consider that a file named test.txt contains the following line of text:

One line of test text.

What is the output of the following lines of code?

```
$file = "test.txt";
open (OUT, "<$file") || (die "cannot open $file: $!");
read(OUT, $buffer, 15, 4);
```

print \$buffer;

- A. a strOne line of test
- B. a stOne line of tes
- C. a strOne line of tes
- D. a stOne line of test

Answer: B

13. Consider the program code in the attached exhibit. What is the result of executing this program code?

A. The code will output the following:

20 100 Apple Grapefruit Orange

B. The code will output the following:

Apple Grapefruit Orange 20 100

C. The code will output the following:

100 20 Apple Grapefruit Orange

D. The code will output the following:

Orange Grapefruit Apple 100 20

Answer: B

14. Consider the following program code:

```
%hash = (small => 8oz,  
medium => 16oz,  
large => 32oz);  
@keys = sort(keys(%hash));  
for ($i = 0; $i < 3; $i++) {  
print($hash{$keys[$i]}n);  
}
```

What is the result of executing this program code?

A. The code will fail at line 1 because a hash cannot contain both numeric and string data.

B. The code will execute without error but will output nothing.

C. The code will output the following:

32oz

16oz

8oz

D. The code will output the following:

large

medium

small

Answer: C

15. Which one of the following choices uses the correct syntax for a valid array assignment?

A. @cities = Akron, Memphis, Ogden, Phoenix;

B. @cities =~ ("Akron, Memphis");

C. @cities =~ (Akron, Memphis, Ogden, Phoenix);

D. @cities = ("Akron");

Answer: D

16. Consider the following lines of code:

```
@array1 = ("apples", "oranges", "pears", "plums");
```

```
foreach (@array1) {print "$_n";}
```

What is the result of these lines of code?

A. applesorangespearsplums

B. apples oranges pears plums

C. apples

D. apples  
oranges  
pears  
plums

Answer: D

17. Consider the following code:

```
%chars = ("a", "100", "b", "90", "c", "80");
```

Which one of the following choices will reverse the key/value pairing of the code?

- A. reverse(%chars);
- B. %chars = reverse(%chars);
- C. reverse(%chars) = %chars;
- D. invert(%chars);

Answer: B

18. Assuming \$a = 2, which of the following evaluates as false?

- A. "False"
- B. \$a
- C. \$a < 0
- D. 1

Answer: C

19. Which statement will print the capital attribute of the \$kansas object?

- A. print ("capital"=>\$kansas);
- B. print {\$kansas}>=>(capital);
- C. print (capital)<={\$kansas};
- D. print \$kansas->{"capital"};

Answer: D

20. Consider the following program code:

```
@stack = (10, 10..25);  
push(@stack, yellow);  
shift(@stack);  
push(@stack, white);  
print shift(@stack);
```

What is the result of executing this program code?

- A. The code will fail at line 3 because shift requires two arguments.
- B. The code will output the following:  
11
- C. The code will output the following:  
10
- D. The code will output the following:

white

Answer: C

### [1D0-437 Braindumps](#)

#### **Related 1D0-437 Exams**

[1D0-435](#) CIW JAVA XSCRIPT FUNDAMENTALS

[1D0-437](#) CIW PERL FUNDAMENTALS

[1D0-430](#) CIW Application Developer

**Other CIW Exams**

<u>1D0-435</u>	<u>1D0-410</u>	<u>1D0-532</u>	<u>1D0-520</u>	<u>1D0-510</u>	<u>1D0-571</u>	<u>1D0-570</u>	<u>1D0-441</u>
<u>1D0-470</u>	<u>1D0-425</u>	<u>1D0-538</u>	<u>1D0-442</u>	<u>1D0-525</u>	<u>1D0-437</u>	<u>1D0-460</u>	<u>1D0-51B</u>
<u>1D0-475</u>	<u>1D0-476</u>	<u>1D0-430</u>	<u>1D0-450</u>				