

1D0-442 braindumps

CIW CIW Certified Instructor Master CIW Enterprise Developer

1D0-442: CIW ENTERPRISE SPECIALIST

Practice Exam: 1D0-442 Exams

Exam Number/Code: 1D0-442

Exam Name: CIW ENTERPRISE SPECIALIST

Questions and Answers: 168 Q&As

([CIW Certified Instructor Master CIW Enterprise Developer](#))



"CIW ENTERPRISE SPECIALIST", also known as 1D0-442 exam, is a CIW certification. With the complete collection of exam questions, Just4Study has assembled to take you through 168 Q&As to your 1D0-442 exam preparation. In the 1D0-442 exam resources, you will cover every field and category in CIW Certification helping to ready you for your successful CIW Certification.

Exam : [1D0-442](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for CIW CIW Certified Instructor 1D0-442 (CIW ENTERPRISE SPECIALIST) examination of original title complete coverage. 1D0-442 exam questions help you pass the exam.

Just4Study 1D0-442 Feature:

* High quality - High quality and valued for the 1D0-442 Exam: 100% Guarantee to Pass Your 1D0-442 exam and get your CIW Certified Instructor certification.

* Authoritative - Authoritative braindumps with complete details about 1D0-442 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CIW Certified Instructor resources, you will minimize your **CIW CIW Certified Instructor** cost and be ready to pass your 1D0-442 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free CIW Certified Instructor demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1D0-442 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1D0-442 Demo Download

Just4Study offers free demo for CIW Certified Instructor 1D0-442 exam (CIW ENTERPRISE SPECIALIST). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **CIW CIW Certified Instructor Master CIW Enterprise Developer 1D0-442** examination of original title complete coverage. 1D0-442 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 1D0-442

Exam Name: CIW ENTERPRISE SPECIALIST(CIW Certified Instructor Master CIW Enterprise Developer)

Questions and Answers: 168 Q&A

[CIW 1D0-442](#) Test belongs to one of the CIW Certified Instructor Master CIW Enterprise Developer certified test, if

needs to obtain the CIW Certified Instructor Master CIW Enterprise Developer certificate, you also need to participate in other related test, the details you may visit the [CIW Certified Instructor Master CIW Enterprise Developer](#) certified topic, in there, you will see all related CIW Certified Instructor Master CIW Enterprise Developer certified subject of examination.

Just4Study professional provide CIW Certified Instructor Master CIW Enterprise Developer 1D0-442 the newest Q&A, completely covers 1D0-442 test original topic. With our complete CIW Certified Instructor Master CIW Enterprise Developer resources, you will minimize your CIW Certified Instructor Master CIW Enterprise Developer cost and be ready to pass your 1D0-442 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

***Just4Study.com** offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : CIW 1D0-442

Title : CIW ENTERPRISE SPECIALIST

1. Which client application could benefit from the use of a callback object?

- A. A Java Micro Edition application that notifies the user of a hand-held computer when traffic conditions have improved along a given freeway
- B. A Java applet that allows users to send an e-mail message to the quality control department
- C. A Java application used by police officers in the field to retrieve vehicle registration information from a remote database by supplying a complete or partial license plate number
- D. A Java applet that retrieves a map image when given a street address

Answer: A

2. Which parameter-passing modes result in the marshalling of data from the server on its way to the client?

- A. in
- B. outin
- C. out
- D. inout

Answer: CD

3. A finder method in an entity bean is written to find more than one primary key. Which statement correctly describes the invocation of this type of `ejbFind...()` method?

- A. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding `ejbFind...()` method. The home object instantiates a remote object for each primary key, with a collection of remote references returned to the client.
- B. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding `ejbFind...()` method. The home object instantiates a collection of remote objects for each primary key, with individual remote references returned to the client.
- C. When a client calls a multiple row finder method, the remote object invokes the corresponding `ejbFind...()` method. The remote object then returns a collection of remote references to the client.
- D. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding `ejbFind...()` method. The home object instantiates a collection of primary key references and returns them to the client.

Answer: A

4. The `ejbRemove()` method for an enterprise bean contains the following line of code:

```
prepStmt = dbConn.prepareStatement ("DELETE  
FROM MyTable
```

WHERE MyKey = ?");

What type of enterprise bean might this be?

- A. Stateful session bean
- B. BMP entity bean
- C. CMP entity bean
- D. Stateless session bean

Answer: ABD

5. Consider the following IDL definition:

You want to use this IDL definition to allow clients to update the location of an aircraft by passing an instance of Radar Info to the remote method.

Which statement is true of your design?

- A. The remote method will not be able to extract information from parameter ri because it is defined as an out parameter.
- B. The IDL definition allows an instance of Radar Info to be passed to the server-side implementation.
- C. The remote method will not be able to extract information from parameter ri because it is a struct type.
- D. Instances of Radar Info may be published to the naming service and accessed remotely.

Answer: A

6. You are using container-managed transactions for your entity bean. Which choice lists the methods that must have transaction attributes defined?

- A. Remote interface: all business methods and the remove() method.
Home interface: all finder methods.
- B. Remote interface: all business methods.
Home interface: the two remove() methods and all finder methods.
- C. Remote interface: all business methods and the remove() method.
Home interface: all finder methods, the create() method, and the two remove() methods.
- D. Remote interface: the remove() method.
Home Interface: the create() method and the remove() method.

Answer: C

7. Which statement correctly describes the EJBHome interface?

- A. The EJBHome interface is extended by all home interfaces, which provide methods to create, find and remove enterprise beans.
- B. The EJBHome interface is extended by all home interfaces, which provide a clients view of an enterprise bean.
- C. The EJBHome interface is extended by all home interfaces and is the common superinterface for the SessionBean and EntityBean interfaces.
- D. The EJBHome interface is extended by all home interfaces, which the container uses to inform enterprise beans about life cycle events.

Answer: A

8. An entity beans class contains the following method signature:

```
public Integer.ejbCreate (int partNum, String partDescription,  
float partCost, String partSupplier) throws CreateException
```

Which statement is true of the beans.ejbCreate() method?

- A. An.ejbPostCreate() method with the same number and types of parameters must be present in the beans remote interface.
- B. An.ejbPostCreate() method with the same method signature must be present in the beans home interface.
- C. An.ejbPostCreate() method with the same number and types of parameters must be present in the beans class.
- D. An.ejbPostCreate() method with the same method signature must be present in the beans class.

Answer: C

9. The IDL type unsigned long long maps to which Java primitive data type?

- A. double
- B. short
- C. long
- D. int

Answer: C

10. Which statement correctly describes the EJBContext interface?

- A. The EJBContext interface defines methods that allow clients to find, create and remove enterprise beans.
- B. The EJBContext interface defines methods that allow clients to ascertain information about run-time status for enterprise beans.
- C. The EJBContext interface defines methods that allow clients to obtain metadata for enterprise beans.
- D. The EJBContext interface defines methods that allow clients to obtain network references to enterprise beans.

Answer: B

11. Consider the following Java code fragment:

What is the purpose of this code fragment?

- A. The code fragment attempts to extract an object reference named A maintained within a naming context named B.
- B. The code fragment attempts to extract an object reference named B maintained within a naming context named A.
- C. The code fragment attempts to extract an object reference A of data type B.
- D. The code fragment attempts to extract an object reference B of data type A.

Answer: A

12. A business method is being invoked on an entity bean. The entity bean has been instantiated, but has been placed in the entity bean pool by the container due to inactivity. Based on this scenario, consider the following steps:

- 1.The home object calls the `ejbLoad()` method.
- 2.The EJB object sends the business method invocation to the entity bean.
- 3.The EJB object notifies the container that an entity bean instance is required.
- 4.The entity bean uses the primary key obtained from the EJB object to populate its fields.

In which order will these steps occur?

- A. 3, 1, 2, 4
- B. 3, 1, 4, 2
- C. 2, 3, 4, 1
- D. 2, 3, 1, 4

Answer: B

13. The IDL type `unsigned short` maps to which Java primitive data type?

- A. byte
- B. long
- C. int
- D. short

Answer: D

14. An EJB client invokes a `create()` method. An EJB container instantiates an enterprise bean as the result of this method call. The bean is then held in a pool awaiting a method invocation. To which type of enterprise bean does this process refer?

- A. BMP entity bean
- B. CMP entity bean
- C. Stateless session bean
- D. Stateful session bean

Answer: C

15. Which statement correctly describes CMP entity beans and finder methods?

- A. The beans class should contain empty `ejbFind()` methods with corresponding `find()` methods defined in the remote

interface.

- B. The beans class should not contain `ejbFind()` methods; empty `find()` methods are defined in the home interface.
- C. The beans class should not contain `ejbFind()` methods; empty `find()` methods are defined in the remote interface.
- D. The beans class should contain empty `ejbFind()` methods with corresponding `find()` methods defined in the home interface.

Answer: B

16. Which type of factory object returns references to objects that reside within the same process as the factory object?

- A. Out-process
- B. Generic
- C. Specific
- D. In-process

Answer: D

17. Consider the following IDL definition:

Which statement correctly describes this IDL definition?

- A. The IDL definition properly defines a factory object that may be used to obtain a reference to a Stock object.
- B. The IDL definition cannot be compiled due to an error at line 13.
- C. The IDL definition cannot be compiled due to an error at line 5.
- D. The IDL definition cannot be compiled due to an error at line 11.

Answer: A

18. Which choice defines the term isolation when used to describe the properties of a transaction?

- A. Isolation guarantees that a transaction will either result in a new valid system, or the system will be restored to its original state.
- B. Isolation guarantees that a committed transaction will persist despite any type of system failure.
- C. Isolation guarantees that logically related operations are dealt with as a single unit.
- D. Isolation guarantees that transactions running at the same time will not have access to each others partial results.

Answer: D

19. What is the purpose of the `InitialContext` constructor?

- A. To acquire a default JNDI context
- B. To construct a database connection
- C. To access a beans remote interface
- D. To obtain a starting point into a servers namespace

Answer: AD

20. When and by what is the `ejbLoad()` method invoked?

- A. The `ejbLoad()` method is invoked by the container just after the `ejbActivate()` method.
- B. The `ejbLoad()` method is invoked by the client just prior to the `ejbActivate()` method.
- C. The `ejbLoad()` method is invoked by the client just after the `ejbActivate()` method.
- D. The `ejbLoad()` method is invoked by the container just prior to the `ejbActivate()` method.

Answer: A

[1D0-442 Braindumps](#)

Related 1D0-442 Exams

[1D0-442](#) CIW ENTERPRISE SPECIALIST

[1D0-441](#) CIW DATABASE SPECIALIST

[1D0-538](#) OBJECT ORIENTED ANALYSIS AND DESIGN TEST(JCERT)

[1D0-51B](#) CIW v5 Foundations SDF Module

Other CIW Exams

<u>1D0-525</u>	<u>1D0-410</u>	<u>1D0-425</u>	<u>1D0-470</u>	<u>1D0-450</u>	<u>1D0-437</u>	<u>1D0-570</u>	<u>1D0-420</u>
<u>1D0-430</u>	<u>1D0-476</u>	<u>1D0-571</u>	<u>1D0-475</u>	<u>1D0-441</u>	<u>1D0-510</u>	<u>1D0-51B</u>	<u>1D0-435</u>
<u>1D0-538</u>	<u>1D0-460</u>	<u>1D0-520</u>	<u>1D0-532</u>				