

1D0-532 braindumps

CIW CIW Other Certification

1D0-532: CIW WEB DEVELOPER(JCERT)

Practice Exam: 1D0-532 Exams

Exam Number/Code: 1D0-532

Exam Name: CIW WEB DEVELOPER(JCERT)

Questions and Answers: 120 Q&As

([CIW Other Certification](#))



"CIW WEB DEVELOPER(JCERT)", also known as 1D0-532 exam, is a CIW certification. With the complete collection of exam questions, Just4Study has assembled to take you through 120 Q&As to your 1D0-532 exam preparation. In the 1D0-532 exam resources, you will cover every field and category in CIW Certification helping to ready you for your successful CIW Certification.

Exam : [1D0-532](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for CIW CIW Other Certification 1D0-532 (CIW WEB DEVELOPER(JCERT)) examination of original title complete coverage. 1D0-532 exam questions help you pass the exam.

Just4Study 1D0-532 Feature:

* High quality - High quality and valued for the 1D0-532 Exam: 100% Guarantee to Pass Your 1D0-532 exam and get your CIW Other Certification certification.

* Authoritative - Authoritative braindumps with complete details about 1D0-532 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CIW Other Certification resources, you will minimize your **CIW CIW Other Certification** cost and be ready to pass your 1D0-532 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free CIW Other Certification demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1D0-532 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1D0-532 Demo Download

Just4Study offers free demo for CIW Other Certification 1D0-532 exam (CIW WEB DEVELOPER(JCERT)). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **CIW CIW Other Certification 1D0-532** examination of original title complete coverage.1D0-532 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 1D0-532

Exam Name: CIW WEB DEVELOPER(JCERT)(CIW Other Certification)

Questions and Answers: 120 Q&A

[CIW 1D0-532](#) Test belongs to one of the CIW Other Certification certified test, if needs to obtain the CIW Other

Certification certificate, you also need to participate in other related test, the details you may visit the [CIW Other Certification](#) certified topic, in there, you will see all related CIW Other Certification certified subject of examination. Just4Study professional provide CIW Other Certification 1D0-532 the newest Q&A, completely covers 1D0-532 test original topic. With our complete CIW Other Certification resources, you will minimize your CIW Other Certification cost and be ready to pass your 1D0-532 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : CIW 1D0-532

Title : CIW v5 E-Commerce Designer

1. A client has accessed a servlet via a form that uses an HTTP POST request. Which two methods could be used by the servlet to obtain information input within the form?
- A. Using the servlet object's `getServletInfo` method
 - B. Using the request object's `getAttribute` method
 - C. Using the request object's `getParameter` method
 - D. Using the `ServletConfig`'s `getInitParameter` method
 - E. Using the request object's `getParameterValues` method
 - F. Using the request object's `getAttributeValues` method

Answer: CE

2. All of the following are faultcode values defined in the SOAP 1.1 specification EXCEPT:

- A. VersionMismatch
- B. MustUnderstand
- C. Client
- D. Server
- E. Network

Answer: E

3. Which two of the following should be avoided in order for a servlet that does not implement the `SingleThreadModel` to be thread safe?

- A. Class variables
- B. Instance variables
- C. Local variables
- D. Class methods
- E. Instance methods

Answer: AB

4. Given the following HTML form on a Web page:

```
<FORM ACTION="http://localhost:7001/phoneBook" METHOD="GET">
```

```
<H1>Phone Book</H1>
```

```
<CENTER>
```

```
<p>
```

```
Last Name: <INPUT TYPE="TEXT" NAME="last" SIZE="25" VALUE="Smith"><p>
```

```
First Name: <INPUT TYPE="TEXT" NAME="first" SIZE="25" VALUE="John"><p>
```

```
Phone Number: <INPUT TYPE="TEXT" NAME="phone" SIZE="17" VALUE="4567890"><p>
```

```
<p><INPUT TYPE="SUBMIT">
```

```
</CENTER>
```

</FORM>

If the user who is presented with this form simply clicks the Submit button without updating any fields, what URL (and associated query string) will the browser attempt to access?

- A. `http://localhost:7001/phoneBook%last=Smith?first=John?phone=4567890`
- B. `http://localhost:7001/phoneBook?text=Smith&text=John&number=4567890`
- C. `http://localhost:7001/phoneBook?Last Name=Smith&First Name=John&Phone Number=4567890`
- D. `http://localhost:7001/phoneBook?last=Smith&first=John&phone=4567890`
- E. `http://localhost:7001/phoneBook` (with no associated query string)

Answer: D

5. An XML document that is valid:

- A. complies with XML syntax rules and the constraints described in a DTD or Schema.
- B. complies with XML syntax rules but not the constraints described in a DTD or Schema.
- C. does not necessarily comply with XML syntax rules but only the constraints described in a DTD or Schema.
- D. does not necessarily comply with XML syntax rules or the constraints described in a DTD or Schema, but can be parsed with an HTML browser.

Answer: A

6. A running Filter must call what method in order to ensure that the next filter in the filter chain is called?

- A. `Servlet.doFilter(Request,Response);`
- B. `FilterChain.doFilter(Request,Response);`
- C. `Filter.doFilter(Request,Response);`
- D. `Servlet.doChain(Request,Response);`
- E. `Filter.doChain(Request,Response);`
- F. `FilterChain.doChain(Request,Response);`

Answer: B

7. If four classes were instantiated in the following order, implementing the associated event listener, in what order would they be notified if the application were shut down?

CustomConnectionManager implements HttpSessionListener

CustomerManager implements ServletContextListener

OrderManager implements HttpSessionListener

ShoppingCartManager implements HttpSessionListener

- A. ShoppingCartManager, OrderManager, CustomerConnectionManager, CustomerManager
- B. ShoppingCartManager, CustomerManager, OrderManager, CustomConnectionManager
- C. CustomerManager, ShoppingCartManager, OrderManager, CustomConnectionManager
- D. CustomerManager, CustomConnectionManager, OrderManager, ShoppingCartManager

Answer: A

8. Which three of the following may be contained in a WAR file?

- A. Enterprise JavaBeans
- B. Servlets
- C. JavaServer Pages
- D. Applets
- E. Client-side Java applications

Answer: BCD

9. A client is to be sent to a servlet in a separate servletContext. Which of the following is the best way to accomplish this?

- A. `response.sendRedirect("http://www.testapp.com/OtherApp/servlets/OtherServlet");`
- B. `response.sendRedirect("/OtherApp/servlets/OtherServlet");`
- C. `getServletConfig().getServletContext().getRequestDispatcher("/Other/servlets/OtherServlet").forward(req,res);`
- D. `getServletConfig().getServletContext().getRequestDispatcher`

```
("http://www.testapp.com/OtherApp/servlets/OtherServlet").forward(req,res);
```

Answer: A

10. To develop a JAX-RPC Web Service application, a vendor-supplied development tool is used to create which of the following?

- A. WSDL document
- B. Skeleton class
- C. XML Schema
- D. SOAP messages

Answer: AB

11. Which would be the best exception to catch to ensure that all objects placed into a session in a clustered environment using Database-based session persistence properly implement Serializable where supported?

- A. NamingException
- B. IllegalArgumentException
- C. Exception
- D. java.rmi.RMIException

Answer: B

12. For J2EE 1.3, which of the following session methods would allow the developer to set the timeout period so that a session will be automatically invalidated if it has not been used during the specified interval?

- A. session.setTimeoutInterval()
- B. session.setInactiveTimeoutInterval()
- C. session.setMaxTimeoutInterval()
- D. session.setMaxInactiveInterval()

Answer: D

13. Which interface should an object implement in order to be notified that it is about to be added to or removed from the session?

- A. HttpSessionBindingListener
- B. HttpSessionActivationListener
- C. HttpSessionAttributeListener
- D. EventListener

Answer: A

14. What method in the ServletContext could be used to get an attribute called times_Accessed from the servlet context?

- A. getInitParameter(times_Accessed);
- B. getInitParameter("times_Accessed");
- C. getParameter(times_Accessed);
- D. getParameter("times_Accessed");
- E. getAttribute(times_Accessed);
- F. getAttribute("times_Accessed");

Answer: F

15. Which Web Services specification is most similar to a Java interface?

- A. UDDI
- B. SOAP
- C. WSDL
- D. ebXML

Answer: C

16. Valid reasons to use a Schema rather than a DTD when defining an XML document include all of the following

EXCEPT which?

- A. Schemas are more widely used.
- B. Schemas are described with XML syntax.
- C. Schemas are used to validate documents on content as well as data types.
- D. Schemas are capable of using namespaces.

Answer: A

17. A servlet has been configured in a deployment descriptor file with servlet-specific initialization parameters. Through which interface can a servlet access these initialization parameters?

- A. ServletConfig
- B. ServletContext
- C. HttpServletRequest
- D. HttpServletResponse

Answer: A

18. Which of the following is considered the best way to design a flexible API that does not require a servlet per activity?

- A. Embed the activity name in a hidden field. Let the servlet read the field to determine what must occur.
- B. Create a query string containing the activity name as a parameter. Let the servlet read the parameter to determine what must occur.
- C. Use a servlet mapping to make requests with the same suffix. Change the prefix to the action and let the servlet read the whole URL to determine what is required.

Answer: C

19. Which two scenarios will always result in the init method of a servlet being invoked?

- A. Every time a new client accesses the servlet
- B. When the server automatically reloads the servlet
- C. When an HTTP INIT type request is made by a client
- D. When the servlet is put into service after loading and instantiation

Answer: BD

20. The APIs used with JAXM applications are defined in which packages?

- A. javax.xml.messaging
- B. javax.xml.soap
- C. javax.xml.rpc
- D. javax.xml.registry

Answer: AB

21. A client browser has cookies turned off and is interacting with a servlet that is using HTTP sessions for client state management. According to J2EE Patterns best practices, which technique or technology should be used by the servlet programmer in order to maintain this client's state?

- A. Servlet filters
- B. Servlet events
- C. URL encoding
- D. Use of persistent sessions
- E. Creation of a new session at the beginning of the service method
- F. Hidden fields
- G. Client-side certificates

Answer: C

22. An application is designed to allow a customer to order concert tickets through a Web Service. If all other factors are identical, which scenario is LEAST likely to be appropriate for this application?

- A. Asynchronous Messaging

- B. Request/Response
- C. Remote Procedure Call
- D. Conversational Message Exchange

Answer: A

23. A SOAP file cannot include which of the following?

- A. DTD
- B. Envelope
- C. Body
- D. Namespace
- E. Processing instructions

Answer: AE

24. Which method would be used to call a registered servlet with the following attributes?

Site = www.jcert.org

Web application name = testApp

Servlet URI = TestServlet

- A. `getServletConfig().getServletContext().getRequestDispatcher("http://www.jcert.org/testApp/TestServlet").forward(req,res);`
- B. `getServletConfig().getServletContext().getRequestDispatcher("/testApp/TestServlet").forward(req,res);`
- C. `getServletConfig().getServletContext().getRequestDispatcher("/TestServlet").forward(req,res);`
- D. `getServletConfig().getServletContext().getRequestDispatcher("TestServlet").forward(req,res);`

Answer: C

25. What is the best scope in which to store an object containing display data that is to be sent from a servlet acting as a controller to a JSP page with the session disabled?

- A. page
- B. request
- C. session
- D. application/servletContext

Answer: B

26. Consider the following HTML:

```
<HTML lang="en">
<HEAD>
<TITLE>My Title</TITLE>
</HEAD>
<BODY>
<P lang="es">
Alpha
</P>
Beta
<P lang="de">Gamma</P>
<P lang="it">
<H1> Delta </H1>
</P>
</BODY>
</HTML>
```

The HTML above displays four words: Alpha, Beta, Gamma and Delta. Which of these words would be interpreted by a Web browser as being written in English?

- A. Alpha
- B. Beta
- C. Gamma

D. Delta

Answer: B

27. Which of the following is NOT a major element used to define a service in WSDL?

A. Types

B. Message

C. Port type

D. Service

E. Namespace

Answer: E

28. At the top of a JSP the following directive appears:

```
<%@ page isErrorPage="true"%>
```

What does this indicate about the JSP?

A. That an exception will be thrown within the JSP

B. That it will have access to an implicit object called exception

C. That any exceptions thrown within the JSP should be ignored

D. That if any errors or exceptions occur within the current JSP, they will be handled by another JSP

Answer: B

29. Which default document information can be set through a META element?

A. Scripting language

B. Style sheet language

C. Document character encoding

D. Text direction

E. Language

Answer: ABC

30. A JSP contains the following include directive:

```
<%@ include file="copyright.html" %>
```

What occurs when a JSP is called that includes this directive?

A. During processing this directive will force execution control to be passed to the included file for output to be added to the output stream before control is returned to the original JSP.

B. At translation time the content of the included file is statically added directly to the including JSP at the top of the page.

C. At translation time the content of the included file is statically added directly to the including JSP at the exact location of the include directive.

D. During processing this directive will allow a JavaBean to be declared for use throughout the JSP.

Answer: C

[1D0-532 Braindumps](#)

Related 1D0-532 Exams

[1D0-571](#) CIW v5 Security Essentials

[1D0-541](#) CIW v5 Database Design Specialist

[1D0-520](#) CIW v5 Site Designer

[1D0-525](#) CIW v5 E-Commerce Designer

[1D0-410](#) CIW Foundations

[1D0-476](#) MASTER-CIW ADMINISTRATOR FOR INTEL PROFESSIONALS

[1D0-532](#) CIW WEB DEVELOPER(JCERT)

[1D0-475](#) MASTER-CIW ADMINISTRATOR FOR MICROSOFT AND NOVELL PROFESSIONALS

Other CW Exams

<u>1D0-430</u>	<u>1D0-470</u>	<u>1D0-525</u>	<u>1D0-541</u>	<u>1D0-442</u>	<u>1D0-425</u>	<u>1D0-476</u>	<u>1D0-435</u>
<u>1D0-51B</u>	<u>1D0-570</u>	<u>1D0-450</u>	<u>1D0-510</u>	<u>1D0-437</u>	<u>1D0-475</u>	<u>1D0-532</u>	<u>1D0-538</u>
<u>1D0-460</u>	<u>1D0-441</u>	<u>1D0-520</u>	<u>1D0-571</u>				