

1Y0-731 braindumps

Citrix Citrix Other Certification

1Y0-731: Citrix Netsoaler 8.0: Administration Exam

Practice Exam: 1Y0-731 Exams

Exam Number/Code: 1Y0-731

Exam Name: Citrix Netsoaler 8.0: Administration Exam

Questions and Answers: 98 Q&As

([Citrix Other Certification](#))



"Citrix Netsoaler 8.0: Administration Exam", also known as 1Y0-731 exam, is a Citrix certification. With the complete collection of exam questions, Just4Study has assembled to take you through 98 Q&As to your 1Y0-731 exam preparation. In the 1Y0-731 exam resources, you will cover every field and category in Citrix Certification helping to ready you for your successful Citrix Certification.

Exam : [1Y0-731](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Citrix Citrix Other Certification 1Y0-731 (Citrix Netsoaler 8.0: Administration Exam) examination of original title complete coverage. 1Y0-731 exam questions help you pass the exam.

Just4Study 1Y0-731 Feature:

* High quality - High quality and valued for the 1Y0-731 Exam: 100% Guarantee to Pass Your 1Y0-731 exam and get your Citrix Other Certification certification.

* Authoritative - Authoritative braindumps with complete details about 1Y0-731 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Citrix Other Certification resources, you will minimize your **Citrix Citrix Other Certification** cost and be ready to pass your 1Y0-731 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Citrix Other Certification demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1Y0-731 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1Y0-731 Demo Download

Just4Study offers free demo for Citrix Other Certification 1Y0-731 exam (Citrix Netsoaler 8.0: Administration Exam). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Citrix Citrix Other Certification 1Y0-731** examination of original title complete coverage. 1Y0-731 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 1Y0-731

Exam Name: Citrix Netsoaler 8.0: Administration Exam(Citrix Other Certification)

Questions and Answers: 98 Q&A

[Citrix 1Y0-731](#) Test belongs to one of the Citrix Other Certification certified test, if needs to obtain the Citrix Other Certification certificate, you also need to participate in other related test, the details you may visit the [Citrix Other Certification](#) certified topic, in there, you will see all related Citrix Other Certification certified subject of examination. Just4Study professional provide Citrix Other Certification 1Y0-731 the newest Q&A, completely covers 1Y0-731 test original topic. With our complete Citrix Other Certification resources, you will minimize your Citrix Other Certification cost and be ready to pass your 1Y0-731 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Citrix 1Y0-731

Title : Citrix Netsoaler 8.0: Administration Exam

1. A company is planning on implementing NetScaler systems in High Availability pairs.

Which entry in the NS.CONF file of the secondary system needs to be unique from those of the primary system?

- A. VMAC
- B. Node ID
- C. MIP address
- D. NSIP address

Answer: D

2. Scenario: A company based in Beijing was unable to reach their data center for more than a week due to a nearby earthquake. The company now has Distributed Data Centers in multiple regions, including a disaster recovery center, to increase redundancy. The company wants their new NetScaler systems to load balance these centers.

Which NetScaler feature will allow load balancing across these centers only for redundancy?

- A. Global Server Load Balancing to make load balancing decisions between the two sites
- B. TCP-based content switching to make a decision between the load balance virtual servers
- C. Proximity-based Global Server Load Balancing based on the RTT of client requests to virtual servers
- D. SNMP load monitor bound to each location and bound to the default NetScaler metric table and with the appropriate SNMP OIDs to load balance the different locations

Answer: A

3. Scenario: An administrator is planning to deploy NetScaler systems in an environment with multiple IP subnets, one of which is non-routable. The company is an online retailer and needs outbound connections from the non-routable subnet in order to verify credit cards.

What will an administrator need to configure to meet the company's requirements?

- A. SIP
- B. USIP
- C. RNAT
- D. USNIP
- E. Layer 2 mode

Answer: C

4. A large e-commerce company is planning on integrating NetScaler systems into their network environment. The company requires that the original client IP addresses be recorded in the web server logs.

Which two features on the NetScaler could accomplish this? (Choose two.)

- A. USIP
- B. RNAT
- C. USNIP

- D. Edge mode
- E. Client IP insertion

Answer: AE

5. An SNMP manager attempted to poll for an OID but received the error message: "response timeout."
Which two options could the administrator have misconfigured for SNMPv2 to cause this error message? (Choose two.)

- A. SNMP user
- B. SNMP group
- C. SNMP manager
- D. SNMP community

Answer: CD

6. How many untagged VLANs can an administrator configure on a single interface?

- A. 1
- B. 2
- C. 16
- D. 256
- E. 4,096

Answer: A

7. What must an administrator configure the NetScaler log to record in order to know when someone has altered the system configurations?

- A. Access logs
- B. Event messages
- C. System counters
- D. Audited commands

Answer: D

8. Which two modes could a NetScaler system be deployed in if all traffic must pass through the NetScaler? (Choose two.)

- A. HA inline
- B. HA one-arm
- C. Stand-alone inline
- D. Stand-alone one-arm

Answer: AC

9. A multinational company with two server farms wants to set-up a NetScaler system with High Availability as shown in the attached exhibit without using content switching.

How many virtual IP addresses will the administrator need for the environment set up to work?

Click the Exhibit button to view the environment.

- A. One
- B. Two
- C. Three
- D. Four

Answer: B

10. The auditing and security policy of a company requires that all transactions that can be logged must be logged.

Which option must an administrator configure a syslog server for to meet this requirement?

- A. Device counters
- B. System counters
- C. HTTP transactions
- D. Audited commands

Answer: D

11. Scenario: A company is deploying a NetScaler system in a network environment with some subnets open to the public Internet and one non-routable subnet. The administrator plans on enabling Use-Subnet-IP mode and disabling Use-Source-IP mode.

Which two IP addresses can the administrator set as source IP addresses for connections to back-end servers?

(Choose two.)

- A. VIP
- B. MIP
- C. SNIP
- D. NSIP

Answer: BC

12. Which option must an administrator enable on a NetScaler system to route packets that are not destined for the NetScaler?

- A. L2 mode
- B. L3 mode
- C. Static route advertisement
- D. Dynamic route advertisement

Answer: B

13. An administrator should configure Link Aggregation on a NetScaler system when _____. (Choose the correct option to complete the sentence.)

- A. redundancy on a half duplex operation is required
- B. redundancy on an operation across multiple data rates is required
- C. network connections between LAN switches and network servers require more than 1Gb/sec
- D. network connections between LAN switches and network servers require more than 8 Gb/sec

Answer: C

14. Scenario: An administrator is configuring monitoring for web servers in the environment that often results in services being marked as DOWN because of slow back-end servers. The administrator wants to configure the virtual server and services so that existing connections stay open when a service is marked down but not when a virtual server is marked DOWN.

How must the administrator configure the service and virtual server to reflect this dependency?

- A. `set lb vserver lbv1 -downStateFlush DISABLED`
`set service svc1 -downStateFlush ENABLED`
- B. `set lb vserver lbv1 -downStateFlush ENABLED`
`set service svc1 -downStateFlush ENABLED`
- C. `set lb vserver lbv1 -downStateFlush DISABLED`
`set service svc1 -downStateFlush DISABLED`
- D. `set lb vserver lbv1 -downStateFlush ENABLED`
`set service svc 1 -downStateFlush DISABLED`

Answer: D

15. What does an administrator need to configure in order for a NetScaler system to advertise virtual IP addresses, directly connected routes and static routes on the upstream routers?

- A. Static Routes
- B. Link Load Balancing
- C. Route Health Injection
- D. Front-end Health Check

Answer: C

16. An administrator plans to configure a NetScaler system to resolve DNS queries using an external DNS server with

an IP address of 10.10.10.1.

Which command could the administrator use to configure this?

- A. add nameserver DNS1 10.10.10.1
- B. add lb vserver DNS1 dns 10.10.10.1
- C. add server DNS1 10.10.10.1 -external
- D. add nameserver DNS1 dns 10.10.10.1 -local

Answer: A

17. Scenario: A company has distributed Internet sites and installations are spread across multiple network locations and requires load balancing to be based on the client's proximity to the site, with the least amount of configuration.

What must the administrator do to ensure GSLB uses the appropriate load balancing method?

- A. Enable and configure Dynamic Proximity based Global Server Load Balancing.
- B. Enable Dynamic Network Proximity based on the RTT of the client accessing the load balancing virtual server.
- C. Enable DNS view based Static Proximity through an Advanced expression to extract the client IP and compare it to the subnet of the site.
- D. Enable Proximity based Global Server Load Balancing and use the location's database to enter the MAC address of all the clients and the corresponding site to which they should make the connection.

Answer: A

18. Which type of VLAN is used when an administrator leaves the NetScaler system interfaces on the default VLAN?

- A. Tagged
- B. Port-based
- C. MAC-based
- D. Protocol-based

Answer: B

19. Scenario: An administrator introduced two new servers into a server farm that can handle more traffic than the older servers. The current load balancing method set for the virtual server managing the traffic for this group of servers is Least Connections. The administrator wants to maintain the load balancing method but also wants to use the new servers to improve performance by having them take more of the traffic than the older servers.

Which advanced option must the administrator configure to achieve this?

- A. Spillover
- B. Max Client
- C. Backup vserver
- D. Service Weights
- E. Global Setting Override

Answer: D

20. Scenario: An administrator is planning on deploying a NetScaler system into a network environment using SNMP. The administrator plans on enabling the 11 SNMP traps relating to request and response rates.

Which two objects must the administrator configure in order for the SNMP traps to send alerts? (Choose two.)

- A. SNMP destination
- B. Source IP address
- C. Threshold levels for the traps
- D. Additional IP addresses on which the SNMP service can respond to SNMP queries

Answer: AC

[1Y0-731 Braindumps](#)

Related 1Y0-731 Exams

[1Y0-A05](#) *Implementing Citrix XenApp 5.0 for Windows Server 2008*

[1Y0-264](#) *Citrix Presentation Server 4.5: Support Exam*

1Y0-308 Citrix Access Gateway 4.5 Advanced Edition: Administration

1Y0-A03 Citrix XenDesktop 2.0 Enterprise Edition: Administration

1Y0-A09 Implementing Citrix XenServer 5.0

1Y0-A11 Basic Administration for Citrix NetScaler 9.0

1Y0-A08 Advanced Administration for Citrix XenApp 5.0 for Windows Se

1Y0-A02 Citrix XenServer Enterprise Edition 4.1:Administration

1Y0-256 Citrix MetaFrame Presentation Server 4.0 Administration

1Y0-A06 Implementing Citrix Provisioning Server 5.0

1Y0-731 Citrix Netsoaler 8.0: Administration Exam

1Y0-A04 Gateway 8.1.Enterprise Edition: Administration

1Y0-740 Citrix WANScaler 4.2: Administration Exam

1Y0-A13 Implementing Citrix Access Gateway 9.0, Enterprise Edition

1Y0-326 Citrix Password Manager 4.0 Administration

1Y0-309 Citrix Access Gateway 8.0 Enterprise Edition: Administration

1Y0-A01 Citrix XenServer Enterprise Edition 4.0: Administration

1Y0-900 Citrix Provisioning Server 4.5: Administration

1Y0-613 Citrix Access Suite 4.0: Analysis

1Y0-800 Citrix EdgeSight 4.5: Admin, Perf.Mon & Load Testing

Other Citrix Exams

1Y0-962 1Y0-A14 1Y0-721 1Y0-258 1Y0-251 1Y0-310 1Y0-220 1Y0-A05

1Y0-259 1Y0-256 1Y0-700 1Y0-326 1Y0-223 1Y0-A13 1Y0-973 1Y0-A11

1Y0-A16 1Y0-613 1Y0-456 1Y0-306