

## 1Z0-051 braindumps

### Oracle Other Oracle Certification

#### 1Z0-051: Oracle Database: SQL Fundamentals I

**Practice Exam:** 1Z0-051 Exams

**Exam Number/Code:** 1Z0-051

**Exam Name:** Oracle Database: SQL Fundamentals I

**Questions and Answers:** 175 Q&As

( [Other Oracle Certification](#) )



"Oracle Database: SQL Fundamentals I", also known as 1Z0-051 exam, is a Oracle certification. With the complete collection of exam questions,

Exam : [1Z0-051](#)

Just4Study has assembled to take you through 175 Q&As to your 1Z0-051 exam preparation. In the 1Z0-051 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle Other Oracle Certification 1Z0-051 (Oracle Database: SQL Fundamentals I) examination of original title complete coverage. 1Z0-051 exam questions help you pass the exam.

#### **Just4Study 1Z0-051 Feature:**

\* High quality - High quality and valued for the 1Z0-051 Exam: 100% Guarantee to Pass Your 1Z0-051 exam and get your Other Oracle Certification certification.

\* Authoritative - Authoritative braindumps with complete details about 1Z0-051 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Other Oracle Certification resources, you will minimize your **Oracle Other Oracle Certification** cost and be ready to pass your 1Z0-051 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Other Oracle Certification demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1Z0-051 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 1Z0-051 Demo Download**

Just4Study offers free demo for Other Oracle Certification 1Z0-051 exam (Oracle Database: SQL Fundamentals I). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle Other Oracle Certification 1Z0-051** examination of original title complete coverage. 1Z0-051 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 1Z0-051**

Exam Name: Oracle Database: SQL Fundamentals I( Other Oracle Certification )

Questions and Answers: 175 Q&A

[Oracle 1Z0-051](#) Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination. Just4Study professional provide Other Oracle Certification 1Z0-051 the newest Q&A, completely covers 1Z0-051 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1Z0-051 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-051

Title : Oracle Database: SQL Fundamentals I

1. You need to produce a report where each customer's credit limit has been incremented by \$1000. In the output, the customer's last name should have the heading Name and the incremented credit limit should be labeled New Credit Limit. The column headings should have only the first letter of each word in uppercase .

Which statement would accomplish this requirement?

A. SELECT cust\_last\_name Name, cust\_credit\_limit + 1000

"New Credit Limit"

FROM customers;

B. SELECT cust\_last\_name AS Name, cust\_credit\_limit + 1000

AS New Credit Limit

FROM customers;

C. SELECT cust\_last\_name AS "Name", cust\_credit\_limit + 1000

AS "New Credit Limit"

FROM customers;

D. SELECT INITCAP(cust\_last\_name) "Name", cust\_credit\_limit + 1000

INITCAP("NEW CREDIT LIMIT")

FROM customers;

Answer: C

2. View the Exhibit and examine the data in the EMPLOYEES table.

You want to generate a report showing the total compensation paid to each employee to date.

You issue the following query:

```
SQL>SELECT ename ' joined on ' hiredate
```

```
', the total compensation paid is '
```

```
TO_CHAR(ROUND(ROUND(SYSDATE-hiredate)/365) * sal + comm)
```

```
"COMPENSATION UNTIL DATE"
```

```
FROM employees;
```

What is the outcome?

A. It generates an error because the alias is not valid.

B. It executes successfully and gives the correct output.

C. It executes successfully but does not give the correct output.

D. It generates an error because the usage of the ROUND function in the expression is not valid.

E. It generates an error because the concatenation operator can be used to combine only two items.

Answer: C

3. Which three statements are true regarding the data types in Oracle Database 10g/11g? (Choose three.)

A. Only one LONG column can be used per table.

- B. A TIMESTAMP data type column stores only time values with fractional seconds.
- C. The BLOB data type column is used to store binary data in an operating system file.
- D. The minimum column width that can be specified for a VARCHAR2 data type column is one.
- E. The value for a CHAR data type column is blank-padded to the maximum defined column width.

Answer: ADE

4. View the Exhibit and examine the structure of the PRODUCTS table.

All products have a list price.

You issue the following command to display the total price of each product after a discount of 25% and a tax of 15% are applied on it. Freight charges of \$100 have to be applied to all the products.

```
SQL>SELECT prod_name, prod_list_price -(prod_list_price*(25/100))
+(prod_list_price -(prod_list_price*(25/100))*(15/100))+100
AS "TOTAL PRICE"
```

FROM products;

What would be the outcome if all the parentheses are removed from the above statement?

- A. It produces a syntax error.
- B. The result remains unchanged.
- C. The total price value would be lower than the correct value.
- D. The total price value would be higher than the correct value.

Answer: B

5. Which two statements are true regarding the USING and ON clauses in table joins? (Choose two.)

- A. Both USING and ON clauses can be used for equijoins and nonequijoins.
- B. A maximum of one pair of columns can be joined between two tables using the ON clause.
- C. The ON clause can be used to join tables on columns that have different names but compatible data types.
- D. The WHERE clause can be used to apply additional conditions in SELECT statements containing the ON or the USING clause.

Answer: CD

6. Examine the structure of the PROMOTIONS table:

name Null Type

PROMO\_ID NOT NULL NUMBER(6)

PROMO\_NAME NOT NULL VARCHAR2(30)

PROMO\_CATEGORY NOT NULL VARCHAR2(30)

PROMO\_COST NOT NULL NUMBER(10,2)

The management wants to see a report of unique promotion costs in each promotion category.

Which query would achieve the required result?

- A. SELECT DISTINCT promo\_cost, promo\_category FROM promotions;
- B. SELECT promo\_category, DISTINCT promo\_cost FROM promotions;
- C. SELECT DISTINCT promo\_cost, DISTINCT promo\_category FROM promotions;
- D. SELECT DISTINCT promo\_category, promo\_cost FROM promotions ORDER BY 1;

Answer: D

7. View the Exhibit and examine the structure of the PRODUCTS table.

You need to generate a report in the following format:

CATEGORIES

5MP Digital Photo Camera's category is Photo

Y Box's category is Electronics

Envoy Ambassador's category is Hardware

Which two queries would give the required output? (Choose two.)

- A. SELECT prod\_name q"s category is ' prod\_category CATEGORIES FROM products;
- B. SELECT prod\_name q['s ]category is ' prod\_category CATEGORIES

FROM products;

C. SELECT prod\_name q's' ' category is ' prod\_category CATEGORIES

FROM products;

D. SELECT prod\_name q'<s >' category is ' prod\_category CATEGORIES

FROM products;

Answer: CD

8. View the Exhibit and examine the structure of the SALES, CUSTOMERS, PRODUCTS, and TIMES tables.

The PROD\_ID column is the foreign key in the SALES table, which references the PRODUCTS table. Similarly, the CUST\_ID and TIME\_ID columns are also foreign keys in the SALES table referencing the CUSTOMERS and TIMES tables, respectively.

Evaluate the following CREATE TABLE command:

```
CREATE TABLE new_sales(prod_id, cust_id, order_date DEFAULT SYSDATE)
```

```
AS
```

```
SELECT prod_id, cust_id, time_id
```

```
FROM sales;
```

Which statement is true regarding the above command?

A. The NEW\_SALES table would not get created because the DEFAULT value cannot be specified in the column definition.

B. The NEW\_SALES table would get created and all the NOT NULL constraints defined on the specified columns would be passed to the new table.

C. The NEW\_SALES table would not get created because the column names in the CREATE TABLE command and the SELECT clause do not match.

D. The NEW\_SALES table would get created and all the FOREIGN KEY constraints defined on the specified columns would be passed to the new table.

Answer: B

9. Examine the structure of the SHIPMENTS table:

name Null Type

PO\_ID NOT NULL NUMBER(3)

PO\_DATE NOT NULL DATE

SHIPMENT\_DATE NOT NULL DATE

SHIPMENT\_MODE VARCHAR2(30)

SHIPMENT\_COST NUMBER(8,2)

You want to generate a report that displays the PO\_ID and the penalty amount to be paid if the SHIPMENT\_DATE is later than one month from the PO\_DATE. The penalty is \$20 per day.

Evaluate the following two queries:

```
SQL> SELECT po_id, CASE
```

```
WHEN MONTHS_BETWEEN (shipment_date,po_date)>1 THEN
```

```
TO_CHAR((shipment_date - po_date) * 20) ELSE 'No Penalty' END PENALTY
```

```
FROM shipments;
```

```
SQL>SELECT po_id, DECODE
```

```
(MONTHS_BETWEEN (po_date,shipment_date)>1,
```

```
TO_CHAR((shipment_date - po_date) * 20), 'No Penalty') PENALTY
```

```
FROM shipments;
```

Which statement is true regarding the above commands?

A. Both execute successfully and give correct results.

B. Only the first query executes successfully but gives a wrong result.

C. Only the first query executes successfully and gives the correct result.

D. Only the second query executes successfully but gives a wrong result.

E. Only the second query executes successfully and gives the correct result.

Answer: C

10. Which SQL statements would display the value 1890.55 as \$1,890.55? (Choose three .)

A. SELECT TO\_CHAR(1890.55,\$0G000D00)

FROM DUAL;

B. SELECT TO\_CHAR(1890.55,\$9,999V99)

FROM DUAL;

C. SELECT TO\_CHAR(1890.55,\$99,999D99)

FROM DUAL;

D. SELECT TO\_CHAR(1890.55,\$99G999D00)

FROM DUAL;

E. SELECT TO\_CHAR(1890.55,\$99G999D99)

FROM DUAL;

Answer: ADE

11. Evaluate the following query:

```
SQL> SELECT promo_name q{'s start date was }' promo_begin_date
```

```
AS "Promotion Launches"
```

```
FROM promotions;
```

What would be the outcome of the above query?

A. It produces an error because flower braces have been used.

B. It produces an error because the data types are not matching.

C. It executes successfully and introduces an 's at the end of each promo\_name in the output.

D. It executes successfully and displays the literal " {s start date was } " for each row in the output.

Answer: C

12. View the Exhibit; examine the structure of the PROMOTIONS table.

Each promotion has a duration of at least seven days .

Your manager has asked you to generate a report, which provides the weekly cost for each promotion done to I date.

Which query would achieve the required result?

A. SELECT promo\_name, promo\_cost/promo\_end\_date-promo\_begin\_date/7

FROM promotions;

B. SELECT promo\_name,(promo\_cost/promo\_end\_date-promo\_begin\_date)/7

FROM promotions;

C. SELECT promo\_name, promo\_cost/(promo\_end\_date-promo\_begin\_date/7)

FROM promotions;

D. SELECT promo\_name, promo\_cost/((promo\_end\_date-promo\_begin\_date)/7)

FROM promotions;

Answer: D

13. View the Exhibit and examine the structure of the CUSTOMERS table.

Which two tasks would require subqueries or joins to be executed in a single statement? (Choose two.)

A. listing of customers who do not have a credit limit and were born before 1980

B. finding the number of customers, in each city, whose marital status is 'married'

C. finding the average credit limit of male customers residing in 'Tokyo' or 'Sydney'

D. listing of those customers whose credit limit is the same as the credit limit of customers residing in the city 'Tokyo'

E. finding the number of customers, in each city, whose credit limit is more than the average credit limit of all the customers

Answer: DE

14. Which statement is true regarding the INTERSECT operator?

A. It ignores NULL values.

B. Reversing the order of the intersected tables alters the result.

C. The names of columns in all SELECT statements must be identical.

D. The number of columns and data types must be identical for all SELECT statements in the query.

Answer: D

15. View the Exhibit to examine the description for the SALES table.

Which views can have all DML operations performed on it? (Choose all that apply.)

A. CREATE VIEW v3

```
AS SELECT * FROM SALES
```

```
WHERE cust_id = 2034
```

```
WITH CHECK OPTION;
```

B. CREATE VIEW v1

```
AS SELECT * FROM SALES
```

```
WHERE time_id <= SYSDATE - 2*365
```

```
WITH CHECK OPTION;
```

C. CREATE VIEW v2

```
AS SELECT prod_id, cust_id, time_id FROM SALES
```

```
WHERE time_id <= SYSDATE - 2*365
```

```
WITH CHECK OPTION;
```

D. CREATE VIEW v4

```
AS SELECT prod_id, cust_id, SUM(quantity_sold) FROM SALES
```

```
WHERE time_id <= SYSDATE - 2*365
```

```
GROUP BY prod_id, cust_id
```

```
WITH CHECK OPTION;
```

Answer: AB

16. You need to extract details of those products in the SALES table where the PROD\_ID column contains the string '\_D123'.

Which WHERE clause could be used in the SELECT statement to get the required output?

A. WHERE prod\_id LIKE '%\_D123%' ESCAPE '\_'

B. WHERE prod\_id LIKE '%\_D123%' ESCAPE "

C. WHERE prod\_id LIKE '%\_D123%' ESCAPE '%\_'

D. WHERE prod\_id LIKE '%\_D123%' ESCAPE ' \_'

Answer: B

17. Which two statements are true regarding single row functions? (Choose two.)

A. They accept only a single argument.

B. They can be nested only to two levels.

C. Arguments can only be column values or constants.

D. They always return a single result row for every row of a queried table.

E. They can return a data type value different from the one that is referenced.

Answer: DE

18. Evaluate the following query:

```
SELECT INTERVAL '300' MONTH,
```

```
INTERVAL '54-2' YEAR TO MONTH,
```

```
INTERVAL '11:12:10.1234567' HOUR TO SECOND
```

```
FROM dual;
```

What is the correct output of the above query?

A. +25-00 , +54-02, +00 11:12:10.123457

B. +00-300, +54-02, +00 11:12:10.123457

C. +25-00 , +00-650, +00 11:12:10.123457

D. +00-300 , +00-650, +00 11:12:10.123457

Answer: A

19. View the Exhibit and examine the data in the CUSTOMERS table.

Evaluate the following query:

```
SQL> SELECT cust_name AS "NAME", cust_credit_limit/2 AS MIDPOINT,MIDPOINT+100 AS "MAX LOWER LIMIT"  
FROM customers;
```

The above query produces an error on execution.

What is the reason for the error?

- A. An alias cannot be used in an expression.
- B. The alias NAME should not be enclosed with in double quotation marks .
- C. The MIDPOINT+100 expression gives an error because CUST\_CREDIT\_LIMIT contains NULL values.
- D. The alias MIDPOINT should be enclosed with in double quotation marks for the CUST\_CREDIT\_LIMIT/2 expression .

Answer: A

20. Using the CUSTOMERS table, you need to generate a report that shows 50% of each credit amount in each income level. The report should NOT show any repeated credit amounts in each income level.

Which query would give the required result?

- A. SELECT cust\_income\_level, DISTINCT cust\_credit\_limit \* 0.50  
AS "50% Credit Limit"  
FROM customers;
- B. SELECT DISTINCT cust\_income\_level, DISTINCT cust\_credit\_limit \* 0.50  
AS "50% Credit Limit"  
FROM customers;
- C. SELECT DISTINCT cust\_income\_level ' ' cust\_credit\_limit \* 0.50  
AS "50% Credit Limit"  
FROM customers;
- D. SELECT cust\_income\_level ' ' cust\_credit\_limit \* 0.50 AS "50% Credit Limit"  
FROM customers;

Answer: C

### [1Z0-051 Braindumps](#)

#### **Related 1Z0-051 Exams**

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-233](#) Oracle 11i install. patch and maintain applications

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-223](#) Oracle order management 11i fundamentals

[1Z0-053](#) Oracle Database 11g: Administration II

[1z0-222](#) Oracle purchasing 11i fundamentals

[1z0-403](#) Enterprise Linux System Administration

[1z0-213](#) Oracle receivables 11i fundamentals

1z0-232 Oracle 11i system administration fundamentals

---

1z0-235 Oracle 11i applications DBA:Fundamentals I

---

1z0-204 Oracle EBS R12: E-Business Essentials

---

### **Other Oracle Exams**

<u>1z1-225</u>	<u>1z0-265</u>	<u>1z0-264</u>	<u>1z0-209</u>	<u>1z1-312</u>	<u>1z0-202</u>	<u>1z0-262</u>	<u>1z1-050</u>
<u>1z0-030</u>	<u>1z0-130</u>	<u>1z0-222</u>	<u>1z0-053</u>	<u>1z1-051</u>	<u>1z0-311</u>	<u>1z0-257</u>	<u>1z0-095</u>
<u>1z0-033</u>	<u>1z0-052</u>	<u>1z0-001</u>	<u>1z0-141</u>				