

1Z0-146 braindumps

Oracle

1Z0-146: Oracle 11g: Advanced PL/SQL

Practice Exam: 1Z0-146 Exams

Exam Number/Code: 1Z0-146

Exam Name: Oracle 11g: Advanced PL/SQL

Questions and Answers: 136 Q&As

()



Exam : [1Z0-146](#)

"Oracle 11g: Advanced PL/SQL", also known as 1Z0-146 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 136 Q&As to your 1Z0-146 exam preparation. In the 1Z0-146 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle Oracle 11g 1Z0-146 (Oracle 11g: Advanced PL/SQL) examination of original title complete coverage. 1Z0-146 exam questions help you pass the exam.

Just4Study 1Z0-146 Feature:

* High quality - High quality and valued for the 1Z0-146 Exam: 100% Guarantee to Pass Your 1Z0-146 exam and get your Oracle 11g certification.

* Authoritative - Authoritative braindumps with complete details about 1Z0-146 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Oracle 11g resources, you will minimize your **Oracle Oracle 11g** cost and be ready to pass your 1Z0-146 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Oracle 11g demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1Z0-146 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1Z0-146 Demo Download

Just4Study offers free demo for Oracle 11g 1Z0-146 exam (Oracle 11g: Advanced PL/SQL). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 1Z0-146** examination of original title complete coverage.1Z0-146 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 1Z0-146

Exam Name: Oracle 11g: Advanced PL/SQL()

Questions and Answers: 136 Q&A

[Oracle 1Z0-146](#) Test belongs to one of the certified test, if needs to obtain the certificate, you also need to participate

in other related test, the details you may visit the certified topic, in there, you will see all related certified subject of examination.

Just4Study professional provide 1Z0-146 the newest Q&A, completely covers 1Z0-146 test original topic. With our complete resources, you will minimize your cost and be ready to pass your 1Z0-146 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-146

Title : Oracle 11g: Advanced PL/SQL

1. Which two types of query results cannot be stored in the query result cache? (Choose two.)

- A. subquery results
- B. results of a query having the SYSDATE function
- C. results of a query having the GROUP BY clause
- D. results of a query having the DATE data type in the WHERE clause

Answer: AB

2. Which statement describes the purpose of the plshprof command?

- A. It produces HTML output from raw profiler output.
- B. It produces HTML output from profiler tables in the database.
- C. It populates profiler tables in the database from raw profiler output.
- D. It produces raw profiler output on the most recently run applications.

Answer: A

3. Examine the structure of the DEPARTMENTS table.

Name Null? Type

DEPARTMENT_ID NOT NULL NUMBER(4)

DEPARTMENT_NAME NOT NULL VARCHAR2(30)

LOCATION_ID NUMBER(4)

View the Exhibit and examine the code that you plan to use for creating a package to obtain the details of an employee using a host variable on the client side.

In SQL*Plus, you plan to use the following commands:

```
SQL> VARIABLE x REFCURSOR
```

```
SQL> EXECUTE emp_data.get_emp(195,:x)
```

```
SQL> PRINT x
```

Which statement is true about the above scenario?

- A. The package executes successfully and passes the required data to the host variable.
- B. The package specification gives an error on compilation because cursor variable types cannot be defined in the specification.
- C. The package specification gives an error on compilation because the cursor variable parameter was specified before you defined it.
- D. The package executes successfully, but does not pass the required data to the host variable because the cursor is closed before the PRINT statement runs.

Answer: D

4. Examine the structure of the EMPLOYEES table in the SCOTT schema.

Name Null? Type

EMPLOYEE_ID NOT NULL NUMBER(6)

FIRST_NAME VARCHAR2(20)

LAST_NAME NOT NULL VARCHAR2(25)

SALARY NOT NULL NUMBER(8,2)

COMMISSION_PCT NUMBER(2,2)

DEPARTMENT_ID NUMBER(4)

View the Exhibit and examine the code for the EMP_TOTSAL procedure created by user SCOTT.

Which statement is true regarding the EMP_TOTSAL procedure?

- A. It is created successfully, but displays the correct output message only for existent employee IDs.
- B. It is created successfully and displays the correct output message for both existent and nonexistent employee IDs.
- C. It generates an error because the %NOTFOUND attribute cannot be used in combination with a SELECT INTO statement.
- D. It generates an error because a user-defined exception has to be included whenever the %NOTFOUND attribute is used in combination with a SELECT INTO statement.

Answer: A

5. Which two statements correctly describe the features of SecureFiles? (Choose two.)

- A. Compression does not entail table or index compression and vice-versa.
- B. Encryption stores the encryption keys for the LOB columns inside the database.
- C. Encryption stores the encryption keys for the LOB columns outside the database.
- D. Compression stores identical data occurring two or more times in the same LOB column as a single copy for the table.

Answer: AC

6. Which two statements are true about associative arrays and varrays? (Choose two.)

- A. Only varrays must start with the subscript 1.
- B. Only varrays can be used as column types in database tables.
- C. Both associative arrays and varrays must start with the subscript 1.
- D. Both associative arrays and varrays can be used as column types in database tables.

Answer: AB

7. Which two types of metadata can be retrieved by using the various procedures in the DBMS_METADATA PL/SQL package? (Choose two.)

- A. report of invalidated objects in a schema
- B. report of statistics of an object in the database
- C. DDL for all object grants on a table in the database
- D. data definition language (DDL) for all objects in a schema

Answer: CD

8. View the Exhibit and examine the procedure to create a trigger name based on the table name supplied to the procedure.

Which three statements are appropriate for protecting the code in the procedure from SQL injection? (Choose three.)

- A. Explicitly validate the identifier length limit.
- B. Add AUTHID DEFINER to the definition of the procedure.
- C. Use PRAGMA RESTRICT_REFERENCES in the procedure.
- D. Filter out control characters in user-supplied identifier names.
- E. Use the object ID of the table from the data dictionary to build the trigger name.

Answer: ADE

9. DATA_FILES is a directory object that contains the DETAILS.TXT text file.

You have the required permissions to access the directory object.

You create a table using the following command:

```
CREATE TABLE clob_tab(col2 CLOB);
```

View the Exhibit and examine the PL/SQL block that you execute for loading the external text file into the table that currently has no rows. The PL/SQL block results in an error.

What correction must be done to ensure the PL/SQL block executes successfully?

- A. The L_OUT variable must be initialized to an empty locator.
- B. The L_OUT variable has to be declared as a temporary LOB.
- C. The A_CLOB variable has to be declared as a temporary LOB.
- D. The clause RETURNING col2 INTO a_clob should be added to the INSERT statement to correctly initialize the locator.

Answer: D

10. The database instance was started up using the automatic memory management feature. No value was set for the RESULT_CACHE_MAX_SIZE parameter.

Examine the following initialization parameter settings for your database:

```
MEMORY_TARGET = 500M
```

```
RESULT_CACHE_MODE = MANUAL
```

You execute a query by using the result_cache hint. Which statement is true in this scenario?

- A. The query results are not stored because no memory is allocated for the result cache.
- B. The query results are stored and 0.5% of the memory target is allocated to the result cache.
- C. The query results are stored and 0.25% of the memory target is allocated to the result cache.
- D. The query results are not stored because the RESULT_CACHE_MODE parameter is not set to FORCE.

Answer: C

11. View the Exhibit.

How do you reduce the chances of SQL injection for the procedure?

- A. Execute the SQL statement in V_STMT as dynamic SQL.
- B. Remove the default value for the arguments in the procedure.
- C. Convert the condition in the WHERE clause to be accepted from the user and concatenated.
- D. Convert the SELECT statement to static SQL, placing the value of P_EMAIL into a local variable.

Answer: D

12. The database instance was recently started up. Examine the following parameter settings for the database instance:

```
NAME TYPE VALUE
```

```
-----
```

```
.....
```

```
result_cache_max_result integer 5
```

```
result_cache_max_size big integer 0
```

```
result_cache_mode string MANUAL
```

```
result_cache_remote_expiration integer 0
```

```
.....
```

You reset the value for the result_cache_max_size parameter by issuing the following command:

```
SQL> ALTER SYSTEM SET result_cache_max_size = 1056k SCOPE = BOTH;
```

System altered.

Which statement is true in this scenario?

- A. 1056 KB is allocated for the result cache and the result cache is enabled.
- B. 1056 KB is allocated for the result cache, but the result cache is disabled.
- C. The results for only the queries that have the RESULT_CACHE hint are cached.
- D. The results for all the queries except those having the NO_RESULT_CACHE hint are cached.

Answer: B

13. Which two statements are true about SecureFile LOB options? (Choose two.)

- A. The COMPRESSION HIGH option can be enabled only for CLOBs.
- B. The COMPRESSION HIGH option can be enabled for all internal LOBs.
- C. The DECRYPT option can be used to remove encryption only if the LOB column is empty.
- D. The DECRYPT option can be used to remove encryption from LOB columns that are empty or contain data.

Answer: BD

14. In a user session, tracing is enabled as follows:

```
SQL> EXECUTE DBMS_TRACE.SET_PLSQL_TRACE(DBMS_TRACE.TRACE_ENABLED_LINES);
```

PL/SQL procedure successfully completed.

You executed the procedure as follows:

```
SQL> EXECUTE PROC10
```

PL/SQL procedure successfully completed.

When you examine the PLSQL_TRACE_EVENTS table, you find that no trace information was written into it.

View the Exhibit.

What is the reason for this?

- A. The PROC10 procedure is created with the invoker's right.
- B. The PROC10 procedure is not compiled with the DEBUG option.
- C. Tracing is not enabled with the TRACE_ENABLED_CALLS option.
- D. The TRACE_ENABLED parameter is set to FALSE for the session.

Answer: B

15. View the Exhibit and examine the structure of the EMPLOYEES table.

Examine the following PL/SQL block:

```
DECLARE
```

```
TYPE EmpList
```

```
IS VARRAY(2) OF employees.employee_id%TYPE NOT NULL;
```

```
v_employees EmpList := EmpList();
```

```
BEGIN
```

```
DBMS_OUTPUT.PUT_LINE(v_employees.COUNT);
```

```
v_employees.EXTEND;
```

```
v_employees(1) := 30;
```

```
END;
```

```
/
```

Which statement is true about the outcome on executing the above PL/SQL block?

- A. It executes successfully and displays the value 2.
- B. It executes successfully and displays the value 0.
- C. It generates an error because EXTEND cannot be used for varrays.
- D. It generates an error because the declaration of the varray is not valid.

Answer: B

16. Examine the structure of the LOB_STORE table.

Name Null? Type

LOB_ID NUMBER

VIDEO_CLIP BLOB

You create a 'DATA_FILES' directory object that contains the 'IMAGE1.GIF' operating system (OS) file.

View the Exhibit and examine the LOAD_LOB procedure code that you execute for reading data from the OS file into the BLOB column.

It is created with compilation errors.

What is the reason?

- A. V_BLOB should be initialized to EMPTY_BLOB().
- B. The WRITE routine of DBMS_LOB should be used instead of LOADFROMFILE.

- C. The return type of DBMS_LOB.FILEEXISTS is not compatible with the IF statement.
- D. OPEN, CLOSE, and READONLY routines of DBMS_LOB should be used instead of FILEOPEN, FILECLOSE, and FILE_READONLY.

Answer: C

17. Examine the code in the following PL/SQL block:

```
DECLARE
TYPE NumList IS TABLE OF INTEGER;
List1 NumList := NumList(11,22,33,44);
BEGIN
List1.DELETE(2);
DBMS_OUTPUT.PUT_LINE
('The last element# in List1 is ' || List1.LAST ||
' and total of elements is ' || List1.COUNT);
List1.EXTEND(4,3);
END;
/
```

Which two statements are true about the above code? (Choose two.)

- A. LAST and COUNT give different values.
- B. LAST and COUNT give the same values.
- C. The four new elements that are added contain the value 33.
- D. The four new elements that are added contain the value 44.

Answer: AC

18. Examine the commands:

```
CREATE TYPE typ_course_tab IS VARRAY(5) OF VARCHAR2(20)
/
CREATE TYPE typ_course_nst
AS TABLE OF typ_course_tab
/
CREATE TABLE faculty
(faculty_id NUMBER(5),
faculty_name VARCHAR2(30),
courses typ_course_nst)
NESTED TABLE courses STORE AS course_stor_tab
/
INSERT INTO faculty
VALUES (101, 'Jones', NULL);
UPDATE (SELECT courses FROM faculty WHERE faculty_id=101) SET courses = typ_course_nst(11,'Oracle');
```

Which statement is true about the execution of these commands?

- A. All the commands execute successfully.
- B. Only the first two commands execute successfully.
- C. Only the first four commands execute successfully.
- D. Only the first three commands execute successfully.

Answer: C

19. View the Exhibit to examine the PL/SQL code for the GET_METADATA function. Which statement is true about the metadata gathered by the function?

- A. The end result is the creation of DDL for the TIMECARDS table with all instances of the HR schema changed to SCOTT.
- B. The end result is the creation of an XML document for all tables with all physical, storage, logging, and other segment attributes.
- C. The end result is the creation of DDL for all tables with all instances of the HR schema changed to SCOTT along

with all physical, storage, logging, and other segment attributes.

D. The end result is the creation of DDL for all tables and associated indexes with all instances of the HR schema changed to SCOTT along with all physical, storage, logging, and other segment attributes.

Answer: A

20. Which two statements are true about the working of fine-grained access? (Choose two.)

- A. Security policies can be associated only with tables, but not with views.
- B. Different policies can be used for SELECT, INSERT, UPDATE, and DELETE statements.
- C. User statements are dynamically modified by the Oracle server through a security policy function.
- D. Fine-grained access control policies always remain in effect until they are dropped from a table or view.

Answer: BC

[1Z0-146 Braindumps](#)

Related 1Z0-146 Exams

[1Z0-146](#) Oracle 11g: Advanced PL/SQL

[1Z1-054](#) Oracle Database 11g: Performance Tuning

[1z1-052](#) Oracle Database 11g: Administrator I

[1z1-051](#) Oracle Database 11g: SQL Fundamentals I

Other Oracle Exams

[1z0-031](#) [1z0-140](#) [1z0-232](#) [1Z0-041](#) [1z1-052](#) [1Z1-225](#) [1z0-236](#) [1z0-095](#)

[1z0-030](#) [1z0-048](#) [1z0-007](#) [1Z0-055](#) [1z0-271](#) [1z0-221](#) [1z0-010](#) [1z0-130](#)

[1z0-226](#) [1z0-033](#) [1z0-054](#) [1z0-605](#)