

1z0-007 braindumps

Oracle 9i DBA

1z0-007: Introduction to Oracle9i: SQL

Practice Exam: 1z0-007 Exams

Exam Number/Code: 1z0-007

Exam Name: Introduction to Oracle9i: SQL

Questions and Answers: 129 Q&As

([9i DBA](#))



Exam : [1z0-007](#)

"Introduction to Oracle9i: SQL", also known as 1z0-007 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 129 Q&As to your 1z0-007 exam preparation. In the 1z0-007 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle 9i DBA 1z0-007 (Introduction to Oracle9i: SQL) examination of original title complete coverage. 1z0-007 exam questions help you pass the exam.

Just4Study 1z0-007 Feature:

* High quality - High quality and valued for the 1z0-007 Exam: 100% Guarantee to Pass Your 1z0-007 exam and get your 9i DBA certification.

* Authoritative - Authoritative braindumps with complete details about 1z0-007 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed 9i DBA resources, you will minimize your **Oracle 9i DBA** cost and be ready to pass your 1z0-007 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free 9i DBA demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-007 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1z0-007 Demo Download

Just4Study offers free demo for 9i DBA 1z0-007 exam (Introduction to Oracle9i: SQL). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 9i DBA 1z0-007** examination of original title complete coverage.1z0-007 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 1z0-007

Exam Name: Introduction to Oracle9i: SQL(9i DBA)

Questions and Answers: 129 Q&A

[Oracle 1z0-007](#) Test belongs to one of the 9i DBA certified test, if needs to obtain the 9i DBA certificate, you also

need to participate in other related test, the details you may visit the [9i DBA](#) certified topic, in there, you will see all related 9i DBA certified subject of examination.

Just4Study professional provide 9i DBA 1z0-007 the newest Q&A, completely covers 1z0-007 test original topic. With our complete 9i DBA resources, you will minimize your 9i DBA cost and be ready to pass your 1z0-007 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-007

Title : Introduction to Oracle9i: SQL

1. Which are iSQL*Plus commands? (Choose all that apply.)

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

2. The CUSTOMERS table has these columns:

CUSTOMER_ID NUMBER(4) NOT NULL
CUSTOMER_NAME VARCHAR2(100) NOT NULL
STREET_ADDRESS VARCHAR2(150)
CITY_ADDRESS VARCHAR2(50)
STATE_ADDRESS VARCHAR2(50)
PROVINCE_ADDRESS VARCHAR2(50)
COUNTRY_ADDRESS VARCHAR2(50)
POSTAL_CODE VARCHAR2(12)
CUSTOMER_PHONE VARCHAR2(20)

The CUSTOMER_ID column is the primary key for the table.

You need to determine how dispersed your customer base is. Which expression finds the number of different countries represented in the CUSTOMERS table?

- A.COUNT(UPPER(country_address))
- B.COUNT(DIFF(UPPER(country_address)))
- C.COUNT(UNIQUE(UPPER(country_address)))
- D.COUNT DISTINCT UPPER(country_address)
- E.COUNT(DISTINCT (UPPER(country_address)))

Answer: E

3. Which SQL statement defines a FOREIGN KEY constraint on the DEPTNO column of the EMP table?

- A.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2) NOT NULL,
CONSTRAINT emp_deptno_fk FOREIGN KEY deptno
REFERENCES dept deptno);
- B.CREATE TABLE EMP

```

(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2)
CONSTRAINT emp_deptno_fk REFERENCES dept (deptno));
C.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2) NOT NULL,
CONSTRAINT emp_deptno_fk REFERENCES dept (deptno)
FOREIGN KEY (deptno));
D.CREATE TABLE EMP
(empno NUMBER(4),
ename VARCHAR2(35),
deptno NUMBER(7,2) FOREIGN KEY
CONSTRAINT emp_deptno_fk REFERENCES dept (deptno));

```

Answer: B

4. Evaluate this SQL statement:

```

SELECT ename, sal, 12*sal+100
FROM emp;

```

The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of \$100, multiplied by 12"?

A.No change is required to achieve the desired results.

B.SELECT ename, sal, 12*(sal+100)

FROM emp;

C.SELECT ename, sal, (12*sal)+100

FROM emp;

D.SELECT ename, sal+100,*12

FROM emp;

Answer: B

5. Evaluate this SQL statement:

```

SELECT e.employee_id, (.15* e.salary) + (.5 * e.commission_pct)
+ (s.sales_amount * (.35 * e.bonus)) AS CALC_VALUE
FROM employees e, sales s
WHERE e.employee_id = s.emp_id;

```

What will happen if you remove all the parentheses from the calculation?

A.The value displayed in the CALC_VALUE column will be lower.

B.The value displayed in the CALC_VALUE column will be higher.

C.There will be no difference in the value displayed in the CALC_VALUE column.

D.An error will be reported.

Answer: C

6. Click the Exhibit button and examine the data in the EMPLOYEES table.

Which three subqueries work? (Choose three.)

A.SELECT *

FROM employees

where salary > (SELECT MIN(salary)

FROM employees

GROUP BY department_id);

B.SELECT *

FROM employees

WHERE salary = (SELECT AVG(salary)

```

FROM employees
GROUP BY department_id);
C.SELECT distinct department_id
FROM employees
WHERE salary > ANY (SELECT AVG(salary)
FROM employees
GROUP BY department_id);
D.SELECT department_id
FROM employees
WHERE salary > ALL (SELECT AVG(salary)
FROM employees
GROUP BY department_id);
E.SELECT last_name
FROM employees
WHERE salary > ANY (SELECT MAX(salary)
FROM employees
GROUP BY department_id);
F.SELECT department_id
FROM employees
WHERE salary > ALL (SELECT AVG(salary)
FROM employees
GROUP BY AVG(SALARY));

```

Answer: CDE

7. Which three statements correctly describe the functions and use of constraints? (Choose three.)

- A.Constraints provide data independence.
- B.Constraints make complex queries easy.
- C.Constraints enforce rules at the view level.
- D.Constraints enforce rules at the table level.
- E.Constraints prevent the deletion of a table if there are dependencies.
- F.Constraints prevent the deletion of an index if there are dependencies.

Answer: CDE

8. You need to design a student registration database that contains several tables storing academic information. The STUDENTS table stores information about a student. The STUDENT_GRADES table stores information about the student's grades. Both of the tables have a column named STUDENT_ID. The STUDENT_ID column in the STUDENTS table is a primary key.

You need to create a foreign key on the STUDENT_ID column of the STUDENT_GRADES table that points to the STUDENT_ID column of the STUDENTS table. Which statement creates the foreign key?

- A.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk REFERENCES (student_id)
FOREIGN KEY students(student_id));
- B.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));
- C.CREATE TABLE student_grades
(student_id NUMBER(12),

```

semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT FOREIGN KEY (student_id)
REFERENCES students(student_id));
D.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));

```

Answer: D

9. Which SQL statement generates the alias Annual Salary for the calculated column SALARY*12?

- A.SELECT ename, salary*12 'Annual Salary'
FROM employees;
- B.SELECT ename, salary*12 "Annual Salary"
FROM employees;
- C.SELECT ename, salary*12 AS Annual Salary
FROM employees;
- D.SELECT ename, salary*12 AS INITCAP("ANNUAL SALARY")
FROM employees

Answer: B

10. Which two statements are true about constraints? (Choose two.)

- A.The UNIQUE constraint does not permit a null value for the column.
- B.A UNIQUE index gets created for columns with PRIMARY KEY and UNIQUE constraints.
- C.The PRIMARY KEY and FOREIGN KEY constraints create a UNIQUE index.
- D.The NOT NULL constraint ensures that null values are not permitted for the column.

Answer: BD

11. The CUSTOMERS table has these columns:

```

CUSTOMER_ID NUMBER(4) NOT NULL
CUSTOMER_NAME VARCHAR2(100) NOT NULL
CUSTOMER_ADDRESS VARCHAR2(150)
CUSTOMER_PHONE VARCHAR2(20)

```

You need to produce output that states "Dear Customer customer_name, ".

The customer_name data values come from the CUSTOMER_NAME column in the CUSTOMERS table. Which statement produces this output?

- A.SELECT dear customer, customer_name,
- B.SELECT "Dear Customer", customer_name || ','
FROM customers;
- C.SELECT 'Dear Customer ' || customer_name ','
FROM customers;
- D.SELECT 'Dear Customer ' || customer_name || ','
FROM customers;
- E.SELECT "Dear Customer " || customer_name || ","
FROM customers;
- F.SELECT 'Dear Customer ' || customer_name || ',' ||
FROM customers;

Answer: D

12. What are two reasons to create synonyms? (Choose two.)

- A.You have too many tables.

- B. Your tables are too long.
- C. Your tables have difficult names.
- D. You want to work on your own tables.
- E. You want to use another schema's tables.
- F. You have too many columns in your tables.

Answer: CE

13. Evaluate this SQL statement:

```
SELECT e.EMPLOYEE_ID,e.LAST_NAME,e.DEPARTMENT_ID, d.DEPARTMENT_NAME
FROM EMPLOYEES e, DEPARTMENTS d
WHERE e.DEPARTMENT_ID = d.DEPARTMENT_ID;
```

In the statement, which capabilities of a SELECT statement are performed?

- A. selection, projection, join
- B. difference, projection, join
- C. selection, intersection, join
- D. intersection, projection, join
- E. difference, projection, product

Answer: A

14. The STUDENT_GRADES table has these columns:

```
STUDENT_ID NUMBER(12)
SEMESTER_END DATE
GPA NUMBER(4,3)
```

The registrar requested a report listing the students' grade point averages (GPA) sorted from highest grade point average to lowest.

Which statement produces a report that displays the student ID and GPA in the sorted order requested by the registrar?

- A. SELECT student_id, gpa
FROM student_grades
ORDER BY gpa ASC;
- B. SELECT student_id, gpa
FROM student_grades
SORT ORDER BY gpa ASC;
- C. SELECT student_id, gpa
FROM student_grades
SORT ORDER BY gpa;
- D. SELECT student_id, gpa
FROM student_grades
ORDER BY gpa;
- E. SELECT student_id, gpa
FROM student_grades
SORT ORDER BY gpa DESC;
- F. SELECT student_id, gpa
FROM student_grades
ORDER BY gpa DESC;

Answer: F

15. Which two are attributes of iSQL*Plus? (Choose two.)

- A. iSQL*Plus commands cannot be abbreviated.
- B. iSQL*Plus commands are accessed from a browser.
- C. iSQL*Plus commands are used to manipulate data in tables.
- D. iSQL*Plus commands manipulate table definitions in the database.
- E. iSQL*Plus is the Oracle proprietary interface for executing SQL statements.

Answer: BE

16. Which is an iSQL*Plus command?

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

17. What does the FORCE option for creating a view do?

- A.creates a view with constraints
- B.creates a view even if the underlying parent table has constraints
- C.creates a view in another schema even if you don't have privileges
- D.creates a view regardless of whether or not the base tables exist

Answer: D

18. In which three cases would you use the USING clause? (Choose three.)

- A.You want to create a nonequijoin.
- B.The tables to be joined have multiple NULL columns.
- C.The tables to be joined have columns of the same name and different data types.
- D.The tables to be joined have columns with the same name and compatible data types.
- E.You want to use a NATURAL join, but you want to restrict the number of columns in the join condition.

Answer: CDE

19. Which view should a user query to display the columns associated with the constraints on a table owned by the user?

- A.USER_CONSTRAINTS
- B.USER_OBJECTS
- C.ALL_CONSTRAINTS
- D.USER_CONS_COLUMNS
- E.USER_COLUMNS

Answer: D

20. A SELECT statement can be used to perform these three functions:

1. Choose rows from a table.
2. Choose columns from a table.
3. Bring together data that is stored in different tables by creating a link between them.

Which set of keywords describes these capabilities?

- A.difference, projection, join
- B.selection, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: B

[1z0-007 Braindumps](#)

Related 1z0-007 Exams

[1z0-007](#) Introduction to Oracle9i: SQL

[1z0-032](#) oracle9i database:fundamentals ii

1z0-031 *oracle9i database:fundamentals i*

1z0-033 *Oracle9i Database:Performance Tuning*

1z0-030 *oracle9i database:new features for administrators*

1z0-035 *oracle9i dba new features for oracle7.3 and oracle9 ocps*

Other Oracle Exams

1z0-031 1z0-213 1Z0-146 1z0-241 1Z0-108 1z0-264 1Z0-218 1z0-212

1z0-204 1z0-211 1z0-231 1z0-202 1z0-120 1Z0-114 1Z1-241 1Z0-208

1z0-263 1z0-054 1z0-301 1z0-257