

## 1z0-030 braindumps

### Oracle 9i DBA

**1z0-030: oracle9i database:new features for administrators**

**Practice Exam:** 1z0-030 Exams

**Exam Number/Code:** 1z0-030

**Exam Name:** oracle9i database:new features for administrators

**Questions and Answers:** 120 Q&As

( [9i DBA](#) )



"oracle9i database:new features for administrators", also known as 1z0-030 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 120 Q&As to your 1z0-030 exam preparation. In the 1z0-030 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

Exam : [1z0-030](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle 9i DBA 1z0-030 (oracle9i database:new features for administrators) examination of original title complete coverage. 1z0-030 exam questions help you pass the exam.

#### **Just4Study 1z0-030 Feature:**

\* High quality - High quality and valued for the 1z0-030 Exam: 100% Guarantee to Pass Your 1z0-030 exam and get your 9i DBA certification.

\* Authoritative - Authoritative braindumps with complete details about 1z0-030 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed 9i DBA resources, you will minimize your **Oracle 9i DBA** cost and be ready to pass your 1z0-030 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free 9i DBA demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-030 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 1z0-030 Demo Download**

Just4Study offers free demo for 9i DBA 1z0-030 exam (oracle9i database:new features for administrators). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 9i DBA 1z0-030** examination of original title complete coverage.1z0-030 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 1z0-030**

Exam Name: oracle9i database:new features for administrators( 9i DBA )

Questions and Answers: 120 Q&A

[Oracle 1z0-030](#) Test belongs to one of the 9i DBA certified test, if needs to obtain the 9i DBA certificate, you also need to participate in other related test, the details you may visit the [9i DBA](#) certified topic, in there, you will see all related 9i DBA certified subject of examination.

Just4Study professional provide 9i DBA 1z0-030 the newest Q&A, completely covers 1z0-030 test original topic. With our complete 9i DBA resources, you will minimize your 9i DBA cost and be ready to pass your 1z0-030 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-030

Title : Oracle9i DataBase:New Features for Administrators

1. What is the meaning of using "character semantics" to create a table?

- A. You use only use CHAR data types.
- B. All columns are a single character wide.
- C. You use single letter names of all columns.
- D. You specify the width of a column in characters, not in bytes.
- E. You use only character type data types (CHAR, NCHAR, VARCHAR2, NVARCHAR2, CLOB, NCLOB).

Answer: D

2. What is true about version-enabled tables?

- A. The unit of versioning is the schema.
- B. It is possible to version enable a table pertaining to SYS.
- C. There are as many segments as versions for the same base table.
- D. It is possible to create workspaces if there is no version-enabled table in the database.

Answer: D

3. Which three resource plan parameters are used to enable Automatic Consumer Group Switching to estimate job execution times automatically, and to perform a switch to a low priority consumer group before they are initiated?

(Choose three.)

- A. SWITCH\_TIME
- B. SWITCH\_GROUP
- C. MAX\_SESS\_POOL
- D. SWITCH\_ESTIMATE

Answer: ABD

4. What statement is true about taking a database default temporary tablespace offline?

- A. You cannot take a default temporary tablespace offline.
- B. The database must be quiesced before you perform this action.
- C. You must ensure that all users are assigned to an alternative temporary tablespace first.
- D. You must first ensure that the default temporary tablespace has the permanent tablespace characteristic.

Answer: A

5. In what way are the two initialization parameters PGA\_AGGREGATE\_TARGET and WORKAREA\_SIZE\_POLICY related to each other?

- A. The default value for PGA\_AGGREGATE\_TARGET depends on the setting of WORKAREA\_SIZE\_POLICY.
- B. You must provide a nondefault value for PGA\_AGGREGATE\_TARGET before setting WORKAREA\_SIZE\_POLICY to the value AUTO.

C. The value of PGA\_AGGREGATE\_TARGET can only be changed dynamically (that is, when the instance is open) if the value of WORKAREA\_SIZE\_POLICY is set to AUTO.

D. You must provide a non-default value for PGA\_AGGREGATE\_TARGET before setting WORKAREA\_SIZE\_POLICY to the value MANUAL.

Answer: B

6. The EMPLOYEES table is stored in the SAMPLE tablespace. The corresponding IPK\_EMP index for the EMPLOYEES table's primary key is stored in the INDX tablespace. Out of 12 partitions, only partition P1 of the SALES table is stored in the SAMPLE tablespace. Which objects will be exported by this command? exp system/manager tablespaces=SAMPLE

A. only the EMPLOYEES table

B. only the EMPLOYEES table and its corresponding primary key index

C. the EMPLOYEES table and partition P1

D. the EMPLOYEES table, IPK\_EMP index, and the SALES table

Answer: D

7. Consider this syntax: MERGE INTO t1 USING t2 ON (join predicate)?. What does the MERGE syntax do?

A. It performs a merge join of the row from T2 only if it doesn't exist in the T1 table.

B. It creates a natural join of tables T1 and T2 for all columns that have the same name.

C. It creates a Cartesian product of table T1 and table T2 for all columns that have the same name.

D. For each row from T2, it updates the row if it exists within table T1, otherwise it inserts the row into T1.

Answer: D

8. What is the benefit of the Cached Execution Plan feature?

A. SQL statement performance is improved.

B. The SQL statement no longer needs to be cached in the library cache.

C. Improved diagnosability, as the execution plan of a cached SQL statement in memory is preserved.

D. The execution plan is available for diagnosis after the SQL statement is aged out of the library cache.

Answer: C

9. Which four are true regarding the Workspace Manager in Oracle9 i ? (Choose four.)

A. automatically versions all tables

B. automatically installed with Oracle9 i

C. merges changes with parent rows or discards changes

D. provides mechanism to identify and resolve conflicts

E. allows for version enabling tables by use of a packaged procedure

Answer: BCDE

10. You can control instance recovery performance by setting parameters to define targets for \_\_\_\_\_.

A. the size of the redo buffer in the SGA

B. the instance that will perform recovery in a Real Application Clusters database

C. the number of blocks to be read during instance recovery, or the time needed to complete instance recovery

D. the number of passes through the redo logs made by the recovery process to identify blocks needing recovery

Answer: C

11. Which statement correctly describes the function of the Oracle9 i Cache Fusion feature?

A. It provides each session with its own view of the database at a different point in the past.

B. It enables you to execute scalable applications on a clustered database without having to partition the users or the database tables.

C. It lets you dynamically reassign memory in your database buffer cache to different block buffer sizes.

D. It allows you to add new sites to multimaster replication environment without quiescing the master definition site.

Answer: B

12. Which two are true regarding automatic space management segments? (Choose two.)

- A. You can create an automatic space management segment in a dictionary-managed tablespace.
- B. You can create an automatic space management segment only in a locally managed tablespace.
- C. You can successfully invoke the DBMS\_SPACE.FREE\_BLOCKS procedure on an automatic space management segment.
- D. You CANNOT successfully invoke the DBMS\_SPACE.FREE\_BLOCKS procedure on an automatic space management segment.

Answer: BD

13. A bitmap join index is defined as \_\_\_\_\_.

- A. an index used to join two bitmap indexes on a table
- B. a bitmap index created for the join of two or more tables
- C. a bitmap index created on the join of two or more indexes
- D. a bitmap index created on the join of two or more indexed-organized tables

Answer: B

14. Which two statements are true regarding the use of UTF-16 encoding? (Choose two.)

- A. enables easier loading of multinational data
- B. uses a fixed-width multibyte encoding sequence
- C. Asian characters are represented in three characters
- D. uses a variable-width multibyte encoding sequence
- E. European characters are represented in one or two bytes

Answer: AB

15. Examine the list of variables and their data types:

Name Data Type

TS, TS1 TIMESTAMP

TSZ TIMESTAMP WITH TIME ZONE

TLZ TIMESTAMP WITH LOCAL TIME ZONE

IYM INTERVAL YEAR TO MONTH

IDS, IDS1 INTERVAL YEAR To SECOND

Which three expressions using the new date and time data types are valid? (Choose three.)

- A. IDS \* 2
- B. TS + IYM
- C. TS - TS1
- D. IDS - TS
- E. IDS + IYM

Answer: ABC

16. Online index rebuild functionality has been extended to include which four index structures? (Choose four.)

- A. bitmap indexes
- B. reverse key indexes
- C. function-based indexes
- D. key-compressed indexes on regular tables
- E. key-compressed indexes on IOT (including secondary indexes)

Answer: BCDE

17. Your database has tablespaces with different block sizes. What must you do to back these up with RMAN?

- A. You need to issue a separate RMAN BACKUP command to group tablespaces with the same block size.
- B. You need to use RMAN BACKUP BLOCKSIZE=nK to select tablespaces that are not the same size as the standard block size.
- C. You can simply issue the RMAN BACKUP command, because a backup set can contain tablespaces of different block sizes.

D. You must allow for the fact that RMAN will generate several backupsets, one for each block size, when you issue the RMAN BACKUP command .

Answer: D

18. What is true regarding a transaction executed in Automatic Undo Management mode?

- A. It is possible for the transaction to span different undo segments.
- B. It is possible for the transaction to reuse inactive extents from another undo segment.
- C. It is possible for the transaction to use inactive extents from another undo tablespace.
- D. It is possible for the transaction to extend the undo tablespace, even if defined with AUTOEXTENSIBLE set to FALSE.

Answer: B

19. You can use Oracle Flashback to look at past activity in your database. What are two other characteristics of Oracle Flashback? (Choose two.)

- A. Oracle Flashback uses undo information to construct consistent data.
- B. You can use a PL/SQL cursor opened while using an Oracle Flashback image to perform DML once you deactivate Oracle Flashback in your session.
- C. You can only use an Oracle Flashback view of the data if the required records are still in the online redo log files.
- D. Oracle Flashback lists the DML that was executed during the period you identify when initiating your session.

Answer: AB

20. What does the Metadata Application Programming Interface (API) allow you to do?

- A. repair damaged data dictionary entries
- B. delete data dictionary information about database objects you no longer need
- C. extract data definition commands from the data dictionary in a variety of formats
- D. prepare pseudocode modules for conversion to Java or PL/SQL programs with a Metadata code generator

Answer: C

### [1z0-030 Braindumps](#)

#### **Related 1z0-030 Exams**

[1z0-007](#) *Introduction to Oracle9i: SQL*

[1z0-032](#) *oracle9i database:fundamentals ii*

[1z0-031](#) *oracle9i database:fundamentals i*

[1z0-033](#) *Oracle9i Database:Performance Tuning*

[1z0-030](#) *oracle9i database:new features for administrators*

[1z0-035](#) *oracle9i dba new features for oracle7.3 and oracle9 ocps*

#### **Other Oracle Exams**

[1z0-403](#)    [1Z0-146](#)    [1z0-030](#)    [1z0-035](#)    [1z0-600](#)    [1z0-032](#)    [1z0-001](#)    [1z0-259](#)

[1z0-263](#)    [1Z0-218](#)    [1Z0-041](#)    [1z0-046](#)    [1Z0-215](#)    [1Z1-054](#)    [1z0-036](#)    [1z0-630](#)

[1z0-216](#)    [1z0-042](#)    [1z0-232](#)    [1z0-255](#)