

## 1z0-047 braindumps

### Oracle Other Oracle Certification

#### 1z0-047: Oracle Database SQL Expert

**Practice Exam:** 1z0-047 Exams

**Exam Number/Code:** 1z0-047

**Exam Name:** Oracle Database SQL Expert

**Questions and Answers:** 278 Q&As

( [Other Oracle Certification](#) )



Exam : [1z0-047](#)

"Oracle Database SQL Expert", also known as 1z0-047 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 278 Q&As to your 1z0-047 exam preparation. In the 1z0-047 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle Other Oracle Certification 1z0-047 (Oracle Database SQL Expert) examination of original title complete coverage. 1z0-047 exam questions help you pass the exam.

#### **Just4Study 1z0-047 Feature:**

\* High quality - High quality and valued for the 1z0-047 Exam: 100% Guarantee to Pass Your 1z0-047 exam and get your Other Oracle Certification certification.

\* Authoritative - Authoritative braindumps with complete details about 1z0-047 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Other Oracle Certification resources, you will minimize your **Oracle Other Oracle Certification** cost and be ready to pass your 1z0-047 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Other Oracle Certification demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-047 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 1z0-047 Demo Download**

Just4Study offers free demo for Other Oracle Certification 1z0-047 exam (Oracle Database SQL Expert). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle Other Oracle Certification 1z0-047** examination of original title complete coverage. 1z0-047 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 1z0-047**

Exam Name: Oracle Database SQL Expert( Other Oracle Certification )

Questions and Answers: 278 Q&A

[Oracle 1z0-047](#) Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle

Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination. Just4Study professional provide Other Oracle Certification 1z0-047 the newest Q&A, completely covers 1z0-047 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z0-047 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

*Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : Oracle 1Z0-047

Title : Oracle Database SQL Expert

1. OE and SCOTT are the users in the database. The ORDERS table is owned by OE. Evaluate the statements issued by the DBA in the following sequence:

```
CREATE ROLE r1;
```

```
GRANT SELECT, INSERT ON oe.orders TO r1;
```

```
GRANT r1 TO scott;
```

```
GRANT SELECT ON oe.orders TO scott;
```

```
REVOKE SELECT ON oe.orders FROM scott;
```

What would be the outcome after executing the statements?

- A. SCOTT would be able to query the OE.ORDERS table.
- B. SCOTT would not be able to query the OE.ORDERS table.
- C. The REVOKE statement would remove the SELECT privilege from SCOTT as well as from the role R1.
- D. The REVOKE statement would give an error because the SELECT privilege has been granted to the role R1.

Answer: A

2. Which three tasks can be performed using regular expression support in Oracle Database 10g? (Choose three.)

- A. It can be used to concatenate two strings.
- B. It can be used to find out the total length of the string.
- C. It can be used for string manipulation and searching operations.
- D. It can be used to format the output for a column or expression having string data.
- E. It can be used to find and replace operations for a column or expression having string data.

Answer: CDE

3. In which scenario would you use the ROLLUP operator for expression or columns within a GROUP BY clause?

- A. to find the groups forming the subtotal in a row
- B. to create group-wise grand totals for the groups specified within a GROUP BY clause
- C. to create a grouping for expressions or columns specified within a GROUP BY clause in one direction, from right to left for calculating the subtotals
- D. to create a grouping for expressions or columns specified within a GROUP BY clause in all possible directions, which is cross-tabular report for calculating the subtotals

Answer: C

4. View the Exhibit and examine the data in ORDERS and ORDER\_ITEMS tables.

You need to create a view that displays the ORDER ID, ORDER\_DATE, and the total number of items in each order.

Which CREATE VIEW statement would create the view successfully?

- A. CREATE OR REPLACE VIEW ord\_vu (order\_id,order\_date)  
AS SELECT o.order\_id, o.order\_date, COUNT(i.line\_item\_id)  
"NO OF ITEMS"

```

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;
B. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
"NO OF ITEMS"
FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;
C. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;
D. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)||' NO OF ITEMS'
FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date
WITH CHECK OPTION;

```

Answer: B

5. Evaluate the following CREATE SEQUENCE statement:

```

CREATE SEQUENCE seq1
START WITH 100
INCREMENT BY 10
MAXVALUE 200
CYCLE
NOCACHE;

```

The sequence SEQ1 has generated numbers up to the maximum limit of 200. You issue the following SQL statement:

```
SELECT seq1.nextval FROM dual;
```

What is displayed by the SELECT statement?

- A. 1
- B. 10
- C. 100
- D. an error

Answer: A

6. View the Exhibit and examine the description of the ORDERS table.

Which two WHERE clause conditions demonstrate the correct usage of conversion functions? (Choose two.)

- A. WHERE order\_date > TO\_DATE('JUL 10 2006','MON DD YYYY')
- B. WHERE TO\_CHAR(order\_date,'MON DD YYYY') = 'JAN 20 2003'
- C. WHERE order\_date > TO\_CHAR(ADD\_MONTHS(SYSDATE,6),'MON DD YYYY')
- D. WHERE order\_date IN ( TO\_DATE('Oct 21 2003','Mon DD YYYY'), TO\_CHAR('NOV 21 2003','Mon DD YYYY') )

Answer: AB

7. EMPDET is an external table containing the columns EMPNO and ENAME. Which command would work in relation to the EMPDET table?

- A. UPDATE empdet  
SET ename = 'Amit'  
WHERE empno = 1234;
- B. DELETE FROM empdet  
WHERE ename LIKE 'J%';

C. CREATE VIEW empvu

AS

SELECT \* FROM empdept;

D. CREATE INDEX empdet\_idx

ON empdet(empno);

Answer: C

8. View the Exhibit and examine the description of the EMPLOYEES table.

Your company decided to give a monthly bonus of \$50 to all the employees who have completed five years in the company. The following statement is written to display the LAST\_NAME, DEPARTMENT\_ID, and the total annual salary:

```
SELECT last_name, department_id, salary+50*12 "Annual Compensation"
```

```
FROM employees
```

```
WHERE MONTHS_BETWEEN(SYSDATE, hire_date)/12 >= 5;
```

When you execute the statement, the "Annual Compensation" is not computed correctly. What changes would you make to the query to calculate the annual compensation correctly?

A. Change the SELECT clause to SELECT last\_name, department\_id, salary\*12+50 "Annual Compensation".

B. Change the SELECT clause to SELECT last\_name, department\_id, salary+(50\*12) "Annual Compensation".

C. Change the SELECT clause to SELECT last\_name, department\_id, (salary+50)\*12 "Annual Compensation".

D. Change the SELECT clause to SELECT last\_name, department\_id, (salary\*12)+50 "Annual Compensation".

Answer: C

9. Evaluate the CREATE TABLE statement:

```
CREATE TABLE products
```

```
(product_id NUMBER(6) CONSTRAINT prod_id_pk PRIMARY KEY,
```

```
product_name VARCHAR2(15));
```

Which statement is true regarding the PROD\_ID\_PK constraint?

A. It would be created only if a unique index is manually created first.

B. It would be created and would use an automatically created unique index.

C. It would be created and would use an automatically created nonunique index.

D. It would be created and remains in a disabled state because no index is specified in the command.

Answer: B

10. Which two statements are true regarding the execution of the correlated subqueries? (Choose two.)

A. The nested query executes after the outer query returns the row.

B. The nested query executes first and then the outer query executes.

C. The outer query executes only once for the result returned by the inner query.

D. Each row returned by the outer query is evaluated for the results returned by the inner query.

Answer: AD

11. View the Exhibit and examine the description of the EMPLOYEES table.

You want to display the EMPLOYEE\_ID, FIRST\_NAME, and DEPARTMENT\_ID for all the employees who work in the same department and have the same manager as that of the employee having EMPLOYEE\_ID 104. To accomplish the task, you execute the following SQL statement:

```
SELECT employee_id, first_name, department_id
```

```
FROM employees
```

```
WHERE (manager_id, department_id)=(SELECT department_id, manager_id
```

```
FROM employees
```

```
WHERE employee_id = 104)
```

```
AND employee_id <> 104;
```

When you execute the statement it does not produce the desired output. What is the reason for this?

A. The WHERE clause condition in the main query is using the = comparison operator, instead of EXISTS.

B. The WHERE clause condition in the main query is using the = comparison operator, instead of the IN operator.

C. The WHERE clause condition in the main query is using the = comparison operator, instead of the = ANY operator.

D. The columns in the WHERE clause condition of the main query and the columns selected in the subquery should be in the same order.

Answer: D

12. Which two statements are true? (Choose two.)

A. The USER\_SYNONYMS view can provide information about private synonyms.

B. The user SYSTEM owns all the base tables and user-accessible views of the data dictionary.

C. All the dynamic performance views prefixed with V\$ are accessible to all the database users.

D. The USER\_OBJECTS view can provide information about the tables and views created by the user only.

E. DICTIONARY is a view that contains the names of all the data dictionary views that the user can access.

Answer: AE

13. View the Exhibit and examine the structure of the EMPLOYEES table.

You want to retrieve hierarchical data of the employees using the top-down hierarchy. Which SQL clause would let you choose the direction to walk through the hierarchy tree?

A. WHERE

B. HAVING

C. GROUP BY

D. START WITH

E. CONNECT BY PRIOR

Answer: E

14. View the Exhibit and examine the structure of the MARKS\_DETAILS and MARKS tables.

Which is the best method to load data from the MARKS\_DETAIL table to the MARKS table?

A. Pivoting INSERT

B. Unconditional INSERT

C. Conditional ALL INSERT

D. Conditional FIRST INSERT

Answer: A

15. View the Exhibit and examine the structure of the EMP table which is not partitioned and not an index-organized table.

Evaluate the following SQL statement:

```
ALTER TABLE emp
```

```
DROP COLUMN first_name;
```

Which two statements are true regarding the above command? (Choose two.)

A. The FIRST\_NAME column would be dropped provided it does not contain any data.

B. The FIRST\_NAME column would be dropped provided at least one or more columns remain in the table.

C. The FIRST\_NAME column can be rolled back provided the SET UNUSED option is added to the above SQL statement.

D. The FIRST\_NAME column can be dropped even if it is part of a composite PRIMARY KEY provided the CASCADE option is used.

Answer: BD

16. You need to load information about new customers from the NEW\_CUST table into the tables CUST and

CUST\_SPECIAL. If a new customer has a credit limit greater than 10,000, then the details have to be inserted into

CUST\_SPECIAL. All new customer details have to be inserted into the CUST table. Which technique should be used to load the data most efficiently?

A. external table

B. the MERGE command

C. the multitable INSERT command

D. INSERT using WITH CHECK OPTION

Answer: C

17. View the Exhibit and examine the descriptions of ORDER\_ITEMS and ORDERS tables.

You want to display the CUSTOMER\_ID, PRODUCT\_ID, and total (UNIT\_PRICE multiplied by QUANTITY) for the order placed. You also want to display the subtotals for a CUSTOMER\_ID as well as for a PRODUCT\_ID for the last six months.

Which SQL statement would you execute to get the desired output?

- A. SELECT o.customer\_id, oi.product\_id, SUM(oi.unit\_price\*oi.quantity) "Total"  
FROM order\_items oi JOIN orders o  
ON oi.order\_id=o.order\_id  
GROUP BY ROLLUP (o.customer\_id,oi.product\_id)  
WHERE MONTHS\_BETWEEN(order\_date, SYSDATE) <= 6;
- B. SELECT o.customer\_id, oi.product\_id, SUM(oi.unit\_price\*oi.quantity) "Total"  
FROM order\_items oi JOIN orders o  
ON oi.order\_id=o.order\_id  
GROUP BY ROLLUP (o.customer\_id,oi.product\_id)  
HAVING MONTHS\_BETWEEN(order\_date, SYSDATE) <= 6;
- C. SELECT o.customer\_id, oi.product\_id, SUM(oi.unit\_price\*oi.quantity) "Total"  
FROM order\_items oi JOIN orders o  
ON oi.order\_id=o.order\_id  
GROUP BY ROLLUP (o.customer\_id, oi.product\_id)  
WHERE MONTHS\_BETWEEN(order\_date, SYSDATE) >= 6;
- D. SELECT o.customer\_id, oi.product\_id, SUM(oi.unit\_price\*oi.quantity) "Total"  
FROM order\_items oi JOIN orders o  
ON oi.order\_id=o.order\_id  
WHERE MONTHS\_BETWEEN(order\_date, SYSDATE) <= 6  
GROUP BY ROLLUP (o.customer\_id, oi.product\_id) ;

Answer: D

18. Evaluate the following SQL statement:

```
ALTER TABLE hr.emp  
SET UNUSED (mgr_id);
```

Which statement is true regarding the effect of the above SQL statement?

- A. Any synonym existing on the EMP table would have to be re-created.
- B. Any constraints defined on the MGR\_ID column would be removed by the above command.
- C. Any views created on the EMP table that include the MGR\_ID column would have to be dropped and re-created.
- D. Any index created on the MGR\_ID column would continue to exist until the DROP UNUSED COLUMNS command is executed.

Answer: B

19. View the Exhibit and examine the description of the CUSTOMERS table.

You want to add a constraint on the CUST\_FIRST\_NAME column of the CUSTOMERS table so that the value inserted in the column does not have numbers.

Which SQL statement would you use to accomplish the task?

- A. ALTER TABLE CUSTOMERS  
ADD CONSTRAINT cust\_f\_name  
CHECK(REGEXP\_LIKE(cust\_first\_name,'^A-Z'))NOVALIDATE ;
- B. ALTER TABLE CUSTOMERS  
ADD CONSTRAINT cust\_f\_name  
CHECK(REGEXP\_LIKE(cust\_first\_name,'^[0-9]'))NOVALIDATE ;
- C. ALTER TABLE CUSTOMERS  
ADD CONSTRAINT cust\_f\_name

```
CHECK(REGEXP_LIKE(cust_first_name,[:alpha:]))NOVALIDATE ;
```

```
D. ALTER TABLE CUSTOMERS
```

```
ADD CONSTRAINT cust_f_name
```

```
CHECK(REGEXP_LIKE(cust_first_name,[:digit:]))NOVALIDATE ;
```

Answer: C

20. View the Exhibit and examine PRODUCTS and ORDER\_ITEMS tables.

You executed the following query to display PRODUCT\_NAME and the number of times the product has been ordered:

```
SELECT p.product_name, i.item_cnt
```

```
FROM (SELECT product_id, COUNT (*) item_cnt
```

```
FROM order_items
```

```
GROUP BY product_id) i RIGHT OUTER JOIN products p
```

```
ON i.product_id = p.product_id;
```

What would happen when the above statement is executed?

A. The statement would execute successfully to produce the required output.

B. The statement would not execute because inline views and outer joins cannot be used together.

C. The statement would not execute because the ITEM\_CNT alias cannot be displayed in the outer query.

D. The statement would not execute because the GROUP BY clause cannot be used in the inline view.

Answer: A

### [1z0-047 Braindumps](#)

#### Related 1z0-047 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-233](#) Oracle 11i install. patch and maintain applications

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-223](#) Oracle order management 11i fundamentals

[1Z0-053](#) Oracle Database 11g: Administration II

[1z0-222](#) Oracle purchasing 11i fundamentals

[1z0-403](#) Enterprise Linux System Administration

[1z0-213](#) Oracle receivables 11i fundamentals

[1z0-232](#) Oracle 11i system administration fundamentals

[1z0-235](#) Oracle 11i applications DBA: Fundamentals I

[1z0-204](#) Oracle EBS R12: E-Business Essentials

#### Other Oracle Exams

[1Z0-043](#)

[1Z1-238](#)

[1Z0-228](#)

[1Z0-208](#)

[1z1-047](#)

[1z0-033](#)

[1z0-040](#)

[1Z0-215](#)

[1z0-095](#)

[1z0-147](#)

[1z0-301](#)

[1z0-054](#)

[1z0-271](#)

[1z0-131](#)

[1Z0-053](#)

[1z0-209](#)

1z0-213

1z0-600

1Z1-202

1Z0-218