

1z0-101 braindumps

Oracle 9i Internet Application Developer

1z0-101: develop pl/sql program units

Practice Exam: 1z0-101 Exams

Exam Number/Code: 1z0-101

Exam Name: develop pl/sql program units

Questions and Answers: 114 Q&As

([9i Internet Application Developer](#))



Exam : [1z0-101](#)

"develop pl/sql program units", also known as 1z0-101 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 114 Q&As to your 1z0-101 exam preparation. In the 1z0-101 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle 9i Internet Application Developer 1z0-101 (develop pl/sql program units) examination of original title complete coverage. 1z0-101 exam questions help you pass the exam.

Just4Study 1z0-101 Feature:

* High quality - High quality and valued for the 1z0-101 Exam: 100% Guarantee to Pass Your 1z0-101 exam and get your 9i Internet Application Developer certification.

* Authoritative - Authoritative braindumps with complete details about 1z0-101 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed 9i Internet Application Developer resources, you will minimize your **Oracle 9i Internet Application Developer** cost and be ready to pass your 1z0-101 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free 9i Internet Application Developer demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-101 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1z0-101 Demo Download

Just4Study offers free demo for 9i Internet Application Developer 1z0-101 exam (develop pl/sql program units). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle 9i Internet Application Developer 1z0-101** examination of original title complete coverage. 1z0-101 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 1z0-101

Exam Name: develop pl/sql program units(9i Internet Application Developer)

Questions and Answers: 114 Q&A

[Oracle 1z0-101](#) Test belongs to one of the 9i Internet Application Developer certified test, if needs to obtain the 9i

Internet Application Developer certificate, you also need to participate in other related test, the details you may visit the [9i Internet Application Developer](#) certified topic, in there, you will see all related 9i Internet Application Developer certified subject of examination.

Just4Study professional provide 9i Internet Application Developer 1z0-101 the newest Q&A, completely covers 1z0-101 test original topic. With our complete 9i Internet Application Developer resources, you will minimize your 9i Internet Application Developer cost and be ready to pass your 1z0-101 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-101

Title : Develop PL/Sql Program Units

1. Which compiler directive is used to check the purity level of functions?

- A. PRAGMA PURITY_LEVEL
- B. PRAGMA SERIALLY_REUSEABLE
- C. PRAGMA RESTRICT_REFERENCES
- D. PRAGMA RESTRICT_PURITY_LEVEL
- E. PRAGMA RESTRICT_FUNCTION_REFERENCE

Answer: C

2. The number of cascading triggers is limited by which database initialization parameter?

- A. CASCADE_TRIGGER_CNT
- B. OPEN_CURSORS
- C. OPEN_TRIGGERS
- D. OPEN_DB_TRIGGERS

Answer: B

3. There is a CUSTOMER table in a schema that has a public synonym CUSTOMER and you are granted all object privileges on it. You have a procedure PROCESS_CUSTOMER that processes customer information that is in the public synonym CUSTOMER table. You have just created a new table called CUSTOMER within your schema. Which statement is true?

- A. Creating the table has no effect and procedure PROCESS_CUSTOMER still accesses data from public synonym CUSTOMER table.
- B. If the structure of your CUSTOMER table is the same as the public synonym CUSTOMER table then the procedure PROCESS_CUSTOMER is invalidated and gives compilation errors.
- C. If the structure of your CUSTOMER table is entirely different from the public synonym CUSTOMER table then the procedure PROCESS_CUSTOMER successfully recompiles and accesses your CUSTOMER table.
- D. If the structure of your CUSTOMER table is the same as the public synonym CUSTOMER table then the procedure PROCESS_CUSTOMER successfully recompiles when invoked and accesses your CUSTOMER table.

Answer: D

4. You are creating a stored procedure in the SQL*Plus environment. The text of the procedure is stored in a script file. You run the script file to compile the procedure. What happens if the procedure contains syntax errors?

- A. Neither the source code, nor the errors are stored in the database.
- B. Both the source code and the compilation errors are stored in the database.
- C. Compilation errors are appended to the script file that contains the source code.
- D. The source code is stored in the database, and the errors are stored in an output file.

E. Only the compilation errors are written to the database, and source code remains in the script file.

Answer: B

5. The `add_player`, `upd_player_stat`, and `upd_pitcher_stat` procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?

A. in the package body

B. in a database trigger

C. in the package specification

D. in each procedure's `DECLARE` section, using the exact same name in each

Answer: A

6. Which code can you use to ensure that the salary is neither increased by more than 10% at a time nor is it ever decreased?

A. `ALTER TABLE emp ADD`

`CONSTRAINT ck_sal CHECK (sal BETWEEN sal AND sal*1.1);`

B. `CREATE OR REPLACE TRIGGER check_sal`

`BEFORE UPDATE OF sal ON emp`

`FOR EACH ROW`

`WHEN (new.sal < old.sal OR`

`new.sal > old.sal * 1.1)`

`BEGIN`

`RAISE_APPLICATION_ERROR (- 20508, 'Do not decrease salary nor increase by more than 10%');`

`END;`

C. `CREATE OR REPLACE TRIGGER check_sal`

`BEFORE UPDATE OF sal ON emp`

`WHEN (new.sal < old.sal OR`

`new.sal > old.sal * 1.1)`

`BEGIN`

`RAISE_APPLICATION_ERROR (- 20508, 'Do not decrease salary nor increase by more than 10%');`

`END;`

D. `CREATE OR REPLACE TRIGGER check_sal`

`AFTER UPDATE OF sal ON emp`

`WHEN (new.sal < old.sal OR`

`-new.sal > old.sal * 1.1)`

`BEGIN`

`RAISE_APPLICATION_ERROR (- 20508, 'Do not decrease salary nor increase by more than 10%');`

`END;`

Answer: B

7. You need to recompile several program units you have recently modified through a PL/SQL program. Which statement is true?

A. You cannot recompile program units using a PL/SQL program.

B. You can use the `DBMS_DDL.RECOMPILE` packaged procedure to recompile the program units.

C. You can use the `DBMS_ALTER.COMPILE` packaged procedure to recompile the program units.

D. You can use the `DBMS_DDL.ALTER_COMPILE` packaged procedure to recompile the program units.

E. You can use the `DBMS_SQL.ALTER_COMPILE` packaged procedure to recompile the program units.

Answer: D

8. Which two programming constructs can be grouped within a package? (Choose two.)

A. cursor

B. constant

C. trigger

D. sequence

E. view

Answer: AB

9. Which system privilege must you have to manually recompile a stored procedure owned by another application developer?

- A. ALTER PROCEDURE
- B. ALTER ANY PROCEDURE
- C. ALTER ALL PROCEDURE
- D. COMPILE ANY PROCEDURE

Answer: B

10. When creating procedures, arguments should be placed before which keyword?

- A. IS
- B. BEGIN
- C. DECLARE
- D. PROCEDURE

Answer: A

11. Which two statements about packages are true? (Choose two.)

- A. Packages can be nested.
- B. You can pass parameters to packages.
- C. A package is loaded into memory each time it is invoked.
- D. The contents of packages can be shared by many applications.
- E. You can achieve information hiding by making package constructs private.

Answer: DE

12. You have created a stored procedure DELETE_TEMP_TABLE that uses dynamic SQL to remove a table in your schema. You have granted the EXECUTE privilege to user A on this procedure. When user A executes the DELETE_TEMP_TABLE procedure, under whose privileges are the operations performed by default?

- A. SYS privileges
- B. your privileges
- C. public privileges
- D. user A's privileges
- E. User A cannot execute your procedure that has dynamic SQL.

Answer: B

13. The procedure ADD_PRODUCT is defined within a package specification as follows:

```
PROCEDURE ADD_PRODUCT
```

```
(p_prodno NUMBER, p_prodname VARCHAR2);
```

Which procedure declaration cannot be added to the package specification?

- A. PROCEDURE add_product
(p_order_date DATE);
- B. PROCEDURE add_product
(p_name VARCHAR2, p_ordered DATE);
- C. PROCEDURE add_product
(p_prodname VARCHAR2, p_price NUMBER);
- D. PROCEDURE add_product
(p_price NUMBER, p_description VARCHAR2);

Answer: D

14. Which two statements are true? (Choose two.)

- A. A function must return a value.
- B. A procedure must return a value.

- C. A function executes as a PL/SQL statement.
- D. A function is invoked as part of an expression.
- E. A procedure must have a return data type specified in its declaration.

Answer: AD

15. The programmer who developed a procedure ACCOUNT_TRANSACTION left the organization. You are assigned the task of modifying this procedure. You want to find all the program units invoking the ACCOUNT_TRANSACTION procedure. How can you find this information?

- A. Query the USER_SOURCE data dictionary view.
- B. Query the USER_PROCEDURES data dictionary view.
- C. Query the USER_DEPENDENCIES data dictionary view.
- D. Set the SQL*Plus environment variable TRACECODE=TRUE and run the ACCOUNT_TRANSACTION procedure.
- E. Set the SQL*Plus environment variable DEPENDENCIES=TRUE and run the ACCOUNT_TRANSACTION procedure.

Answer: C

16. Which part of a database trigger determines the number of times the trigger body executes?

- A. trigger type
- B. trigger body
- C. trigger event
- D. trigger timing

Answer: A

17. Examine this package:

```
CREATE OR REPLACE PACKAGE discounts
IS
g_id NUMBER := 7839;
discount_rate NUMBER := 0.00;
PROCEDURE display_price (p_price NUMBER);
END discounts;
/
CREATE OR REPLACE PACKAGE BODY discounts
IS
PROCEDURE display_price (p_price NUMBER)
IS
BEGIN
DBMS_OUTPUT.PUT_LINE('Discounted '||
TO_CHAR(p_price*NVL(discount_rate, 1)));
END display_price;
BEGIN
discount_rate := 0.10;
END discounts;
/
```

The SQL*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure DISPLAY_PRICE from SQL*Plus with the command: EXECUTE discounts.display_price (100);

What is the result?

- A. Discounted 10
- B. Discounted 100
- C. Discounted 0.00
- D. Discounted NULL
- E. Discounted 0.10E.Discounted 0.10

Answer: A

18. Which procedure of the dbms_output supplied package would you use to append text to the current line of the output buffer?

- A. GET
- B. GET_LINE
- C. PUT_TEXT_LINE
- D. PUT

Answer: D

19. Under which situation do you create a server-side procedure?

- A. when the procedure contains no SQL statements
- B. when the procedure contains no PL/SQL commands
- C. when the procedure needs to be used by many client applications accessing several remote databases
- D. when the procedure needs to be used by many users accessing the same schema objects on a local database

Answer: D

20. Examine this function:

```
CREATE OR REPLACE FUNCTION CALC_PLAYER_AVG
(V_ID in PLAYER_BAT_STAT.PLAYER_ID%TYPE)
RETURN NUMBER
IS
V_AVG NUMBER;
BEGIN
SELECT HITS / AT_BATS
INTO V_AVG
FROM PLAYER_BAT_STAT
WHERE PLAYER_ID = V_ID;
RETURN (V_AVG);
END;
```

Which statement will successfully invoke this function in SQL*Plus?

- A. SELECT CALC_PLAYER_AVG(PLAYER_ID)
FROM PLAYER_BAT_STAT;
- B. EXECUTE CALC_PLAYER_AVG(31);
- C. CALC_PLAYER('Ruth');
- D. CALC_PLAYER_AVG(31);
- E. START CALC_PLAYER_AVG(31)

Answer: A

[1z0-101 Braindumps](#)

Related 1z0-101 Exams

[1z0-147](#) oracle9i program with pl/sql

[1z0-101](#) develop pl/sql program units

[1z0-001](#) 9i Internet Application Developer Introduction to Oracle: SQL and PL/SQL

[1z0-141](#) oracle9i forma developer:build internet applications

[1z0-132](#) 9i Internet Application Developer Oracle9i, Build Internet Applications II

[1z0-140](#) oracle9i forms developer:new features

[1z0-131](#) 9i Internet Application Developer Oracle9i, Build Internet Applications I

Other Oracle Exams

[1Z0-218](#) [1Z0-055](#) [1z0-120](#) [1z0-020](#) [1z0-262](#) [1Z1-403](#) [1z0-231](#) [1Z1-054](#)

[1z0-101](#) [1Z1-225](#) [1z0-263](#) [1Z0-207](#) [1z0-050](#) [1z0-147](#) [1Z0-242](#) [1z0-620](#)

1z0-045

1z0-046

1z0-238

1Z0-273