

1z0-131 braindumps

Oracle 9i Internet Application Developer

1z0-131: 9i Internet Application Developer Oracle9i, Build Internet Applications I

Practice Exam: 1z0-131 Exams

Exam Number/Code: 1z0-131

Exam Name: 9i Internet Application Developer Oracle9i, Build Internet Applications I

Questions and Answers: 120 Q&As

([9i Internet Application Developer](#))



Exam : [1z0-131](#)

"9i Internet Application Developer Oracle9i, Build Internet Applications I", also known as 1z0-131 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 120 Q&As to your 1z0-131 exam preparation. In the 1z0-131 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle 9i Internet Application Developer 1z0-131 (9i Internet Application Developer Oracle9i, Build Internet Applications I) examination of original title complete coverage. 1z0-131 exam questions help you pass the exam.

Just4Study 1z0-131 Feature:

* High quality - High quality and valued for the 1z0-131 Exam: 100% Guarantee to Pass Your 1z0-131 exam and get your 9i Internet Application Developer certification.

* Authoritative - Authoritative braindumps with complete details about 1z0-131 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed 9i Internet Application Developer resources, you will minimize your **Oracle 9i Internet Application Developer** cost and be ready to pass your 1z0-131 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free 9i Internet Application Developer demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-131 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1z0-131 Demo Download

Just4Study offers free demo for 9i Internet Application Developer 1z0-131 exam (9i Internet Application Developer Oracle9i, Build Internet Applications I). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 9i Internet Application Developer 1z0-131** examination of original title complete coverage.1z0-131 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 1z0-131

Exam Name: 9i Internet Application Developer Oracle9i, Build Internet Applications I(9i Internet Application Developer)

Oracle 1z0-131 Test belongs to one of the 9i Internet Application Developer certified test, if needs to obtain the 9i Internet Application Developer certificate, you also need to participate in other related test, the details you may visit the [9i Internet Application Developer](#) certified topic, in there, you will see all related 9i Internet Application Developer certified subject of examination.

Just4Study professional provide 9i Internet Application Developer 1z0-131 the newest Q&A, completely covers 1z0-131 test original topic. With our complete 9i Internet Application Developer resources, you will minimize your 9i Internet Application Developer cost and be ready to pass your 1z0-131 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-131

Title : Build Internet Applications i

1. Which built-in allows you to dynamically change the alert message text?

- A. SET_ALERT_MESSAGE
- B. SET_ALERT_PROPERTY
- C. CHANGE_ALERT_PROPERTY
- D. CHANGE_MESSAGE_ALERT

Answer: B

2. You can use a When-List-Activated trigger to trap a user selection. For which list item style can you do this?

- A. T-list
- B. pop-list
- C. combo box
- D. any style

Answer: A

3. You want to capture the username and password of the current user. Which built-in subprogram can you use?

- A. GET_APPLICATION_PROPERTY
- B. GET_RELATION_PROPERTY
- C. GET_VIEW_PROPERTY
- D. GET_FORM_PROPERTY

Answer: A

4. Which property type can be created by overriding a property set by a property class?

- A. Block
- B. Variant
- C. Item
- D. Inherited

Answer: B

5. How could you associate a data block with more than one frame?

- A. Use the Layout Wizard in reentrant mode to associate the data block with an additional frame.
- B. Alter the Frame value in the Property Palette for the data block.
- C. Use the Data Block Wizard in reentrant mode to associate the data block with an additional frame.

D. A data block can be associated with only one frame.

Answer: D

6. In Form Builder you attempt to compile a trigger. You receive a compilation error that gives no clear indication of the problem. What are two likely causes? (Choose two.)

- A. dividing by zero
- B. missing semicolon
- C. mismatched quotes
- D. mistyped variable name
- E. trigger defined on wrong item
- F. trigger defined at wrong level

Answer: BC

7. The EMPLOYEE form contains the CV_SALARY, CV_EMP, and CV_HELP content canvases. Each canvas is displayed in its own window. How could you toggle between the CV_SALARY and CV_EMP canvases without closing the CV_HELP canvas?

- A. Create the CV_HELP canvas in a modal window.
- B. Create the CV_SALARY and CV_EMP canvases in modal windows.
- C. Create all three canvases in modeless windows.
- D. A canvas must be dismissed before another canvas can become active.

Answer: C

8. Which built-in subprogram can be used to create global variables?

- A. NAME_IN
- B. COPY
- C. DEFAULT_VALUE
- D. LIST_VALUES

Answer: C

9. Which two item properties' settings affect the standard checks performed during item validation? (Choose two.)

- A. Font Name
- B. Format Mask
- C. Conceal Data
- D. Case Restriction
- E. Lowest Allowed Value
- F. Number of Items Displayed

Answer: BE

10. You are customizing default functionality of an image item so that the image displays when a user single-clicks the item. Which trigger would you use to accomplish the task?

- A. When-New-Item-Instance
- B. When-Image-Activated
- C. When-Image-Pressed
- D. When-Validate-Item

Answer: C

11. Which two operations create a text item? (Choose two.)

- A. use the Create icon in the Layout Editor
- B. convert an existing item into a text item by setting its Item Type property
- C. use the text item tool in the Object Navigator
- D. use the text item tool in the Layout Editor
- E. select Field--->New--->Text Item from the menu

Answer: BD

12. You are creating the ORDERS form that contains a text item called Date_Ordered. How could you ensure that when a new record is entered, the Date_Ordered item displays the current date in DD-MON-YYYY format?

- A. In the Date_Ordered Item Property Palette, set the Initial Value property to \$\$date\$.
- B. In the Date_Ordered Item Property Palette, set the Default Value property to SYSDATE.
- C. You must use a Pre-Insert trigger to accomplish this task.
- D. You must use a Pre-Commit trigger to accomplish this task.

Answer: A

13. Click the Exhibit button.

All items have been created with default properties. There is a Pre-Text-Item trigger on Item B with the following code:

```
if :blockname.item_b > '10' then  
  raise form_trigger_failure;  
end if;
```

The cursor is in Item A. You press [Tab]. Which statement is true?

- A. Input focus will change to Item C.
- B. External navigation will not occur.
- C. Internal navigation will not occur.
- D. The form will exit due to a fatal error.
- E. A message indicating navigation failure will automatically be displayed.

Answer: B

14. You created the EMP_DATA data block in the EMPLOYEE form based on all the columns of the EMP table. After viewing the prototype, users are asking that you remove the SALARY column from the layout. This column is used in the data block to perform bonus calculations.

How would you remove this column from the layout while leaving it in the data block?

- A. You must delete the EMP_DATA data block and recreate it.
- B. Select the Salary item in the Layout Editor and press DELETE.
- C. You must remove the column from the data block to remove it from the layout.
- D. Select the frame surrounding the EMP_DATA data block in the Layout Editor, click the Layout Wizard tool, and remove the SALARY column from the Displayed Items list.
- E. Select the EMP_DATA data block in the Object Navigator, choose Tools->Data Block Wizard, and remove the SALARY column from the included list. The SALARY column will automatically be removed from the layout.
- F. Double-click the EMP_DATA data block in the Object Navigator to launch the Data Block Wizard, remove the SALARY column from the included columns, enter the Layout Wizard, and remove the SALARY column from the Displayed Items list.

Answer: D

15. Which built-in subprogram can you use to navigate to the instance of the current item in the previous record?

- A. PREVIOUS_RECORD
- B. UP
- C. SCROLL_UP
- D. PREVIOUS_BLOCK

Answer: B

16. You have written some generic PL/SQL code which loops through the invoked form, getting and setting the global variables in the form. Which two built-ins would you use in this code to get and set these variables and their values?

(Choose two.)

- A. COPY
- B. NAME_IN
- C. GET_ITEM_PROPERTY
- D. GET_BLOCK_PROPERTY
- E. GET_PARAMETER_LIST

F. GET_APPLICATION_PROPERTY

Answer: AB

17. Which two data block properties can be set to abort a long running query? (Choose two.)

- A. Number of Records Buffered
- B. Numbers of Records Displayed
- C. Query Array Size
- D. Maximum Query Time
- E. Query All Records
- F. Maximum Records Fetched

Answer: DF

18. You have created a form that has a block to create an address and perform a mail merge with a selected Word document. You would like to use this block in other forms. How could you package this block and its canvas for reuse?

- A. Smart Class
- B. Object Group
- C. Record Group
- D. Property Class
- E. PL/SQL Library

Answer: B

19. You are creating summary items that summarize the same item in a data block by performing different functions, such as Sum, Avg, Max, and Min. Design rules require you to place summary items in a control block. Which properties should be set in the control and data blocks to enable your task?

- A. The Single Record property must be set to Yes for the control block, and the Query All Records property must be set to Yes for the data block.
- B. The Number of Records Displayed property must be set to Yes for the control block, and the Number of Records Buffered property must be set to All for the data block.
- C. The Query All Records property must be set to Yes for the data block, and the Precompile Summaries property must be set to Yes for the control block.
- D. The Query All Records property must be set to Yes for the control block, and the Precompile Summaries property must be set to Yes for the data block.

Answer: A

20. You created a form that has two data blocks. Which two default navigation methods can a user employ to move the cursor from the first block to the second block? (Choose two.)

- A. Press the [NEXT BLOCK] function key.
- B. Click an item in the second block with the mouse.
- C. Click the single right-arrow icon on the menu toolbar.
- D. Right-click an item in the first block, and choose Next Block from the pop-up menu.

Answer: AB

[1z0-131 Braindumps](#)

Related 1z0-131 Exams

[1z0-147](#) oracle9i program with pl/sql

[1z0-101](#) develop pl/sql program units

[1z0-001](#) 9i Internet Application Developer Introduction to Oracle: SQL and PL/SQL

[1z0-141](#) oracle9i forma developer:build internet applications

[1z0-132](#) 9i Internet Application Developer Oracle9i, Build Internet Applications II

1z0-140 oracle9i forms developer:new features

1z0-131 9i Internet Application Developer Oracle9i, Build Internet Applications I

Other Oracle Exams

<u>1z0-212</u>	<u>1z0-225</u>	<u>1z0-235</u>	<u>1z0-054</u>	<u>1z0-301</u>	<u>1z0-042</u>	<u>1Z0-052</u>	<u>1Z1-202</u>
<u>1z0-238</u>	<u>1z0-209</u>	<u>1z0-259</u>	<u>1z0-241</u>	<u>1Z0-207</u>	<u>1z1-050</u>	<u>1z0-040</u>	<u>1z0-272</u>
<u>1z0-048</u>	<u>1z0-403</u>	<u>1z1-052</u>	<u>1z0-211</u>				