

## 1z0-311 braindumps

### Oracle Other Oracle Certification

**1z0-311: oracle application server 10g:administration**

**Practice Exam:** 1z0-311 Exams

**Exam Number/Code:** 1z0-311

**Exam Name:** oracle application server 10g:administration

**Questions and Answers:** 152 Q&As

( [Other Oracle Certification](#) )



"oracle application server 10g:administration ", also known as 1z0-311 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 152 Q&As to your 1z0-311 exam preparation. In the 1z0-311 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

Exam : [1z0-311](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle Other Oracle Certification 1z0-311 (oracle application server 10g:administration ) examination of original title complete coverage. 1z0-311 exam questions help you pass the exam.

#### **Just4Study 1z0-311 Feature:**

\* High quality - High quality and valued for the 1z0-311 Exam: 100% Guarantee to Pass Your 1z0-311 exam and get your Other Oracle Certification certification.

\* Authoritative - Authoritative braindumps with complete details about 1z0-311 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Other Oracle Certification resources, you will minimize your **Oracle Other Oracle Certification** cost and be ready to pass your 1z0-311 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Other Oracle Certification demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z0-311 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 1z0-311 Demo Download**

Just4Study offers free demo for Other Oracle Certification 1z0-311 exam (oracle application server 10g:administration ). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle Other Oracle Certification 1z0-311** examination of original title complete coverage.1z0-311 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

**VUE/Prometric Code: 1z0-311**

Exam Name: oracle application server 10g:administration ( Other Oracle Certification )

Questions and Answers: 152 Q&A

[Oracle 1z0-311](#) Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination. Just4Study professional provide Other Oracle Certification 1z0-311 the newest Q&A, completely covers 1z0-311 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z0-311 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-311

Title : Oracle Application Server 10g:Administration

1. You have Oracle Application Server 10g instance running. For the parent Oracle HTTP Server process you want five child processes to be always running. In addition to this, you want to restrict the number of requests that are handled simultaneously by the child processes to 20. Which options would you use to achieve this objective? (Choose all that apply.)

- A. MaxClients 20
- B. StartServers 5
- C. MaxSpareServers 5
- D. MinSpareServers 10
- E. MaxRequestsPerChild 20

Answer: AB

2. In your existing Oracle Application Server 10g installation, you observe that the Oracle HTTP Server (OHS) error log file, error\_log, is available in the location set in the ErrorLog directive. Because the location set in this directive is running out of space and there is no free space available in other locations, you want to suppress further logging of any kind of messages, temporarily, into the error log file. What would you do to achieve this objective?

- A. set ErrorLog to NULL
- B. set ErrorLog to NONE
- C. set ErrorLog to /dev/null
- D. remove the ErrorLog directive from the configuration file
- E. remove the TransferLog directive from the configuration file

Answer: C

3. You are creating a transport set to export a page group. The FINANCE\_APP application is listed as an external object in the Transport Set Objects page. You require this FINANCE\_APP application to be exported along with rest of the objects in the page group. What would you do?

- A. promote the FINANCE\_APP application as an explicitly selected object
- B. specify the automatic\_merge parameter explicitly while creating the transport set dump file
- C. use the opeasst.csh script to export the FINANCE\_APP application along with the page group
- D. no explicit action required because the external objects are exported along with the page group by default

Answer: A

4. In your Oracle HTTP Server configuration file, you have configured the following directives as:

StartServers 10

MaxSpareServers 20

MinSpareServers 15

Which statement is true?

- A. Twenty child processes would be running at any given point in time.
- B. Only 10 child processes would be running at any given point in time.
- C. Initially, the parent process would start 10 child processes, but later it would start additional child processes to maintain the value specified for MinSpareServers.
- D. Initially, the parent process would start 15 child processes, but later it would start more child processes automatically to reach the value specified for MaxSpareServers.

Answer: C

5. You are deploying a Java 2, Enterprise Edition (J2EE) application using Application Server Control Console. View the Exhibit and examine the fields for which you provide the information.

What is the significance of selecting a Parent Application?

- A. to share services, such as EJBs among multiple applications
- B. to identify the instance in which the application is to be deployed
- C. to maintain uniformity in the URLs of all the J2EE applications deployed so far
- D. to allow all the users of the parent application to access the application you are deploying

Answer: A

6. In Oracle Internet Directory (OID), which Directory Information Tree (DIT) attribute would you use to find out the object classes that are available in Identity Management Realm?

- A. orclUserObjectClass
- B. orclCommonUserSearchBase
- C. orclCommonGroupSearchBase
- D. orclCommonUserNickNameAttribute

Answer: A

7. You have a text file written in LDAP Data Interchange Format (LDIF) that contains the entries to be added to the Oracle Internet Directory (OID). Using this text file as a source file, you want to add the entries concurrently using multiple threads. Which OID command-line tool would you use?

- A. Idapadd
- B. Idapbind
- C. Idapmoddn
- D. Idapaddmt

Answer: D

8. You have not set the Subscriber Search Base node in Directory Information Tree (DIT) in Identity Management Realm by using the orclSubscriberSearchBase attribute. You use Discovery mechanism to find out user information in the DIT. Which statement is true in this scenario?

- A. This attribute cannot have null values.
- B. This attribute value points to the parent of Default Subscriber.
- C. This attribute would have the same value as User Search Base.
- D. This attribute would have the same value as Default Subscriber.
- E. This attribute would have the same value as Subscriber Nickname.

Answer: B

9. In your Oracle Application Server 10g installation, you observe that the Oracle HTTP Server parent process is running as the Oracle user's process and currently using the default port number 7778. To comply with the development environment, you have been asked to use port number 80 for the parent process.

Which step would you perform after changing the Listen directive to 80 in the httpd.conf file to ensure that the changed port number is used by the parent process?

- A. start the process as the root user
- B. start the process as the Oracle user
- C. start the process as any user other than root and Oracle
- D. change the Group directive in the httpd.conf file to the group of the root user and start the process as the Oracle

user

Answer: A

10. You want to create a user in Oracle Internet Directory (OID) who should be authenticated using Single Sign-On and should be able to retrieve user information from the Oracle Directory Server. Which two tools can you use to create the user? (Choose two.)

- A. Oracle Wallet Manager
- B. OID Self Service Console
- C. Oracle Directory Manager
- D. OracleAS Single Sign-On Server
- E. Oracle Enterprise Manager 10g Application Server Control

Answer: BC

11. You are maintaining user information in the Oracle Internet Directory (OID) for authentication. You want to find out whether a user, STEVE, has the last name BENNETT. Which OID utility would you use?

- A. Idapbind
- B. Idifwrite
- C. Idapmoddn
- D. Idapcompare

Answer: D

12. In your Oracle Application Server 10g installation, you want to restrict the number of requests allowed per connection to 16. Which two actions would you take to achieve this objective? (Choose two.)

- A. Limit 16
- B. KeepAlive ON
- C. MaxClients 16
- D. KeepAliveTimeout 16
- E. MaxRequestsPerChild 16
- F. MaxKeepAliveRequests 16

Answer: BF

13. What makes it possible to access the portal from the OracleAS SSO Administer Partner Applications page?

- A. The administrator registers the portal manually to OracleAS SSO using the ossoreg.jar tool.
- B. The registration of the first external application with OracleAS SSO adds OracleAS Portal as a partner application.
- C. The ssocfg.sh script needs to be executed first to access the portal from the OracleAS SSO Administer Partner Applications page.
- D. During OracleAS middle-tier installation, the installer automatically adds the OracleAS Portal as a partner application for OracleAS SSO.

Answer: D

14. View the Exhibit and examine the contents of the portlist.ini file.

You changed the password for the portal schema in the infrastructure database by using the ALTER USER SQL command. You are able to connect as portal to the infrastructure database. You use the following URL to access the associated OracleAS Portal instance, but you are not able to log in as user portal:

`http://host.domain:7778/pls/portal`

Which two causes could be the reasons for you not being able to log in? (Choose two.)

- A. Incorrect port number is specified in the URL.
- B. The password for the PORTAL\_PUBLIC schema is not modified.
- C. The Portal User Profile portlet is not used to modify the portal user's profile.
- D. The portal schema password in Oracle Internet Directory (OID) is not changed.
- E. The connection information in the Database Access Descriptor (DAD) is not updated.

Answer: DE

15. While setting up the Oracle HTTP Server (OHS) for your Oracle Application Server 10g installation, you want to enable the server to set a host name that can be used to create redirection URLs, using the ServerName directive. Within which two scopes can you specify the directive in the httpd.conf file? (Choose two.)

- A. in a block container
- B. in a location container
- C. in a directory container
- D. in a virtual host container
- E. in the server-level configuration

Answer: DE

16. Which statements describe the functionality of OracleAS Single Sign-On? (Choose all that apply.)

- A. It can be used in either a secure sockets layer (SSL) mode or a non-SSL mode.
- B. It uses Single Sign-On SDK to enable the single sign-on functionality.
- C. It uses Oracle Application Server Containers for J2EE (OC4J) to store user information.
- D. It uses the Single Sign-On username and password from the Oracle Internet Directory (OID) to authenticate users.

Answer: AD

17. You want to install Oracle Application Server 10g middle tier that enables you to generate Web-based reports and authenticate users accessing the middle-tier components. Which components must you have installed before you start installing OracleAS Portal and Wireless? (Choose all that apply.)

- A. Identity Management
- B. J2EE and Web Cache
- C. OracleAS Developer Kits
- D. OracleAS Metadata Repository

Answer: AD

18. A portal user named USER1 registered a new database provider with the OracleAS Portal instance. What are the actions that are implicitly performed as a result of the registration? (Choose all that apply.)

- A. A new page is created in the Portlet Repository page group.
- B. The provider registration information is saved in the dads.conf file.
- C. The provider registration information is saved in the portlet repository.
- D. A new database schema is created with the same name as the provider.

Answer: AC

19. Today, most Java 2, Enterprise Edition (J2EE) applications use a database to have a persistent storage for data. Which two statements regarding the data source are true? (Choose two.)

- A. J2EE applications cannot use more than one data source.
- B. J2EE applications use the data source to ensure portability across application servers.
- C. J2EE applications retrieve connections to the database through DataSource objects.
- D. J2EE applications use the data source to store the Java Naming and Directory Interface (JNDI) tree.

Answer: BC

20. While setting up the Oracle HTTP Server (OHS) for your Oracle Application Server 10g installation, you set the container directives in the httpd.conf file as shown in the Exhibit.

View the Exhibit.

Which three statements are true? (Choose three.)

- A. The Files container is used to match objects at file-system level.
- B. The Location container is used to match objects at the block level.
- C. The Directory container is always processed from the shortest directory component to the longest.
- D. The Location container is always processed last of the listed directives in the file irrespective of where it appears in the configuration file.

Answer: ACD

## [1z0-311 Braindumps](#)

### Related 1z0-311 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-233](#) Oracle 11i install, patch and maintain applications

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-223](#) Oracle order management 11i fundamentals

[1Z0-053](#) Oracle Database 11g: Administration II

[1z0-222](#) Oracle purchasing 11i fundamentals

[1z0-403](#) Enterprise Linux System Administration

[1z0-213](#) Oracle receivables 11i fundamentals

[1z0-232](#) Oracle 11i system administration fundamentals

[1z0-235](#) Oracle 11i applications DBA: Fundamentals I

[1z0-204](#) Oracle EBS R12: E-Business Essentials

### Other Oracle Exams

[1z0-265](#)    [1Z0-207](#)    [1z0-020](#)    [1z0-204](#)    [1z0-046](#)    [1z0-605](#)    [1Z0-043](#)    [1z0-035](#)

[1z0-007](#)    [1Z0-242](#)    [1Z1-403](#)    [1z1-051](#)    [1z0-640](#)    [1z0-301](#)    [1z0-048](#)    [1z0-264](#)

[1z0-221](#)    [1Z1-238](#)    [1z0-402](#)    [1z0-630](#)