

1z1-047 braindumps

Oracle Other Oracle Certification

1z1-047: Oracle database SQL Expert

Practice Exam: 1z1-047 Exams

Exam Number/Code: 1z1-047

Exam Name: Oracle database SQL Expert

Questions and Answers: 168 Q&As

([Other Oracle Certification](#))



Exam : [1z1-047](#)

"Oracle database SQL Expert", also known as 1z1-047 exam, is a Oracle certification. With the complete collection of exam questions, Just4Study has assembled to take you through 168 Q&As to your 1z1-047 exam preparation. In the 1z1-047 exam resources, you will cover every field and category in Oracle Certification helping to ready you for your successful Oracle Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Oracle Other Oracle Certification 1z1-047 (Oracle database SQL Expert) examination of original title complete coverage. 1z1-047 exam questions help you pass the exam.

Just4Study 1z1-047 Feature:

* High quality - High quality and valued for the 1z1-047 Exam: 100% Guarantee to Pass Your 1z1-047 exam and get your Other Oracle Certification certification.

* Authoritative - Authoritative braindumps with complete details about 1z1-047 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Other Oracle Certification resources, you will minimize your **Oracle Other Oracle Certification** cost and be ready to pass your 1z1-047 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Other Oracle Certification demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 1z1-047 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 1z1-047 Demo Download

Just4Study offers free demo for Other Oracle Certification 1z1-047 exam (Oracle database SQL Expert). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Oracle Other Oracle Certification 1z1-047** examination of original title complete coverage. 1z1-047 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 1z1-047

Exam Name: Oracle database SQL Expert(Other Oracle Certification)

Questions and Answers: 168 Q&A

[Oracle 1z1-047](#) Test belongs to one of the Other Oracle Certification certified test, if needs to obtain the Other Oracle

Certification certificate, you also need to participate in other related test, the details you may visit the [Other Oracle Certification](#) certified topic, in there, you will see all related Other Oracle Certification certified subject of examination. Just4Study professional provide Other Oracle Certification 1z1-047 the newest Q&A, completely covers 1z1-047 test original topic. With our complete Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z1-047 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z1-047

Title : Oracle? Database SQL Expert

1. Given below is a list of datetime data types and examples of values stored in them in a random order: Identify the option that correctly matches the data types with the values.

- A. 1-d, 2-c, 3-a, 4-b
- B. 1-b, 2-a, 3-c, 4-d
- C. 1-b, 2-a, 3-d, 4-c
- D. 1-d, 2-c, 3-b, 4-a

Answer: A

2. Evaluate the following CREATE SEQUENCE statement:

What is displayed by the SELECT statement?

- A. 1
- B. 10
- C. 100
- D. an error

Answer: A

3. Which statements are correct regarding indexes? (Choose all that apply.)

- A. When a table is dropped, the corresponding indexes are automatically dropped.
- B. For each DML operation performed, the corresponding indexes are automatically updated.
- C. Indexes should be created on columns that are frequently referenced as part of an expression.
- D. A non-deferrable PRIMARY KEY or UNIQUE KEY constraint in a table automatically creates a unique index.

Answer: ABD

4. Evaluate the following command:

Which statements are true regarding the above view? (Choose all that apply.)

- A. It allows you to insert details of all new staff into the EMPLOYEES table.
- B. It allows you to delete the details of the existing sales staff from the EMPLOYEES table.
- C. It allows you to update the job ids of the existing sales staff to any other job id in the EMPLOYEES table.
- D. It allows you to insert the IDs, last names and job ids of the sales staff from the view if it is used in multitable INSERT statements.

Answer: BD

5. Which three statements are true regarding single-row functions? (Choose three.)

- A. They can accept only one argument.
- B. They can be nested up to only two levels.
- C. They can return multiple values of more than one data type.
- D. They can be used in SELECT, WHERE, and ORDER BY clauses.

- E. They can modify the data type of the argument that is referenced.
- F. They can accept a column name, expression, variable name, or a user-supplied constant as arguments.

Answer: DEF

6. View the Exhibit and examine the data in ORDERS and ORDER_ITEMS tables.

You need to create a view that displays the ORDER ID, ORDER_DATE, and the total number of items in each order.

Which CREATE VIEW statement would create the view successfully?

A. CREATE OR REPLACE VIEW ord_vu (order_id,order_date)
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
"NO OF ITEMS"

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

B. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
"NO OF ITEMS"

FROM orders o JOIN order_items i
ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

C. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)
FROM orders o JOIN order_items i

ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date;

D. CREATE OR REPLACE VIEW ord_vu
AS SELECT o.order_id, o.order_date, COUNT(i.line_item_id)||' NO OF ITEMS'
FROM orders o JOIN order_items i

ON (o.order_id = i.order_id)
GROUP BY o.order_id,o.order_date
WITH CHECK OPTION;

Answer: B

7. Which two statements are true about sequences created in a single instance database? (Choose two.)

- A. The numbers generated by a sequence can be used only for one table.
- B. DELETE <sequencename> would remove a sequence from the database.
- C. CURRVAL is used to refer to the last sequence number that has been generated.
- D. When the MAXVALUE limit for a sequence is reached, you can increase the MAXVALUE limit by using the ALTER SEQUENCE statement.
- E. When a database instance shuts down abnormally, the sequence numbers that have been cached but not used would be available once again when the database instance is restarted.

Answer: CD

8. View the Exhibit and examine the description of the EMPLOYEES table.

Your company wants to give 5% bonus to all the employees on their annual salary. The SALARY column stores the monthly salary for an employee. To check the total for annual salary and bonus amount for each employee, you issued the following SQL statement:

Which statement is true regarding the above query?

- A. It would execute and give you the desired output.
- B. It would not execute because the AS keyword is missing between the column name and the alias.
- C. It would not execute because double quotation marks are used instead of single quotation marks for assigning alias for the third column.
- D. It would execute but the result for the third column would be inaccurate because the parentheses for overriding the precedence of the operator are missing.

Answer: A

9. Evaluate the CREATE TABLE statement:

Which statement is true regarding the PROD_ID_PK constraint?

- A. It would be created only if a unique index is manually created first.
- B. It would be created and would use an automatically created unique index.
- C. It would be created and would use an automatically created nonunique index.
- D. It would be created and remains in a disabled state because no index is specified in the command.

Answer: B

10. Which two statements are true regarding views? (Choose two.)

- A. A simple view in which column aliases have been used cannot be updated.
- B. A subquery used in a complex view definition cannot contain group functions or joins.
- C. Rows cannot be deleted through a view if the view definition contains the DISTINCT keyword.
- D. Rows added through a view are deleted from the table automatically when the view is dropped.
- E. The OR REPLACE option is used to change the definition of an existing view without dropping and re-creating it.
- F. The WITH CHECK OPTION constraint can be used in a view definition to restrict the columns displayed through the view.

Answer: CE

11. View the Exhibit and examine the description of the DEPARTMENTS and EMPLOYEES tables.

To retrieve data for all the employees for their EMPLOYEE_ID, FIRST_NAME, and DEPARTMENT NAME, the following SQL statement was written:

The desired output is not obtained after executing the above SQL statement. What could be the reason for this?

- A. The NATURAL JOIN clause is missing the USING clause.
- B. The table prefix is missing for the column names in the SELECT clause.
- C. The DEPARTMENTS table is not used before the EMPLOYEES table in the FROM clause.
- D. The EMPLOYEES and DEPARTMENTS tables have more than one column with the same column name and data type.

Answer: D

12. Which two statements are true regarding operators used with subqueries? (Choose two.)

- A. The NOT IN operator is equivalent to IS NULL.
- B. The <ANY operator means less than the maximum.
- C. =ANY and =ALL operators have the same functionality.
- D. The IN operator cannot be used in single-row subqueries.
- E. The NOT operator can be used with IN, ANY and ALL operators.

Answer: BE

13. View the Exhibit and examine the structure of ORD and ORD_ITEMS tables.

In the ORD table, the PRIMARY KEY is ORD_NO and in the ORD_ITEMS tables the composite PRIMARY KEY is (ORD_NO, ITEM_NO).

Which two CREATE INDEX statements are valid? (Choose two.)

- A. CREATE INDEX ord_idx
ON ord(ord_no);
- B. CREATE INDEX ord_idx
ON ord_items(ord_no);
- C. CREATE INDEX ord_idx
ON ord_items(item_no);
- D. CREATE INDEX ord_idx
ON ord,ord_items(ord_no, ord_date,qty);

Answer: BC

14. Which statements are true? (Choose all that apply.)

- A. The data dictionary is created and maintained by the database administrator.
- B. The data dictionary views can consist of joins of dictionary base tables and user-defined tables.
- C. The usernames of all the users including the database administrators are stored in the data dictionary.
- D. The USER_CONS_COLUMNS view should be queried to find the names of the columns to which a constraint applies.
- E. Both USER_OBJECTS and CAT views provide the same information about all the objects that are owned by the user.
- F. Views with the same name but different prefixes, such as DBA, ALL and USER, use the same base tables from the data dictionary

Answer: CDF

15. View the Exhibit button and examine the structures of ORDERS and ORDER_ITEMS tables.

In the ORDERS table, ORDER_ID is the PRIMARY KEY and in the ORDER_ITEMS table, ORDER_ID and LINE_ITEM_ID form the composite primary key.

Which view can have all the DML operations performed on it?

A. CREATE VIEW V1

```
AS SELECT order_id, product_id
```

```
FROM order_items;
```

B. CREATE VIEW V4(or_no, or_date, cust_id)

```
AS SELECT order_id, order_date, customer_id
```

```
FROM orders
```

```
WHERE order_date < '30-mar-2007'
```

```
WITH CHECK OPTION;
```

C. CREATE VIEW V3

```
AS SELECT o.order_id, o.customer_id, i.product_id
```

```
FROM orders o, order_items i
```

```
WHERE o.order_id=i.order_id;
```

D. CREATE VIEW V2

```
AS SELECT order_id, line_item_id, unit_price*quantity total
```

```
FROM order_items;
```

Answer: B

16. View the Exhibit and examine the structure of the MARKS_DETAILS and MARKS tables.

Which is the best method to load data from the MARKS_DETAILStable to the MARKStable?

A. Pivoting INSERT

B. Unconditional INSERT

C. Conditional ALL INSERT

D. Conditional FIRST INSERT

Answer: A

17. View the Exhibit and examine the description of the EMPLOYEES table.

Your company decided to give a monthly bonus of \$50 to all the employees who have completed five years in the company. The following statement is written to display the LAST_NAME, DEPARTMENT_ID, and the total annual salary:

When you execute the statement, the "Annual Compensation" is not computed correctly. What changes would you make to the query to calculate the annual compensation correctly?

A. Change the SELECT clause to SELECT last_name, department_id, salary*12+50 "Annual Compensation".

B. Change the SELECT clause to SELECT last_name, department_id, salary+(50*12) "Annual Compensation".

C. Change the SELECT clause to SELECT last_name, department_id, (salary+50)*12 "Annual Compensation".

D. Change the SELECT clause to SELECT last_name, department_id, (salary*12)+50 "Annual Compensation".

Answer: C

18. Evaluate the following SQL statement:

What would you do to execute the query successfully?

- A. Enclose the character literal string in the SELECT clause within the double quotation marks.
- B. Do not enclose the character literal string in the SELECT clause within the single quotation marks.
- C. Use Quote (q) operator and delimiter to allow the use of single quotation mark in the literal character string.
- D. Use escape character to negate the single quotation mark inside the literal character string in the SELECT clause.

Answer: C

19. View the Exhibit and examine the structure of the EMPLOYEES table.

Which statement is true regarding the output for this command?

- A. It would return a hierarchical output starting with the employee whose EMPLOYEE_ID is 101, followed by his or her peers.
- B. It would return a hierarchical output starting with the employee whose EMPLOYEE_ID is 101, followed by the employee to whom he or she reports.
- C. It would return a hierarchical output starting with the employee whose EMPLOYEE_ID is 101, followed by employees below him or her in the hierarchy.
- D. It would return a hierarchical output starting with the employee whose EMPLOYEE_ID is 101, followed by employees up to one level below him or her in the hierarchy.

Answer: C

20. View the Exhibit and examine the structure of the ORD table.

What would be the outcome of the above statements?

- A. All the statements would execute successfully and the ORD_NO column would contain the value 2 for the CUST_ID 101.
- B. The CREATE SEQUENCE command would not execute because the minimum value and maximum value for the sequence have not been specified.
- C. The CREATE SEQUENCE command would not execute because the starting value of the sequence and the increment value have not been specified.
- D. All the statements would execute successfully and the ORD_NO column would have the value 20 for the CUST_ID 101 because the default CACHE value is 20.

Answer: A

[1z1-047 Braindumps](#)

Related 1z1-047 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1z0-036](#) Managing Oracle9i on linux

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-233](#) Oracle 11i install, patch and maintain applications

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-223](#) Oracle order management 11i fundamentals

[1Z0-053](#) Oracle Database 11g: Administration II

1z0-222 Oracle purchasing 11i fundamentals

1z0-403 Enterprise Linux System Administration

1z0-213 Oracle receivables 11i fundamentals

1z0-232 Oracle 11i system administration fundamentals

1z0-235 Oracle 11i applications DBA:Fundamentals I

1z0-204 Oracle EBS R12: E-Business Essentials

Other Oracle Exams

1z0-001 1z0-231 1z0-222 1z0-605 1z1-052 1z0-238 1z0-225 1z0-640

1z0-146 1z0-615 1z1-403 1z0-114 1z0-007 1z0-101 1z0-272 1z0-055

1z0-054 1z0-036 1z0-241 1z0-620