

310-015 braindumps

SUN SCSA9 SCNA9

310-015: SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II

Practice Exam: 310-015 Exams

Exam Number/Code: 310-015

Exam Name: SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9
PART II

Questions and Answers: 290 Q&As

([SCSA9](#) [SCNA9](#))



Exam : [310-015](#)

"SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II", also known as 310-015 exam, is a SUN certification. With the complete collection of exam questions, Just4Study has assembled to take you through 290 Q&As to your 310-015 exam preparation. In the 310-015 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for SUN SCSA9 310-015 (SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II) examination of original title complete coverage. 310-015 exam questions help you pass the exam.

Just4Study 310-015 Feature:

* High quality - High quality and valued for the 310-015 Exam: 100% Guarantee to Pass Your 310-015 exam and get your SCSA9 certification.

* Authoritative - Authoritative braindumps with complete details about 310-015 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed SCSA9 resources, you will minimize your **SUN SCSA9** cost and be ready to pass your 310-015 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free SCSA9 demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 310-015 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 310-015 Demo Download

Just4Study offers free demo for SCSA9 310-015 exam (SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SCSA9 SCNA9 310-015** examination of original title complete coverage.310-015 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 310-015

Exam Name: SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II(SCSA9 SCNA9)

Questions and Answers: 290 Q&A

SUN 310-015 Test belongs to one of the SCSA9 SCNA9 certified test, if needs to obtain the SCSA9 SCNA9 certificate, you also need to participate in other related test, the details you may visit the [SCSA9 SCNA9](#) certified topic, in there, you will see all related SCSA9 SCNA9 certified subject of examination.

Just4Study professional provide SCSA9 SCNA9 310-015 the newest Q&A, completely covers 310-015 test original topic. With our complete SCSA9 SCNA9 resources, you will minimize your SCSA9 SCNA9 cost and be ready to pass your 310-015 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-015

Title : Sun Certified System Administrator for Solaris 9 part II

1. You have two 50-MByte UFS file systems, one located on a single disk, and the other located on a RAID 1 mirror. Both file systems are full. The RAID 1 mirror uses a round-robin read policy. Statistically, which is true of the RAID 1 mirror when reading data?

- A. The mirror is faster.
- B. The mirror is slower.
- C. Round-robin read policies are not allowed.
- D. The mirror and single disk exhibit the same performance.

Answer: A

2. The `/etc/dfs/dfstab` file on your Solaris system contains the entries:

```
share -o log=global /export/home
```

```
share -o ro /opt/NSCPcom
```

What is the purpose of the entry `global`?

- A. It specifies that all NFS transactions are logged in the `/var/adm/global` file.
- B. It specifies the tag to send to the `syslogd` daemon when logging the NFS share.
- C. It specifies the logging configuration to use from the NFS logging configuration file.
- D. It specifies the file in the `/export/home` directory in which to record NFS mount requests.

Answer: C

3. An inexperienced administrator reports to you that they would like to see if a system is a functioning native LDAP client. You suggest that they run a command to verify that the system is configured as a native LDAP client. Which command should you suggest?

- A. `ldaplist`
- B. `ldapclient -v`
- C. `ldapadd client`
- D. `ldapsearch client`

Answer: A

4. While configuring NIS on a system, you execute the command string:

```
# domainname testlab.Region.Org.COM
```

Which two statements about this command are true? (Choose two.)

- A. The server's name is `testlab`, and it resides in the `region.org.com` domain.
- B. Executing this command populates the `/etc/defaultdomain` file with the domain name.
- C. The domain name is case sensitive, and must be configured exactly as specified on this command-line.
- D. The domain name is the entire character string `testlab.Region.Org.COM`, and no DNS domain is specified.

Answer: CD

5. You are working on a system connected to the network. You are attempting to access a currently mounted NFS directory. Your system displays the message:

```
nfs mount: host1: : NFS: Service not responding
```

```
nfs mount: retrying: /usr/share/man
```

What can you do to solve this problem?

- A. ensure that nfsd is running on the NFS server
- B. ensure that mountd is running on the NFS server
- C. send a HUP signal to inetd process on the NFS server
- D. send a HUP signal to the rpcbind process on the NFS server

Answer: A

6. In which situation will Solaris Volume Manager volumes continue to function normally in the event of the corruption of one copy of its state database?

- A. Solaris Volume Manager volumes will function normally if the master copy of the state database is not corrupted.
- B. Solaris Volume Manager volumes will function normally if the copy of the state database on the boot disk is available.
- C. Solaris Volume Manager volumes will function normally if no more than a single copy of the state database is corrupted.
- D. Solaris Volume Manager volumes will function normally if more than half of the copies of the state database are available.

Answer: D

7. The auto_home automount map is an example of which type of map?

- A. xfn
- B. direct
- C. master
- D. generic
- E. indirect

Answer: E

8. You are receiving error messages that the /lard file system is full. You check and see that it has a large file called swapfile. Your system has more than enough swap space. You suspect that the file is in use as swap space. Which sequence of commands confirms that the file was in use as swap space, and helps correct the file system problem?

- A. swap -r /lard/swapfile ; rm /lard/swapfile
- B. swap -l ; swap -d /lard/swapfile ; rm /lard/swapfile
- C. swap -l ; rm /lard/swapfile ; swap -d /lard/swapfile
- D. swap -l ; swap -r /lard/swapfile ; rm /lard/swapfile

Answer: B

9. Which two are functions of an NFS client? (Choose two.)

- A. runs the nfsd daemon
- B. makes resources available over the network
- C. mounts remote resources across the network
- D. is configured using the /etc/dfs/dfstab file
- E. mounts a remote resource and uses it as though it were local

Answer: CE

10. What can be added to the /etc/vfstab file to automatically mount the /var directory from the NFS server saturn onto the mount point /test during boot?

- A. /var - /test nfs - yes -
- B. saturn:/var - /test - yes -

- C. `saturn:/var - /test nfs - yes`
- D. `saturn:/var /test nfs yes`
- E. `saturn:/var - /test nfs - yes -`

Answer: E

11. You are working on a system connected to the network. You attempt to access a directory which you know is provided to your system using NFS, and which you have not accessed for some time. Your system displays the message:

stale NFS file handle

What is a possible cause of this problem?

- A. The `lockd` daemon on the local system is no longer running.
- B. The `mountd` daemon on the local system has out of date configuration information.
- C. The `automountd` daemon has not been informed of changes to the automount maps.
- D. The file or directory has been removed on the NFS server without the client's knowledge.

Answer: D

12. After creating and adding additional swap space, what should you do to ensure that the swap space is available following subsequent reboots?

- A. You add it as a line entry to the `/etc/vfstab` file.
- B. You modify the startup scripts to include a `swap add` command.
- C. The additional swap space cannot be made available following subsequent reboots.
- D. No additional steps are required because the necessary changes are made to the startup file when the swap space is added.

Answer: A

13. You have a system used for application development. The process `app-rev23` owned by user `epiphylla` terminates abnormally. Which two effects can the root user configure? (Choose two.)

- A. The process `app-rev23` produces no core file at all.
- B. The process `app-rev23` produces a core file without the string "core" appearing anywhere within the file name.
- C. The process `app-rev23` produces a global core file readable by any user in a global `/var/corefiles` directory.
- D. The process `app-rev23` produces a total of three core files, one in the current directory of the process, one in `epiphylla`'s home directory, and one in a global `/var/corefiles` directory.

Answer: AB

14. Which command should be used to create a file system on a virtual volume (`d0`) under Solaris Volume Manager control?

- A. `newfs /dev/rdisk/d0`
- B. `newfs /dev/rdisk/md/d0`
- C. `newfs /dev/md/rdisk/d0`
- D. `newfs -F sds /dev/rdisk/d0`

Answer: C

15. You want to automatically mount an NFS resource. You also want to mount the NFS resource so that if the server becomes unavailable, and the client reboots, system initialization will continue without waiting for the resource to mount. Which mount option can be added to the client's `/etc/vfstab` file to achieve this?

- A. `fg`
- B. `ro`
- C. `bg`
- D. `intr`
- E. `soft`
- F. `hard`

Answer: C

16. Under which two conditions will the automounter automatically mount resources listed in an AutoFS direct map? (Choose two.)

- A. only if the mount point has first been created
- B. only if the resources are to be mounted read-only
- C. only if the reference used in the direct map uses relative path names
- D. only if an entry for the direct map has been added to the master map
- E. only if the reference used in the direct map uses absolute path names

Answer: DE

17. Interlace size is a tunable parameter associated with which three levels of RAID? (Choose three.)

- A. RAID 0
- B. RAID 1
- C. RAID 5
- D. RAID 0+1

Answer: ACD

18. You have Solaris Volume Manager installed on your system and want to create your first metadevice. What initial action must you take?

- A. run a command to create the first state database
- B. run a utility to add a license to enable SVM for Solaris 9
- C. run a command to initialize the configuration metadevice
- D. run the vxinstall utility to initialize the volume manager software for use
- E. create a soft partition using the -s initialize option with the appropriate command

Answer: A

19. Solaris Volume Manager offers advantages over storing data in traditional disk slices. What are two of these advantages? (Choose two.)

- A. It facilitates the rotational interleaving of data.
- B. It enables the definition of disk usage patterns.
- C. It offers the possibility of significant performance improvement.
- D. It manages the data to ensure that disk failure does not automatically lead to data loss.

Answer: CD

20. The default run level is 3 and the host is configured as an NFS server with valid entries in /etc/dfs/dfstab. Which two command strings restart NFS services? (Choose two.)

- A. init 6
- B. pkill -HUP inetd
- C. /etc/init.d/nfs.server restart
- D. /etc/init.d/nfs.server stop;/etc/init.d/nfs.server start

Answer: AD

[310-015 Braindumps](#)

Related 310-015 Exams

[310-014](#) SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART 1

[310-015](#) SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 9 PART II

Other SUN Exams

[310-600](#) [310-345](#) [310-231](#) [310-092](#) [310-630](#) [310-100](#) [310-877](#) [310-878](#)

[310-880](#) [310-062](#) [212-055](#) [310-015](#) [310-202](#) [310-053](#) [310-045](#) [310-620](#)

[310-879](#) [310-811](#) [310-876](#) [310-220](#)

