

310-056 braindumps

SUN SCJP

310-056: Sun Certified Programmer for J2SE 5.0 - Upgrade

Practice Exam: 310-056 Exams

Exam Number/Code: 310-056

Exam Name: Sun Certified Programmer for J2SE 5.0 - Upgrade

Questions and Answers: 138 Q&As

([SCJP](#))



"Sun Certified Programmer for J2SE 5.0 - Upgrade", also known as 310-056 exam, is a SUN certification. With the complete collection of exam questions, Just4Study has assembled to take you through 138 Q&As to your 310-056 exam preparation. In the 310-056 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Exam : [310-056](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for SUN SCJP 310-056 (Sun Certified Programmer for J2SE 5.0 - Upgrade) examination of original title complete coverage. 310-056 exam questions help you pass the exam.

Just4Study 310-056 Feature:

* High quality - High quality and valued for the 310-056 Exam: 100% Guarantee to Pass Your 310-056 exam and get your SCJP certification.

* Authoritative - Authoritative braindumps with complete details about 310-056 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed SCJP resources, you will minimize your **SUN SCJP** cost and be ready to pass your 310-056 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free SCJP demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 310-056 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 310-056 Demo Download

Just4Study offers free demo for SCJP 310-056 exam (Sun Certified Programmer for J2SE 5.0 - Upgrade). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SCJP 310-056** examination of original title complete coverage.310-056 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 310-056

Exam Name: Sun Certified Programmer for J2SE 5.0 - Upgrade(SCJP)

Questions and Answers: 138 Q&A

[SUN 310-056](#) Test belongs to one of the SCJP certified test, if needs to obtain the SCJP certificate, you also need to participate in other related test, the details you may visit the [SCJP](#) certified topic, in there, you will see all related SCJP certified subject of examination.

Just4Study professional provide SCJP 310-056 the newest Q&A, completely covers 310-056 test original topic. With our complete SCJP resources, you will minimize your SCJP cost and be ready to pass your 310-056 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-056

Title : Sun Certified Programmer for J2SE 5.0 - Upgrade Exam

1. Given:

```
1. interface A { public void aMethod(); }
2. interface B { public void bMethod(); }
3. interface C extends A,B { public void cMethod(); }
4. class D implements B {
5. public void bMethod(){}
6. }
7. class E extends D implements C {
8. public void aMethod(){}
9. public void bMethod(){}
10. public void cMethod(){}
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

```
2. interface C extends A,B { public void cMethod(); }
4. class D implements B {
5. public void bMethod(){}
6. }
7. class E extends D implements C {
8. public void aMethod(){}
9. public void bMethod(){}
10. public void cMethod(){}
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.

F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

3. }

What is the result?

A. s 14

B. s 16

C. s 10

D. Compilation fails.

E. An exception is thrown at runtime.

Answer: D

4. }

What is the result?

A. short LONG

B. SHORT LONG

C. Compilation fails.

D. An exception is thrown at runtime.

Answer: C

5. class D implements B {

5. public void bMethod(){}

6. }

7. class E extends D implements C {

8. public void aMethod(){}

9. public void bMethod(){}

10. public void cMethod(){}

11. }

What is the result?

A. Compilation fails because of an error in line 3.

B. Compilation fails because of an error in line 7.

C. Compilation fails because of an error in line 9.

D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.

E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.

F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

6. public Sub(int a) { super(a); }

13. public Sub() { this.a = 5; }

14. }

Which two, independently, will allow Sub to compile? (Choose two.)

A. Change line 2 to:

`public int a;`

B. Change line 2 to:

`protected int a;`

C. Change line 13 to:

`public Sub() { this(5); }`

D. Change line 13 to:

`public Sub() { super(5); }`

E. Change line 13 to:

`public Sub() { super(a); }`

Answer: CD

7. String ds = "December 15, 2004";

18. // insert code here

What updates d's value with the date represented by ds?

A. 18. d = df.parse(ds);

B. 18. d = df.getDate(ds);

C. 18. try {

19. d = df.parse(ds);

20. } catch(ParseException e) { };

D. 18. try {

19. d = df.getDate(ds);

20. } catch(ParseException e) { };

Answer: C

8. }

7. class E extends D implements C {

8. public void aMethod(){}

9. public void bMethod(){}

10. public void cMethod(){}

11. }

What is the result?

A. Compilation fails because of an error in line 3.

B. Compilation fails because of an error in line 7.

C. Compilation fails because of an error in line 9.

D. If you define D e = new E(), then e.bMethod() invokes the version of bMethod() defined in Line 5.

E. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 5.

F. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 9.

Answer: F

9. public void bMethod(){}

10. public void cMethod(){}

11. }

What is the result?

A. Compilation fails because of an error in line 3.

B. Compilation fails because of an error in line 7.

C. Compilation fails because of an error in line 9.

D. If you define D e = new E(), then e.bMethod() invokes the version of bMethod() defined in Line 5.

E. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 5.

F. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 9.

Answer: F

10. public void aMethod(){}

9. public void bMethod(){}

10. public void cMethod(){}

11. }

What is the result?

A. Compilation fails because of an error in line 3.

B. Compilation fails because of an error in line 7.

C. Compilation fails because of an error in line 9.

D. If you define D e = new E(), then e.bMethod() invokes the version of bMethod() defined in Line 5.

E. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 5.

F. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 9.

Answer: F

11. // insert code here

What updates d's value with the date represented by ds?

- A. 18. d = df.parse(ds);
- B. 18. d = df.getDate(ds);
- C. 18. try {
19. d = df.parse(ds);
20. } catch(ParseException e) { };
- D. 18. try {
19. d = df.getDate(ds);
20. } catch(ParseException e) { };

Answer: C

12. }

Which two, independently, will allow Sub to compile? (Choose two.)

- A. Change line 2 to:
public int a;
- B. Change line 2 to:
protected int a;
- C. Change line 13 to:
public Sub() { this(5); }
- D. Change line 13 to:
public Sub() { super(5); }
- E. Change line 13 to:
public Sub() { super(a); }

Answer: CD

13. }

22. }

What is the result?

- A. short LONG
- B. SHORT LONG
- C. Compilation fails.
- D. An exception is thrown at runtime.

Answer: C

14. } catch(ParseException e) { };

- D. 18. try {
19. d = df.getDate(ds);
20. } catch(ParseException e) { };

Answer: C

15. }

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define D e = new E(), then e.bMethod() invokes the version of bMethod() defined in Line 5.
- E. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 5.
- F. If you define D e = (D)(new E()), then e.bMethod() invokes the version of bMethod() defined in Line 9.

Answer: F

16. public void bMethod(){

6. }

```
7. class E extends D implements C {
8. public void aMethod(){
9. public void bMethod(){
10. public void cMethod(){
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

```
17. d = df.parse(ds);
20. } catch(ParseException e) { };
D. 18. try {
19. d = df.getDate(ds);
20. } catch(ParseException e) { };
```

Answer: C

```
18. public void cMethod(){
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

```
19. class E extends D implements C {
8. public void aMethod(){
9. public void bMethod(){
10. public void cMethod(){
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

```
20. public Sub() { this.a = 5; }
14. }
```

Which two, independently, will allow Sub to compile? (Choose two.)

A. Change line 2 to:

```
public int a;
```

B. Change line 2 to:

```
protected int a;
```

C. Change line 13 to:

```
public Sub() { this(5); }
```

D. Change line 13 to:

```
public Sub() { super(5); }
```

E. Change line 13 to:

```
public Sub() { super(a); }
```

Answer: CD

```
21. interface B { public void bMethod(); }
```

```
3. interface C extends A,B { public void cMethod(); }
```

```
4. class D implements B {
```

```
5. public void bMethod(){}
```

```
6. }
```

```
7. class E extends D implements C {
```

```
8. public void aMethod(){}
```

```
9. public void bMethod(){}
```

```
10. public void cMethod(){}
```

```
11. }
```

What is the result?

A. Compilation fails because of an error in line 3.

B. Compilation fails because of an error in line 7.

C. Compilation fails because of an error in line 9.

D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.

E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.

F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

Answer: F

```
22. Date d = new Date(0L);
```

```
17. String ds = "December 15, 2004";
```

```
18. // insert code here
```

What updates `d`'s value with the date represented by `ds`?

A. `18. d = df.parse(ds);`

B. `18. d = df.getDate(ds);`

C. `18. try {`

```
19. d = df.parse(ds);
```

```
20. } catch(ParseException e) { };
```

D. `18. try {`

```
19. d = df.getDate(ds);
```

```
20. } catch(ParseException e) { };
```

Answer: C

```
23. }
```

Which statement is true?

A. 420 is the output.

B. An exception is thrown at runtime.

C. All constructors must be declared public.

D. Constructors CANNOT use the private modifier.

E. Constructors CANNOT use the protected modifier.

Answer: A

[310-056 Braindumps](#)

310-065 Sun Certified Programmer for the Java 2 Platform. SE6.0

310-055 Sun Certified Programmer for the Java 2 Platform. SE 5.0

310-036 SUN CERTIFIED JAVA 2 PROGRAMMER 1.4 UPGRADE

212-055 Sun Certified Programmer for the Java 2 Platform. SE 5.0

310-035 SUN CERTIFIED PROGRAMMER FOR THE JAVA 2 PLATFORM 1.4

310-065Big5 Sun Certified Programmer for the Java 2 Platform. SE6.0

310-056 Sun Certified Programmer for J2SE 5.0 - Upgrade

310-055Big5 Sun Certified Programmer for the Java 2 Platform. SE 5.0

Other SUN Exams

310-090 310-540 310-877 310-045 310-110 310-066 310-012 310-061

310-811 212-055 310-880 310-615 310-044 310-036 310-620 310-019

310-016 310-056 310-878 310-091