

310-065 braindumps

SUN SCJP SUN Other Certifications

310-065: Sun Certified Programmer for the Java 2 Platform. SE6.0

Practice Exam: 310-065 Exams

Exam Number/Code: 310-065

Exam Name: Sun Certified Programmer for the Java 2 Platform. SE6.0

Questions and Answers: 207 Q&As

([SCJP SUN Other Certifications](#))



"Sun Certified Programmer for the Java 2 Platform. SE6.0", also known as 310-065 exam, is a SUN certification. With the complete collection of exam questions, Just4Study has assembled to take you through 207 Q&As to your 310-065 exam preparation. In the 310-065 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Exam : [310-065](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for SUN SCJP 310-065 (Sun Certified Programmer for the Java 2 Platform. SE6.0) examination of original title complete coverage. 310-065 exam questions help you pass the exam.

Just4Study 310-065 Feature:

* High quality - High quality and valued for the 310-065 Exam: 100% Guarantee to Pass Your 310-065 exam and get your SCJP certification.

* Authoritative - Authoritative braindumps with complete details about 310-065 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed SCJP resources, you will minimize your **SUN SCJP** cost and be ready to pass your 310-065 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free SCJP demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 310-065 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 310-065 Demo Download

Just4Study offers free demo for SCJP 310-065 exam (Sun Certified Programmer for the Java 2 Platform. SE6.0). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **SUN SCJP SUN Other Certifications 310-065** examination of original title complete coverage. 310-065 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 310-065

Exam Name: Sun Certified Programmer for the Java 2 Platform. SE6.0(SCJP SUN Other Certifications)

Questions and Answers: 207 Q&A

[SUN 310-065](#) Test belongs to one of the SCJP SUN Other Certifications certified test, if needs to obtain the SCJP SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the [SCJP SUN Other Certifications](#) certified topic, in there, you will see all related SCJP SUN Other Certifications certified subject of examination.

Just4Study professional provide SCJP SUN Other Certifications 310-065 the newest Q&A, completely covers 310-065 test original topic. With our complete SCJP SUN Other Certifications resources, you will minimize your SCJP SUN Other Certifications cost and be ready to pass your 310-065 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-065

Title : Sun Certified Programmer for the Java 2 Platform. SE 6.0

```
1. public static void main(String[] args) {  
9. new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

2. Given:

```
1. public class Boxer1{  
2. Integer i;  
3. int x;  
4. public Boxer1(int y) {  
5. x = i+y;  
6. System.out.println(x);  
7. }  
8. public static void main(String[] args) {  
9. new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

3. }

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

4. x = i+y;

6. System.out.println(x);

7. }

8. public static void main(String[] args) {

9. new Boxer1(new Integer(4));

10. }

11. }

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

5. System.out.println(myProp);

15. }

16. }

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

6. }

18. }

Which code, inserted at line 15, allows the class Sprite to compile?

- A. Foo { public int bar() { return 1; } }
- B. new Foo { public int bar() { return 1; } }
- C. new Foo() { public int bar() { return 1; } }
- D. new class Foo { public int bar() { return 1; } }

Answer: C

7. Given:

31. // some code here

32. try {

33. // some code here

34. } catch (SomeException se) {

```
35. // some code here
36. } finally {
37. // some code here
38. }
```

Under which three circumstances will the code on line 37 be executed? (Choose three.)

- A. The instance gets garbage collected.
- B. The code on line 33 throws an exception.
- C. The code on line 35 throws an exception.
- D. The code on line 31 throws an exception.
- E. The code on line 33 executes successfully.

Answer: BCE

```
8.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
9. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
10. }
8. public static void main(String[] args) {
9. new Boxer1(new Integer(4));
10. }
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```

11. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }

```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```

12. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }

```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```

13. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }

```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

14. class ClassB extends ClassA {}

13. class ClassC extends ClassA {}

and:

21. ClassA p0 = new ClassA();

22. ClassB p1 = new ClassB();

23. ClassC p2 = new ClassC();

24. ClassA p3 = new ClassB();

25. ClassA p4 = new ClassC();

Which three are valid? (Choose three.)

- A. p0 = p1;
- B. p1 = p2;
- C. p2 = p4;
- D. p2 = (ClassC)p1;
- E. p1 = (ClassB)p3;
- F. p2 = (ClassC)p4;

Answer: AEF

15. public int fubar(Foo foo) { return foo.bar(); }

21.

22. public void testFoo() {

23.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

16. class ClassC extends ClassA {}

and:

21. ClassA p0 = new ClassA();

22. ClassB p1 = new ClassB();

- 23. ClassC p2 = new ClassC();
 - 24. ClassA p3 = new ClassB();
 - 25. ClassA p4 = new ClassC();
- Which three are valid? (Choose three.)

- A. p0 = p1;
- B. p1 = p2;
- C. p2 = p4;
- D. p2 = (ClassC)p1;
- E. p1 = (ClassB)p3;
- F. p2 = (ClassC)p4;

Answer: AEF

17. Given:

- 11. public class Test {
- 12. public enum Dogs {collie, harrier, shepherd};
- 13. public static void main(String [] args) {
- 14. Dogs myDog = Dogs.shepherd;
- 15. switch (myDog) {
- 16. case collie:
- 17. System.out.print("collie ");
- 18. case default:
- 19. System.out.print("retriever ");
- 20. case harrier:
- 21. System.out.print("harrier ");
- 22. }
- 23. }
- 24. }

What is the result?

- A. harrier
- B. shepherd
- C. retriever
- D. Compilation fails.
- E. retriever harrier
- F. An exception is thrown at runtime.

Answer: D

- 18. public int bar() { return 2; }
- 26. }
- 27.
- 28. System.out.println(fubar(new A()));
- 29. }
- 30.
- 31. public static void main(String[] argv) {
- 32. new Beta().testFoo();
- 33. }
- 34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
19. new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```
20.  
24. class A implements Foo {  
25. public int bar() { return 2; }  
26. }  
27.  
28. System.out.println( fubar( new A() ) );  
29. }  
30.  
31. public static void main( String[] argv ) {  
32. new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
21.  
31. public static void main( String[] argv ) {  
32. new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
22. System.out.println(x);  
7. }  
8. public static void main(String[] args) {  
9. new Boxer1(new Integer(4));
```

10. }

11. }

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

23.

22. public void testFoo() {

23.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

24. }

Which code, inserted at line 15, allows the class Sprite to compile?

- A. Foo { public int bar() { return 1; } }
- B. new Foo { public int bar() { return 1; } }
- C. new Foo() { public int bar() { return 1; } }
- D. new class Foo { public int bar() { return 1; } }

Answer: C

25.

20. public int fubar(Foo foo) { return foo.bar(); }

21.

22. public void testFoo() {

23.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

```
31. public static void main( String[] argv ) {  
32.     new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

26. }

11. }

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

27. Given:

```
11. public static void main(String[] args) {  
12.     Object obj = new int[] { 1, 2, 3 };  
13.     int[] someArray = (int[])obj;  
14.     for (int i : someArray) System.out.print(i + " ");  
15. }
```

What is the result?

- A. 1 2 3
- B. Compilation fails because of an error in line 12.
- C. Compilation fails because of an error in line 13.
- D. Compilation fails because of an error in line 14.
- E. A ClassCastException is thrown at runtime.

Answer: A

28. }

16. }

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

29. }

and the command line:

java -Dprop.custom=gobstopper Commander

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

```
30. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

[310-065 Braindumps](#)

Related 310-065 Exams

[310-065](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

[310-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

[310-036](#) SUN CERTIFIED JAVA 2 PROGRAMMER 1.4 UPGRADE

[212-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

[310-035](#) SUN CERTIFIED PROGRAMMER FOR THE JAVA 2 PLATFORM 1.4

[310-065Big5](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

[310-056](#) Sun Certified Programmer for J2SE 5.0 - Upgrade

[310-055Big5](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

Other SUN Exams

[310-110](#) [310-016](#) [310-811](#) [310-025](#) [310-879](#) [310-053](#) [310-230](#) [412-600](#)

[310-043](#) [310-502](#) [310-330](#) [310-062](#) [310-](#) [310-203](#) [310-400](#) [310-100](#)

[055Big5](#) [310-610](#) [310-625](#) [310-630](#)

[310-220](#)