

310-879 braindumps

SUN SUN Other Certifications

310-879: SUN Certified System Support Engineer

Practice Exam: 310-879 Exams

Exam Number/Code: 310-879

Exam Name: SUN Certified System Support Engineer

Questions and Answers: 120 Q&As

([SUN Other Certifications](#))



"SUN Certified System Support Engineer", also known as 310-879 exam, is a **Exam : [310-879](#)** SUN certification. With the complete collection of exam questions, Just4Study has assembled to take you through 120 Q&As to your 310-879 exam preparation. In the 310-879 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for SUN SUN Other Certifications 310-879 (SUN Certified System Support Engineer) examination of original title complete coverage. 310-879 exam questions help you pass the exam.

Just4Study 310-879 Feature:

* High quality - High quality and valued for the 310-879 Exam: 100% Guarantee to Pass Your 310-879 exam and get your SUN Other Certifications certification.

* Authoritative - Authoritative braindumps with complete details about 310-879 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed SUN Other Certifications resources, you will minimize your **SUN SUN Other Certifications** cost and be ready to pass your 310-879 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free SUN Other Certifications demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 310-879 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 310-879 Demo Download

Just4Study offers free demo for SUN Other Certifications 310-879 exam (SUN Certified System Support Engineer). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **SUN SUN Other Certifications 310-879** examination of original title complete coverage. 310-879 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 310-879

Exam Name: SUN Certified System Support Engineer(SUN Other Certifications)

Questions and Answers: 120 Q&A

SUN 310-879 Test belongs to one of the SUN Other Certifications certified test, if needs to obtain the SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the [SUN Other Certifications](#) certified topic, in there, you will see all related SUN Other Certifications certified subject of examination. Just4Study professional provide SUN Other Certifications 310-879 the newest Q&A, completely covers 310-879 test original topic. With our complete SUN Other Certifications resources, you will minimize your SUN Other Certifications cost and be ready to pass your 310-879 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-879

Title : Sun Certified Partner Field Engineer, level 3

1. After replacing the root-disk on a Sun Fire V490, the device path needs to be updated with the new disk WWN: w21000011c63f0c94. It is necessary to update the nvramrcdevalias entries to the new device path so the system will be able to boot from the replaced root-disk.

From the OS, how should you update the nvram alias for root-disk?

- A. ok>setenv boot-device root-disk
- B. ok>nvalias root-disk /pci@8,600000/SUNW,qlc@2/fp@0,0/ssd@w21000011c63f0c94,0:a
- C. ok> devalias root-disk /pci@8,600000/SUNW,qlc@2/fp@0,0/ssd@w21000011c63f0c94,0:a
- D. #eeprom devalias root-disk /pci@8,600000/SUNW,qlc@2/fp@0,0/ssd@w21000011c63f0c94,0:a
- E. #eeprom nvramrc='devalias root-disk /pci@8,600000/SUNW,qlc@2/fp@0,0/ssd@w21000011c63f0c94,0:a'

Answer: E

2. You have replaced a failed RTS on a Sun Fire 6800. While packing your tools you hear a loud mechanical lunk. On investigation, you discover the righthand RTS has failed over to the lefthand RTS.

What should you do?

- A. Replace the other RTS unit as these normally always fail in pairs.
- B. Suspect a version mismatch between the original and your replacement RTS.
- C. Nothing, the machine will always use the functioning left-hand RTS when available.
- D. Ask the customer to connect to the System Controller and enable the replacement RTS.

Answer: C

3. You want to mount a filesystem provided by an NFS server (hostname server). This will allow the project managers to access the project filesystem (/projects). What file should you edit on the client, and what entry should you make to ensure it is mounted every time the system is booted?

- A. /etc/dfs/dfstab
share -F nfs /projects
- B. /etc/vfstab
share -F nfs /projects
- C. /etc/dfs/dfstab
dfshare -F nfs /projects
- D. /etc/vfstab
server:/projects - /projects nfs - yes -

Answer: D

4. Several previously working Sunblade 150 and associated peripheral cabinets have been moved to another part of the building. Upon powerup, one system is now exhibiting this error message:

Resetting SCSI bus data overrun - got too much data from target (4,0)

WARNING Target 4 reducing synch transfer rate

SCSI bus reset

What is the most likely cause of this problem?

- A. Faulty cable connector
- B. Faulty network cable at 4,0
- C. Mirrored root disk needs resynching
- D. Fiber optic cable not seated correctly
- E. Wrong peripheral cabinet has been reconnected

Answer: A

5. You are jumpstarting a machine across a customer network from your jumpstart server. During the Solaris startup, the hostname of your jumpstart client machine has changed from what you expected. What is the most probable explanation for this?

- A. There is another jumpstart server on the same network.
- B. A jumpstart server on a different network has responded to your client.
- C. There is an old Solaris image on the machine with the displayed hostname.
- D. This is normal, the default jumpstart client hostname is always initially different.

Answer: A

6. A customer reports that over the last few months there have been multiple occasions when power supply 0 (PS0) on their Sun Fire V440 has recorded errors in the var/adm/messages file. Due to the multiple errors, PTS has determined that the device should be replaced. All LED indicators on the system are normal.

What command, if any, at the ALOM prompt should you run to prepare the power supply for replacement?

- A. `sc> offline ps0`
- B. `sc> poweroff ps0`
- C. `sc> removefru ps0`
- D. No command is necessary because the power supplies are redundant.

Answer: C

7. A customer has installed a new disk drive in the upper left slot of their Sun Fire V240 (disk 2). They are unable to see the disk from the operating system. How can you make the disk visible to Solaris?

- A. Use `boot -r` to reconfigure the system.
- B. Run `format` at the operating system level.
- C. Reseat the drive and reboot after power down.
- D. Perform a `boot -av` to see if the system recognises the disk.

Answer: A

8. You have been asked to brief the customer regarding the power configuration of a Sun Fire 6800 for compliance with Sun Fire Midframe Server Configuration Best Practices.

The Sun Fire 6800 power configuration is as follows:

1. 2 redundant transfer units (RTU)
2. Each RTU contains 2 redundant transfer switches (RTS)

Which three should you tell the customer about best practices for power configuration? (Choose three.)

- A. If one RTS fails, the RTU will shutdown.
- B. Both RTS in an RTU should be connected to the same power source.
- C. Both RTS in each RTU do not load share and are in active-standby mode.
- D. Both RTS in each RTU perform load sharing and are in active-active mode.
- E. The Sun Fire rack has 2 RTUs that should be connected to a single power source.
- F. The Sun Fire rack has 2 RTUs that each should be connected to a separate power source.
- G. The RTS will attempt to switch incoming power to a second RTS module in the RTU in the event of a brownout or power failure.

Answer: CFG

9. You are installing SRS NetConnect so that a customer can monitor their Sun server and storage systems. What provider component is NOT catered by the Sun NetConnect 3.2 installation script?

- A. Event
- B. Storage
- C. Configuration
- D. Hardware alarm

Answer: B

10. You are configuring the name service on a Sun Fire 4800. What file defines the name service the system is using?

- A. /etc/hosts
- B. /etc/resolv.conf
- C. /etc/name_to_major
- D. /etc/nsswitch.conf

Answer: D

11. A customer has forgotten the ALOM password for a user on a Sun Fire V210 system. The system is up and running. How can you reset a forgotten ALOM from the OS?

- A. # password
- B. # userpassword [username]
- C. # scadm userpassword [username]
- D. ALOM passwords cannot be reset from the OS.

Answer: C

12. A customer's system has been running slowly, and the /opt/SUNWsrsp/ bin/srsproxy process has been identified as the problem. Its process ID is 186. What command should you use to terminate this process?

- A. killall
- B. proc kill 186
- C. pkill srsproxy
- D. pskill srsproxy

Answer: C

13. You are installing a StorEdge T3b Array and have already entered the T3 module name. According to the EIS checklist, you are required to enter the blocksize. What is the block size required by EIS?

- A. 4k
- B. 16k
- C. 32k
- D. 64k

Answer: C

14. A customer has a mirrored Sun Fire V880 with Volume Manager 3.2 under Solaris 9. The disk system has a WWN 21000004cf62d684. The mirror disk has a WWN 21000004cf62109c. The machine reboots in a loop with this message:

```
Cannot mount root on /pci@8,600000/SUNW,qlc@2/fp@0,0/disk@w21000004cf62d684,0:a
fstype ufs
```

```
panic[cpu2]/thread=10408000: vfs_mountroot: cannot mount root
```

The boot device is configured as follows:

Click the Exhibit button.

What command should you run to reboot as soon as possible?

- A. boot -ars
- B. devfsadm -r
- C. After replacing the drive, run the command drvconfig
- D. boot /pci@8,600000/SUNW,qlc@2/fp@1,1/disk@w21000004cf62109c ,0:a

Answer: D

15. You are doing the initial platform setup on a Sun StorEdge T3+ array. The customer wants to create a LUN with a Blocksize = 64k. What command serves to define the blocksize parameter of the array?

- A. set
- B. sys
- C. fru
- D. vol

Answer: B

16. You have completed an EIS installation. The customer asks for a copy of the EIS CD-ROM in case they need to rebuild the same system at a later date. What should you do?

- A. Advise the customer to order an official copy.
- B. Give the customer the discs as part of the installation.
- C. Refuse politely, the discs are not available to customers.
- D. Offer to make copy of the discs which you will pass on later.

Answer: C

17. A customer firewall is blocking ssh logon access to a newly installed desktop server. What port(s) need to be opened on the firewall to allow ssh traffic on the default port(s)?

- A. 22
- B. 443
- C. 20 and 21
- D. 22 and 23

Answer: A

18. On a Sun Fire E2900 server, you modified the LOM network to 'static' from 'dhcp' using the setupnetwork command. After answering all the questions, the LOM configuration came back to the lom> prompt. You type shownetwork and notice the network setting is still 'dhcp' instead of 'static'. Which is most likely the problem?

- A. 'Static' is an invalid option.
- B. Your LOM revision level is too low.
- C. LOM setup aborted before you finished.
- D. You need to use the resetsc command after making the change.

Answer: D

19. You are upgrading a Sun Fire V880 from 2 to 6 disks. You are currently at the root prompt. What command should you run after installing the disks to allow the system to access them?

- A. init 6
- B. format
- C. reboot
- D. test-all
- E. devfsadm

Answer: E

20. A customer has had a number of I/O problems with the primary controller on a Sun StorEdge 3510 with two controllers. Back end support requests that you remove the primary RAID Controller to isolate the problem. How can you identify which of the controllers is the primary?

- A. The SFP link status LED is off.
- B. The SFP link status LED is green.
- C. The I/O controller module LED is solid green.
- D. The I/O controller module LED is blinking green.

Answer: D

Related 310-879 Exams

| | |
|-------------------------|---|
| 310-610 | <i>EDS Certified Sun Fire Workgroup Administrator</i> |
| 310-230 | <i>Sun Certified Developer for Java Web Services</i> |
| 310-345 | <i>Sun Certified System Administrator for Sun Cluster 3.2</i> |
| 310-600 | <i>SUN SIGMA BLACK BELT CERTIFICATION</i> |
| 310-810 | <i>Sun Certified MySQL 5.0 Database Administrator Part 1</i> |
| 310-051 | <i>SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE(tm) TECHNOLOGY</i> |
| 310-052 | <i>Sun Certified Enterprise Architect for J2EE 5</i> |
| 310-811 | <i>Sun Certified MySQL 5.0 Database Administrator Part II</i> |
| 412-600 | <i>SUN Certified OpenOffice.org Writer Specialist</i> |
| 310-231 | <i>Sun Certified Developer for Java Web Services 5</i> |
| 310-105 | <i>Sun Certified Solaris Associate</i> |
| 310-330 | <i>Sun Certified Systems Installer for Sun Cluster 3.X</i> |
| 310-019 | <i>Sun Certified Associate.Java Platform.Se. Exam Version 1.0</i> |
| 310-400 | <i>Sun Certified Integrator for Identity Manager 7.1</i> |
| 310-620 | <i>EDS Certified Sun Enterprise 10K Server Administrator</i> |
| 310-066 | <i>Upgrade EXAM for the Sun Certified for Java Programmer.SE6.0</i> |
| 310-203 | <i>Sun Certified System Admin for Solaris 10 OS Upgrade</i> |
| 310-876 | <i>LEVEL2 SYSTEM SUPPORT ENGINEER EXAMINATION</i> |
| 310-878 | <i>SUN Certified Field Engineer</i> |
| 310-062 | <i>Sun Certified Enterprise Architect for the Java Platform, Enterprise Edition 5</i> |

Other SUN Exams

| | | | | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------------|
| 310-045 | 310-066 | 310-011 | 310-053 | 310-014 | 310-879 | 310-231 | 310-065Big5 |
| 310-065 | 310-056 | 310-091 | 310-105 | 212-055 | 310-203 | 310-876 | 310-610 |
| 310-345 | 310-625 | 310-082 | 311-203 | | | | |