

350-001 braindumps

Cisco CCIE

350-001: CCIE Cisco Certified Internetworking Expert

Practice Exam: 350-001 Exams

Exam Number/Code: 350-001

Exam Name: CCIE Cisco Certified Internetworking Expert

Questions and Answers: 136 Q&As

([CCIE](#))



"CCIE Cisco Certified Internetworking Expert", also known as 350-001 exam, is a Cisco certification. With the complete collection of exam questions,

Exam : [350-001](#)

Just4Study has assembled to take you through 136 Q&As to your 350-001 exam preparation. In the 350-001 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Cisco CCIE 350-001 (CCIE Cisco Certified Internetworking Expert) examination of original title complete coverage. 350-001 exam questions help you pass the exam.

Just4Study 350-001 Feature:

* High quality - High quality and valued for the 350-001 Exam: 100% Guarantee to Pass Your 350-001 exam and get your CCIE certification.

* Authoritative - Authoritative braindumps with complete details about 350-001 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CCIE resources, you will minimize your **Cisco CCIE** cost and be ready to pass your 350-001 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free CCIE demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 350-001 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 350-001 Demo Download

Just4Study offers free demo for CCIE 350-001 exam (CCIE Cisco Certified Internetworking Expert). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco CCIE 350-001** examination of original title complete coverage. 350-001 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 350-001

Exam Name: CCIE Cisco Certified Internetworking Expert(CCIE)

Questions and Answers: 136 Q&A

Cisco 350-001 Test belongs to one of the CCIE certified test, if needs to obtain the CCIE certificate, you also need to participate in other related test, the details you may visit the [CCIE](#) certified topic, in there, you will see all related CCIE certified subject of examination.

Just4Study professional provide CCIE 350-001 the newest Q&A, completely covers 350-001 test original topic. With our complete CCIE resources, you will minimize your CCIE cost and be ready to pass your 350-001 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 350-001

Title : CCIE-Routing and Switching Written exam (4.1)

1. Which of these best describes the actions taken when a VTP message is received on a switch configured with the VTP mode "transparent"?

- A. VTP updates are ignored and forwarded out all ports.
- B. VTP updates are ignored and forwarded out trunks only.
- C. VTP updates are made to the VLAN database and are forwarded out trunks only.
- D. VTP updates are ignored and are not forwarded.

Answer: B

2. Refer to the exhibit. Catalyst R is the root bridge for both VLAN 1 and VLAN 2. What is the easiest way to load-share traffic across both trunks and maintain redundancy in case a link fails, without using any type of EtherChannel link-bundling?

- A. Increase the root bridge priority (increasing the numerical priority number) for VLAN 2 on Catalyst D so that port D2 becomes the root port on Catalyst D for VLAN 2.
- B. Decrease the port priority on R2 for VLAN 2 on Catalyst R so that port D1 will be blocked for VLAN 2 and port D2 will remain blocked for VLAN 1.
- C. Decrease the path cost on R2 on Catalyst R for VLAN 2 so that port D1 will be blocked for VLAN 2 and port D2 will remain blocked for VLAN 1.
- D. Increase the root bridge priority (decreasing the numerical priority number) for VLAN 2 on Catalyst R so that R2 becomes the root port on Catalyst D for VLAN 2.

Answer: B

3. When STP UplinkFast is enabled on a switch utilizing the default bridge priority, what will the new bridge priority be changed to?

- A. 8192
- B. 16384
- C. 49152
- D. 65535

Answer: C

4. Which two of these are used in the selection of a root bridge in a network utilizing Spanning Tree Protocol IEEE 802.1D? (Choose two.)

- A. Designated Root Cost
- B. bridge ID priority
- C. max age
- D. bridge ID MAC address
- E. Designated Root Priority

F. forward delay

Answer: BD

5. The classic Spanning Tree Protocol (802.1D 1998) uses which sequence of variables to determine the best received BPDU?

- A. 1) lowest root bridge id, 2) lowest sender bridge id, 3) lowest port id, 4) lowest root path cost
- B. 1) lowest root path cost, 2) lowest root bridge id, 3) lowest sender bridge id, 4) lowest sender port id
- C. 1) lowest root bridge id, 2) lowest sender bridge id, 3) lowest root path cost 4) lowest sender port id
- D. 1) lowest root bridge id, 2) lowest root path cost, 3) lowest sender bridge id, 4) lowest sender port id

Answer: D

6. Which statement correctly describes the disabling of IP TTL propagation in an MPLS network?

- A. The TTL field from the IP packet is copied into the TTL field of the MPLS label header at the ingress edge LSR.
- B. TTL propagation cannot be disabled in an MPLS domain.
- C. TTL propagation is only disabled on the ingress edge LSR.
- D. The TTL field of the MPLS label header is set to 255.
- E. The TTL field of the IP packet is set to 0.

Answer: D

7. Which three port states are used by RSTP 802.1w? (Choose three.)

- A. Listening
- B. Learning
- C. Forwarding
- D. Blocking
- E. Discarding
- F. Disabled

Answer: BCE

8. Which of these is mandatory when configuring Cisco IOS Firewall?

- A. Cisco IOS IPS enabled on the untrusted interface
- B. NBAR enabled to perform protocol discovery and deep packet inspection
- C. a route map to define the trusted outgoing traffic
- D. a route map to define the application inspection rules
- E. an inbound extended ACL applied to the untrusted interface

Answer: E

9. Two routers configured to run BGP have been connected to a firewall, one on the inside interface and one on the outside interface. BGP has been configured so the two routers should peer, including the correct BGP session endpoint addresses and the correct BGP session hop-count limit (EBGP multihop). What is a good first test to see if BGP will work across the firewall?

- A. Attempt to TELNET from the router connected to the inside of the firewall to the router connected to the outside of the firewall. If telnet works, BGP will work, since telnet and BGP both use TCP to transport data.
- B. Ping from the router connected to the inside interface of the firewall to the router connected to the outside interface of the firewall. If you can ping between them, BGP should work, since BGP uses IP to transport packets.
- C. There is no way to make BGP work across a firewall without special configuration, so there is no simple test that will show you if BGP will work or not, other than trying to start the peering session.
- D. There is no way to make BGP work across a firewall.

Answer: A

10. Spanning Tree Protocol IEEE 802.1s defines the ability to deploy which of these?

- A. one global STP instance for all VLANs
- B. one STP instance for each VLAN
- C. one STP instance per set of VLANs

D. one STP instance per set of bridges

Answer: C

11. Refer to the exhibit. In this network, R1 is configured not to perform autosummarization within EIGRP. What routes will R3 learn from R2 through EIGRP?

- A. 172.30.1.0/24 and 10.1.2.0/24; EIGRP only performs autosummarization at the edge between two major networks.
- B. 172.30.0.0/16 and 10.1.2.0/24; R2 will perform autosummarization, although R1 will not.
- C. Since R2 is configured without autosummarization, it will not propagate the 172.30.1.0/24 route.
- D. 172.30.0.0/8 and 10.0.0.0/8.

Answer: A

12. What is the purpose of an explicit "deny any" statement at the end of an ACL?

- A. none, since it is implicit
- B. to enable Cisco IOS IPS to work properly; however, it is the deny all traffic entry that is actually required
- C. to enable Cisco IOS Firewall to work properly; however, it is the deny all traffic entry that is actually required
- D. to allow the log option to be used to log any matches
- E. to prevent sync flood attacks
- F. to prevent half-opened TCP connections

Answer: D

13. What is the purpose of the STP PortFast BPDU guard feature?

- A. enforce the placement of the root bridge in the network
- B. ensure that a port is transitioned to a forwarding state quickly if a BPDU is received
- C. enforce the borders of an STP domain
- D. ensure that any BPDUs received are forwarded into the STP domain

Answer: C

14. Refer to the exhibit. In this network, R1 has been configured to advertise a summary route, 192.168.0.0/22, to R2. R2 has been configured to advertise a summary route, 192.168.0.0/21, to R1. Both routers have been configured to remove the discard route (the route to null created when a summary route is configured) by setting the administrative distance of the discard route to 255.

What will happen if R1 receives a packet destined to 192.168.3.1?

- A. The packet will loop between R1 and R2.
- B. It is not possible to set the administrative distance on a summary to 255.
- C. The packet will be forwarded to R2, where it will be routed to null0.
- D. The packet will be dropped by R1, since there is no route to 192.168.3.1.

Answer: A

15. If a port configured with STP loop guard stops receiving BPDUs, the port will be put into which state?

- A. learning state
- B. listening state
- C. forwarding state
- D. root-inconsistent state

Answer: D

350-001 Braindumps

Related 350-001 Exams

350-001 CCIE Cisco Certified Internetworking Expert

350-018 CCIE Pre-Qualification Test for Security

350-001-LAB CCIE-ROUTING AND SWITCHING QUALIFICATION (Lab exam)

350-030 CCIE Voice Written

350-029 CCIE SP Written Exam

351-001 CCIE Routing and Switching Written 3.0 Beta

350-018-LAB CCIE Pre-Qualification Test for Security (Lab exam)

350-040 CCIE Storage Networking

350-022 CCIE Written, Service Provider: DSL

350-020 CCIE SP Optical Qualification Exam

350-024 CCIE SP IP Telephony Qualification Exam

350-027 CCIE Written: Metro Ethernet

350-025 CCIE Service Provider Dial

351-018 Security 3.0 Beta

350-050 CCIE Wireless Beta Written Exam

350-021 CCIE SP Cable Qualification Exam

350-023 CCIE Written: WAN Switching

350-026 CCIE SP Content Networking ENU

350-001GB2312-LAB CCIE-Routing and Switching Written exam

Other Cisco Exams

<u>350-023</u>	<u>642-736</u>	<u>642-371</u>	<u>646-272</u>	<u>646-056</u>	<u>646-058</u>	<u>350-020</u>	<u>642-964</u>
<u>642-055</u>	<u>642-892</u>	<u>642-741</u>	<u>650-173</u>	<u>642-873</u>	<u>642-661</u>	<u>642-651</u>	<u>646-203</u>
<u>642-503</u>	<u>646-967</u>	<u>640-460</u>	<u>350-018-</u> <u>LAB</u>				