

350-029 braindumps

Cisco CCIE

350-029: CCIE SP Written Exam

Practice Exam: 350-029 Exams

Exam Number/Code: 350-029

Exam Name: CCIE SP Written Exam

Questions and Answers: 159 Q&As

([CCIE](#))



Exam : [350-029](#)

"CCIE SP Written Exam", also known as 350-029 exam, is a Cisco certification. With the complete collection of exam questions, Just4Study has assembled to take you through 159 Q&As to your 350-029 exam preparation. In the 350-029 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Cisco CCIE 350-029 (CCIE SP Written Exam) examination of original title complete coverage. 350-029 exam questions help you pass the exam.

Just4Study 350-029 Feature:

* High quality - High quality and valued for the 350-029 Exam: 100% Guarantee to Pass Your 350-029 exam and get your CCIE certification.

* Authoritative - Authoritative braindumps with complete details about 350-029 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CCIE resources, you will minimize your **Cisco CCIE** cost and be ready to pass your 350-029 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free CCIE demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 350-029 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 350-029 Demo Download

Just4Study offers free demo for CCIE 350-029 exam (CCIE SP Written Exam). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco CCIE 350-029** examination of original title complete coverage. 350-029 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 350-029

Exam Name: CCIE SP Written Exam(CCIE)

Questions and Answers: 159 Q&A

[Cisco 350-029](#) Test belongs to one of the CCIE certified test, if needs to obtain the CCIE certificate, you also need to

participate in other related test, the details you may visit the [CCIE](#) certified topic, in there, you will see all related CCIE certified subject of examination.

Just4Study professional provide CCIE 350-029 the newest Q&A, completely covers 350-029 test original topic. With our complete CCIE resources, you will minimize your CCIE cost and be ready to pass your 350-029 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 350-029

Title : CCIE Service Provider Written Exam

1. Which of the following statements is correct regarding PIM Sparse Mode operations?

- A. It does not support all underlying unicast routing protocols like BGP.
- B. It supports shared trees only assuming all hosts want the multicast traffic.
- C. Receivers are "registered" with RP by their first-hop router.
- D. Receivers are "joined" to the Shared Tree (rooted at the RP) by their local Designated Router (DR).
- E. From the RP, traffic flows down a Source Tree to each receiver.

Answer: D

2. BGP best route selection process is based on what?

- A. lowest cost
- B. highest bandwidth
- C. lowest hop-count
- D. path attributes
- E. lowest delay
- F. lowest delay and highest bandwidth

Answer: D

3. RIPv2 differs from RIPv1 in that:

- A. It uses multicast address 224.0.0.10, instead of broadcast.
- B. It uses multicast address 224.0.0.9, instead of broadcast.
- C. It can use either multicast or broadcast addresses, instead of just broadcast.
- D. It sends incremental updates, instead of periodic updates.
- E. It is classless, instead of classful.
- F. It supports authentication, and RIPv1 does not.

Answer: BEF

4. With EIGRP DUAL, a feasible successor is considered loop-free if which condition is true?

- A. Its AD is equal to the successor's FD
- B. Its AD is greater than the successor's FD
- C. Its AD is less than the successor's FD
- D. Its AD is equal to the metric of the successor
- E. Its FD is equal to the metric of the successor

Answer: C

5. Which two statements regarding the IS-IS DIS election process are true? (Choose Two.)

- A. A priority of 0 will prevent a router from becoming a DIS.
- B. If the DIS becomes unavailable the backup DIS is promoted to DIS.

- C. Adding a router with a higher priority than the current DIS will result in the new router becoming DIS.
- D. Separate L1 and L2 election processes are held on a broadcast network.
- E. L1 routers on a broadcast network only establish adjacencies with the DIS.
- F. If there is a tie based on priority, the router whose attached interface has the lowest MAC address becomes the DIS.

Answer: CD

6. What bit should be set in the link state PDUs in an IS-IS level-1-2 router to indicate that they are a potential exit point out of the area?

- A. ATT (Attached) bit
- B. IS-Type bits
- C. P (Partition) bit
- D. Down bit
- E. PN (Pseudonode) bit
- F. ABR (Area Border Router) bit

Answer: A

7. The show ip ospf database external command displays information about which OSPF LSA type?

- A. LSA type 1
- B. LSA type 2
- C. LSA type 3
- D. LSA type 5
- E. LSA type 7
- F. LSA type 9

Answer: D

8. Which MQC-based output queueing method is designed to support multiple traffic classes including VoIP traffic, mission-critical traffic, bulk traffic, interactive traffic and default class traffic?

- A. CBWFQ
- B. CB-WRED
- C. LLQ
- D. Custom Queueing
- E. WRR Queueing

Answer: C

9. router bgp 1

neighbor 1.1.1.1 remote-as 2

The above bgp configuration has what effect on the configured router?

- A. Allows incoming TCP connections destined to port 179
- B. Allows incoming TCP connections sourced from port 179
- C. Allows incoming TCP connections from 1.1.1.1 and destined to, or sourced from port 179
- D. Allows incoming TCP connections from 1.1.1.1 that are destined to port 179
- E. Allows incoming TCP connections from 1.1.1.1 that are sourced from port 179

Answer: D

10. BGP Community can be set in IOS using which configuration?

- A. The neighbor {ip-address} prefix-list command within the BGP routing process
- B. The neighbor {ip-address} update-source command within the BGP routing process
- C. The network command within the BGP routing process
- D. The set command within a route-map
- E. The send-community command within a route-map

Answer: D

11. In Multicast VPN (MVPN) implementations, which two of the following statements are true regarding the Default MDT Group? (Choose two)

- A. It is used for PIM control traffic.
- B. It is optionally configured for a high bandwidth multicast source to reduce multicast traffic replication to uninterested PE routers.
- C. Within the VRF configuration in the PE router, multiple Default MDT groups are configured so each VRF can support multiple multicast sources.
- D. There is a reduced multicast state in the MPLS core P routers.
- E. When multicast traffic exceeds a certain configured threshold, traffic from the Data MDT is switched to the Default MDT to conserve bandwidth.

Answer: AD

12. Refer to the exhibit. Your customer has enabled IPv6 on routers R1 and R2 and they can no longer reach R3. Which two steps should be taken to restore reachability to R3? (Choose Two.)

- A. Enable wide metrics.
- B. Enable OSPFv3 to support IPv4 and IPv6 simultaneously.
- C. Configure static routes to all unreachable networks and redistribute to IS-IS.
- D. Transition to IS-IS Multiple Topology Mode on R1 and R2.
- E. Transition to IS-IS Multiple Topology Mode on R3.
- F. Create an IPv6 tunnel from R2 to R3.

Answer: AD

13. The ASBR-summary LSA is:

- A. Generated by the ASBR and describes reachability to itself
- B. Generated by the ASBR and describes reachability to the ABR
- C. Generated by the ABR and describes reachability to the ASBR for routers in a different area from the ASBR
- D. Generated by the ABR and describes reachability to the ASBR for routers in the same area with the ASBR

Answer: C

14. With the DSCP value of "101110", what does the "11" in bits 1 and 2 indicate?

- A. AF Class
- B. Drop Probability
- C. CS (Class Selector Value)
- D. PHB (Per-Hop Behavior)
- E. IP Precedence
- F. Queue Depth

Answer: B

15. What is used to provide read access to QoS configuration and statistics information on Cisco platforms that support Modular QoS CLI (MQC)?

- A. Cisco NBAR Discovery
- B. Cisco AutoQoS
- C. Cisco Class-Based QoS MIB
- D. Cisco SDM QoS Wizard
- E. CDP

Answer: C

16. When configuring Multicast VPN (MVPN) over an MPLS core, both the Default and Data MDT is configured under which configuration mode?

- A. router(config)#
- B. router(config-if)#
- C. router(config-vrf)#
- D. router(config-router)#

E. router(config-router-af)#

Answer: C

17. Which two are characteristics of an IPv6 multicast address? (Choose two)

- A. First (most significant) octet is FF in hex
- B. Starts with a prefix of FE80 to FEBF in hex
- C. Starts with a prefix of FEC0 to FEFF in hex
- D. Second octet contains a 4-bit multicast scope field
- E. Last 64 bit contains the modified MAC address of the Ethernet interface
- F. Is allocated from the unicast address space

Answer: AD

18. Which BGP Community option is used to prevent the advertisement of the BGP prefix to any other BGP peer?

- A. additive
- B. none
- C. no-export
- D. no-advertise
- E. local-as

Answer: D

19. Having the above BGP peerings, which one of the following configurations for rtrB will advertise all routes from rtrA to rtrD but not to rtrC, but advertise the routes from rtrD to rtrC?

A. router bgp 2

```
neighbor 1.1.1.1 remote-as 1
neighbor 1.1.1.1 route-map rtrA in
!
```

```
route-map rtrA permit 10
set community no-advertise
!
```

B. router bgp 2

```
neighbor 1.1.1.1 remote-as 1
neighbor 1.1.1.1 route-map rtrA in
!
```

```
route-map rtrA permit 10
set community no-export
!
```

C. router bgp 2

```
neighbor 1.1.1.1 remote-as 1
neighbor 1.1.1.1 route-map rtrA in
neighbor 3.3.3.3 remote-as 3
neighbor 3.3.3.3 route-map rtrC out
!
```

```
route-map rtrA permit 10
set community 5
!
```

```
route-map rtrC deny 10
match community 5
!
```

D. router bgp 2

```
neighbor 1.1.1.1 remote-as 1
neighbor 1.1.1.1 route-map rtrA in
neighbor 3.3.3.3 remote-as 3
neighbor 3.3.3.3 route-map rtrC out
```

```

!
route-map rtrA permit 10
set community 5
!
route-map rtrC deny 10
match community 5
!
route-map rtrC permit 20
!

```

Answer: BD

20. Which two statements best describe the definition and configuration of Route-distinguisher as defined in RFC 2547 biz - AKA IP-VPN (MPLS-VPN)?

- A. Route-Distinguisher is an 8 byte value used in creating unique VPNv4 address.
- B. Route-Distinguisher is an 8 byte BGP attribute value used in influencing BGP best path algorithm.
- C. Correct configuration to define Route-Distinguisher is:

```

ip vrf blue
rd 1:1

```

- D. Correct configuration to define Route-Distinguisher is:

```

ip vrf blue
route-distinguisher 1:1

```

Answer: AC

[350-029 Braindumps](#)

Related 350-029 Exams

[350-001](#) CCIE Cisco Certified Internetworking Expert

[350-018](#) CCIE Pre-Qualification Test for Security

[350-001-LAB](#) CCIE-ROUTING AND SWITCHING QUALIFICATION (Lab exam)

[350-030](#) CCIE Voice Written

[350-029](#) CCIE SP Written Exam

[351-001](#) CCIE Routing and Switching Written 3.0 Beta

[350-018-LAB](#) CCIE Pre-Qualification Test for Security (Lab exam)

[350-040](#) CCIE Storage Networking

[350-022](#) CCIE Written, Service Provider: DSL

[350-020](#) CCIE SP Optical Qualification Exam

[350-024](#) CCIE SP IP Telephony Qualification Exam

[350-027](#) CCIE Written: Metro Ethernet

[350-025](#) CCIE Service Provider Dial

[351-018](#) Security 3.0 Beta

[350-050](#) CCIE Wireless Beta Written Exam

[350-021](#) CCIE SP Cable Qualification Exam

[350-023](#) CCIE Written: WAN Switching

[350-026](#) CCIE SP Content Networking ENU

[350-001GB2312-LAB](#) CCIE-Routing and Switching Written exam

Other Cisco Exams

[646-171](#)

[642-241](#)

[646-222](#)

[350-040](#)

[642-372](#)

[646-976](#)

[640-863](#)

[642-436](#)

646-057

642-736

650-059

640-553

650-175

642-414

642-112

642-357

642-541

642-661

646-011

642-055