

350-040 braindumps

Cisco CCIE

350-040: CCIE Storage Networking

Practice Exam: 350-040 Exams

Exam Number/Code: 350-040

Exam Name: CCIE Storage Networking

Questions and Answers: 313 Q&As

([CCIE](#))



Exam : [350-040](#)

"CCIE Storage Networking", also known as 350-040 exam, is a Cisco certification. With the complete collection of exam questions, Just4Study has assembled to take you through 313 Q&As to your 350-040 exam preparation. In the 350-040 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Cisco CCIE 350-040 (CCIE Storage Networking) examination of original title complete coverage. 350-040 exam questions help you pass the exam.

Just4Study 350-040 Feature:

* High quality - High quality and valued for the 350-040 Exam: 100% Guarantee to Pass Your 350-040 exam and get your CCIE certification.

* Authoritative - Authoritative braindumps with complete details about 350-040 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CCIE resources, you will minimize your **Cisco CCIE** cost and be ready to pass your 350-040 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free CCIE demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 350-040 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 350-040 Demo Download

Just4Study offers free demo for CCIE 350-040 exam (CCIE Storage Networking). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco CCIE 350-040** examination of original title complete coverage. 350-040 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 350-040

Exam Name: CCIE Storage Networking(CCIE)

Questions and Answers: 313 Q&A

[Cisco 350-040](#) Test belongs to one of the CCIE certified test, if needs to obtain the CCIE certificate, you also need to

participate in other related test, the details you may visit the [CCIE](#) certified topic, in there, you will see all related CCIE certified subject of examination.

Just4Study professional provide CCIE 350-040 the newest Q&A, completely covers 350-040 test original topic. With our complete CCIE resources, you will minimize your CCIE cost and be ready to pass your 350-040 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 350-040

Title : Storage Networking

1. Which two of these statements about the R_T_TOV are true? (Choose two.)

- A. It is a timer with a default value of 100 ms that is used by the receiver logic to detect loss of synchronization.
- B. It is a timer with a default value of 100 ms that it is used for detecting protocol error conditions.
- C. Its values is two times that of E_D_TOV, and it is used as the timeout value for determining when to reinstate a Recovery_Qualifier.
- D. It is negotiated between the N_Port and the fabric during the fabric login as one of the common service parameters exchanged.
- E. It is used to time events occurring on a single link.

Answer: AE

2. In which of these situations will a fabric zone merge failure occur between fabric A and fabric B?

- A. the active zone sets in both fabric A and fabric B are an exact match before the merge is attempted
- B. the active zone set in fabric A has more zones than the active zone set in fabric B
- C. a zone in fabric A contains three members, while a zone with the same name in fabric B contains four members
- D. zone names used in fabric A are 10 characters, while the zone names in fabric B contain fewer than 10 characters
- E. a zone name in fabric A is different from a zone name in fabric B but the zone members in the two zones are the same

Answer: C

3. Is the iSNS client supported on VRRP interfaces?

- A. yes
- B. no
- C. only when the storage_services_enabler_pkg license is enabled on the switch
- D. only on Cisco IPS line cards

Answer: B

4. During principal switch selection and domain ID assignment, all frames are flooded to a destination ID of what well-known Fibre Channel address?

- A. FF.FF.FA
- B. FF.FF.FB
- C. FF.FF.FC
- D. FF.FF.FD
- E. FF.FF.FE

Answer: D

5. Which three of these Fibre Channel words are known as primitive signals? (Choose three.)

- A. NOS

- B. R_RDY
- C. CLS
- D. LIP
- E. IDLE

Answer: BCE

6. What Fibre Channel transport functions can be found at the FC-2 level?

- A. Exchange Operation, Information Unit, and Sequence
- B. Session, Exchange, and Information Unit
- C. Sequence, Frame, and Flow Control
- D. Sequence, Frame, and Information Unit
- E. Exchange Management, Link Control, and Flow Control

Answer: C

7. Can Cisco Fabric Services be used to distribute iSCSI initiator configurations?

- A. yes
- B. no
- C. only when the SAN_EXTN_OVER_IP_18_4 license is installed on the switch
- D. only when ENTERPRISE_PKG is installed on the switch

Answer: A

8. What is the function of the Link Reset Protocol within the Link Control Facility?

- A. it is part of the LIP process
- B. it is used only for Class 1 connection removal
- C. it is used to arbitrate on loops to recover from loss of synchronization
- D. it is used following a link failure and controls the NOS and LOS substates
- E. it is used following a link timeout or connection error and controls the LR and LRR substates

Answer: E

9. What SW_ILS frame is used to perform principal switch selection?

- A. RDI
- B. DIA
- C. EFP
- D. ELP
- E. ESC

Answer: C

10. What set of primitive signals is valid for arbitrated loop?

- A. NOS, LOS, LR, LRR
- B. SOF, EOF, ABTS, ACK
- C. LIFA, LIPA, LIHA, LISA
- D. LIP, LR, LRR, SOF
- E. CLS, OPN, ARB

Answer: E

11. Which three of these are attributes of the 8B/10B encoding scheme used by Fibre Channel? (Choose three.)

- A. facilitates a sufficient number of one-to-zero transitions to enable clock recovery
- B. maintains DC balance
- C. detects all transmission errors
- D. provides variable bit, byte, and word rates
- E. generates special characters beyond the eight-bit code space

Answer: ABE

12. Which configuration command enables all discovered storage to be available for iSCSI?

- A. iscsi virtual-target all
- B. iscsi target enable fc
- C. fc-target import iscsi
- D. enable fc targets dynamic
- E. iscsi import target fc

Answer: E

13. Refer to the exhibit. The fabric containing Switch A is merging with the fabric containing Switch B. Which switch will become the principal switch, and why?

- A. Switch A, because its principal switch priority value is lower
- B. Switch B, because its principal switch priority value is higher
- C. Switch A, because its principal switch WWN is lower
- D. Switch B, because its principal switch WWN is higher
- E. not enough information has been given

Answer: A

14. The Domain Identifier Assigned (DIA) SW_ILS command indicates which two of these? (Choose two.)

- A. a principal switch has been selected and the upstream neighbor switch has been assigned a domain identifier
- B. the principal switch selection and address assignment phase has been completed and the fabric is operational
- C. the receiving switch can proceed to request a domain identifier
- D. the principal switch selection has been started, but a principal switch has not been identified yet
- E. a Request Domain Identifier SW_ILS frame has been received by the principal switch

Answer: AC

15. What Fibre Channel header field indicates the frame is a Link Control frame?

- A. R_CTL
- B. CS_CTL
- C. TYPE
- D. F_CTL
- E. DF_CTL

Answer: A

16. Which three of these statements about the E_D_TOV are correct? (Choose three.)

- A. It is a timer with a default value of 100 ms that is used by the receiver logic to detect loss of synchronization.
- B. It is a timer with a default value of two seconds that is used for detecting protocol error conditions.
- C. It is a timer used as the timeout value for determining when to reinstate a Recovery_Qualifier.
- D. During fabric login, it is negotiated by the N_Port and the fabric as one of the common service parameters exchanged.
- E. It represent a limit on the amount of time within which an action can be taken after the transmission of consecutive data frames within a single sequence.

Answer: BDE

17. The Class 2 class of service always uses end-to-end acknowledgments (ACK, BSY or RJT) for every data frame. What else is true of Class 2?

- A. It is an "unreliable" datagram service that does not guarantee fixed latency or in-order delivery.
- B. It is a "reliable" datagram service that guarantees fixed latency and in-order delivery.
- C. It is a "reliable" datagram service that does not guarantee fixed latency but guarantees in-order delivery.
- D. It is a "reliable" datagram service that does not guarantee fixed latency or in-order delivery.

Answer: D

18. If a Fibre Channel interface is receiving an NOS pattern on its interface, what pattern will the interface be transmitting?

- A. OLS
- B. LR
- C. LRR
- D. IDLE
- E. NOS

Answer: A

19. What ordered set is used to determine the class of a frame?

- A. COF
- B. SYN
- C. SOF
- D. TYP
- E. LIP

Answer: C

20. What is the correct configuration to place initiator ABC.icq into VSANs 3 and 66 exclusively?

- A. iscsi initiator name ABC.iqn
vsan 3 66
- B. iscsi initiator name ABC.iqn
no vsan 1
vsan 3 - 66
- C. iscsi initiator name ABC.iqn
no vsan 1
vsan 3
vsan 66
- D. iscsi initiator name ABC.iqn
vsan member vsan 3
vsan 66
- E. iscsi initiator name ABC.iqn
vsan member vsan 3,66

Answer: C

21. Which two of these are effects of a BF SW_ILS? (Choose two.)

- A. It causes a disruptive reconfiguration of the fabric.
- B. It causes a non-disruptive reconfiguration of the fabric.
- C. It causes a new principal switch selection to happen.
- D. It causes all the assigned addresses in the fabric to be changed, while avoiding traffic loss by holding data traffic.
- E. It helps to resolve overlapping domain identifiers.

Answer: BC

22. In Cisco MDS, how is a pWWN assigned to a dynamically assigned iSCSI?

- A. by the system
- B. by the user in the configuration of the iSCSI target
- C. by the iSCSI host
- D. created with iSCSI host name, iSCSI driver, and Connection ID
- E. by the storage system attached to Fibre Channel

Answer: A

23. Fibre Channel Protocol is a protocol consisting of several layers. What are these layers, in order from FC-0 to FC-4?

- A. Media, Encode and Decode, Framing and Control, Common Services, Upper Level Protocol
- B. Encode and Decode, Media, Framing and Control, Common Services, Upper Level Protocol
- C. Framing and Control, Encode and Decode, Media, Common Services, Upper Level Protocol

D. Upper Level Protocol, Common Services, Framing and Control, Encode and Decode, Media

E. Media, Framing and Control, Encode and Decode, Common Services, Upper Level Protocol

Answer: A

24. Which of these is used to identify the special characters used in Fibre Channel encoding?

A. K28.5

B. 8B/10B

C. 3B/4B

D. D28.5

E. idle

Answer: A

25. Which of these TCP ports does iSNS use?

A. 3205

B. 3225

C. 3226

D. 3325

Answer: A

26. All of these are functions of LIP except which one?

A. reinitialize a loop

B. perform passive attachment to loop

C. indicate loop receiver failure

D. indicate which port to reset on loop

E. acquire an AL_PA

Answer: B

27. What is the purpose of the Open Fiber Control system?

A. It defines the flow control mechanism for Fibre Channel.

B. It defines the mechanism by which Fibre Channel switches communicate with Gbics.

C. It defines a safety mechanism for shutting down laser data links.

D. It defines the distance limitations for different types of lasers.

E. It specifies the maximum bit error rate for Fibre Channel links.

Answer: C

28. What makes the R_CTL field valuable to Extended Link Services?

A. It uses hex'03' for all request frames and hex'02' for all reply frames.

B. It uses hex'02' for all request frames and hex'03' for all reply frames.

C. It uses hex'00' for all request frames and hex'01' for all reply frames.

D. It uses hex'02' for all request and reply frames (the ILS request and reply frames are not differentiated by the R_CTL field).

E. It does not have a fixed value and the value depends on the specific Internal Link Service.

Answer: B

29. Which two statements are true? (Choose two.)

A. Fabric logins are sent to destination FC-ID 0xFFFFFA.

B. Fabric logins are sent to destination FC-ID 0xFFFFFC.

C. FSPF HLO packets are sent from source FC-ID 0xFFFFFD.

D. FC-ID 0xFFFFFA is reserved for the management server.

E. Name server logins are sent to destination FC-ID 0xFFFFFD.

Answer: CD

30. Which two events will trigger a port to start a Link Initialization Protocol procedure? (Choose two.)

- A. the power is turned on
- B. a LOGO ELS command is received
- C. an internal reset is performed
- D. an interface SHUT command is issued
- E. an RSCN is received

Answer: AC

[350-040 Braindumps](#)

Related 350-040 Exams

[350-001](#) CCIE Cisco Certified Internetworking Expert

[350-018](#) CCIE Pre-Qualification Test for Security

[350-001-LAB](#) CCIE-ROUTING AND SWITCHING QUALIFICATION (Lab exam)

[350-030](#) CCIE Voice Written

[350-029](#) CCIE SP Written Exam

[351-001](#) CCIE Routing and Switching Written 3.0 Beta

[350-018-LAB](#) CCIE Pre-Qualification Test for Security (Lab exam)

[350-040](#) CCIE Storage Networking

[350-022](#) CCIE Written, Service Provider: DSL

[350-020](#) CCIE SP Optical Qualification Exam

[350-024](#) CCIE SP IP Telephony Qualification Exam

[350-027](#) CCIE Written: Metro Ethernet

[350-025](#) CCIE Service Provider Dial

[351-018](#) Security 3.0 Beta

[350-050](#) CCIE Wireless Beta Written Exam

[350-021](#) CCIE SP Cable Qualification Exam

[350-023](#) CCIE Written: WAN Switching

[350-026](#) CCIE SP Content Networking ENU

[350-001GB2312-LAB](#) CCIE-Routing and Switching Written exam

Other Cisco Exams

351-001	642-359	642-055	350-027	642-311	640-460	350-021	642-242
646-276	642-446	642-544	642-979	642-524	642-541	642-586	642-901
642-655	642-974	646-653	350-023				