

510-015 braindumps

Sybase, Inc Sybase, Inc Certification

510-015: ase 12.0 server administration professional

Practice Exam: 510-015 Exams

Exam Number/Code: 510-015

Exam Name: ase 12.0 server administration professional

Questions and Answers: 120 Q&As

([Sybase, Inc Certification](#))



"ase 12.0 server administration professional", also known as 510-015 exam, is a Sybase, Inc certification. With the complete collection of exam questions, Just4Study has assembled to take you through 120 Q&As to your 510-015 exam preparation. In the 510-015 exam resources, you will cover every field and category in Sybase, Inc Certification helping to ready you for your successful Sybase, Inc Certification.

Exam : [510-015](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Sybase, Inc Sybase, Inc Certification 510-015 (ase 12.0 server administration professional) examination of original title complete coverage. 510-015 exam questions help you pass the exam.

Just4Study 510-015 Feature:

* High quality - High quality and valued for the 510-015 Exam: 100% Guarantee to Pass Your 510-015 exam and get your Sybase, Inc Certification certification.

* Authoritative - Authoritative braindumps with complete details about 510-015 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Sybase, Inc Certification resources, you will minimize your **Sybase, Inc Sybase, Inc Certification** cost and be ready to pass your 510-015 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Sybase, Inc Certification demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 510-015 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 510-015 Demo Download

Just4Study offers free demo for Sybase, Inc Certification 510-015 exam (ase 12.0 server administration professional). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Sybase, Inc Sybase, Inc Certification 510-015** examination of original title complete coverage. 510-015 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 510-015

Exam Name: ase 12.0 server administration professional(Sybase, Inc Certification)

Questions and Answers: 120 Q&A

[Sybase, Inc 510-015](#) Test belongs to one of the Sybase, Inc Certification certified test, if needs to obtain the Sybase, Inc Certification certificate, you also need to participate in other related test, the details you may visit the [Sybase, Inc Certification](#) certified topic, in there, you will see all related Sybase, Inc Certification certified subject of examination.

Just4Study professional provide Sybase, Inc Certification 510-015 the newest Q&A, completely covers 510-015 test original topic. With our complete Sybase, Inc Certification resources, you will minimize your Sybase, Inc Certification cost and be ready to pass your 510-015 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Sybase 510-015

Title : Ase 12.0 Server Administration Professional

1. Which two actions can cause locking on system tables in tempdb? (Choose 2.)

- A. create table in tempdb
- B. select into a #temptable
- C. worktables created for reformatting
- D. selecting from a large table in tempdb

Answer: AB

2. An application uses stored procedures to perform updates, inserts and deletes for an OLTP application. Some update stored procedures optimize with a join order of table_A -> table_B. Other stored procedures optimize with a join order of table_B -> table_A. Which solution needs to be added within the stored procedures to guarantee that deadlocks are reduced or eliminated by always making the join order table_A -> table_B?

- A. Non-correlated subqueries to force outside-in processing
- B. SET FORCEPLAN ON
- C. (index tableorder 1) - an index hint applied to table_A
- D. SET SHOWPLAN ON
- E. Define join-ordered Views on the affected tables

Answer: B

3. The reorg command may be used to: (Choose 2)

- A. Compact a table that uses datarows locking.
- B. Reclaim unused space in a table that uses allpages locking.
- C. Reclaim unused space in an index that uses datapages locking.
- D. Rebuild a table that uses allpages locking.

Answer: AC

4. All of the following execution class associations exist in the ASE when user FRED, running application ctisql, logs in. Which one will be applied to FREDs session?

- A. sp_bindexclass ctisql, AP, NULL, EC1
- B. sp_bindexclass ctisql, AP, FRED, EC2
- C. sp_bindexclass FRED, LG, NULL, EC1
- D. sp_bindexclass FRED, LG, ctisql, EC2
- E. It depends on the order of the creation of the bindings

Answer: B

5. The titles table has 50,000 rows and a nonclustered index on the price column. Which of the following queries use

less logical I/Os?

- A. select "Min" = min(price), "Max" = max(price) from titles
- B. select "Min" = (select min(price) from titles), "Max" = (select max(price) from titles)
- C. They will both use the same number of I/Os

Answer: B

6. Given the following cursor code fragment,

```
declare title_cursor cursor
for select price from title
for update
go
declare @price money
open title_cursor
fetch title_cursor into @price
```

What locks are held on the row or data page with each fetch?

- A. Update locks
- B. Exclusive locks
- C. Shared locks
- D. No locks are held

Answer: A

7. What are some ways to reduce last data page lock contention for inserts? (Choose 3)

- A. alter the table to use the Datarows locking scheme
- B. alter the table to use the Datapages locking scheme
- C. partition the table
- D. create a clustered index on a random key
- E. increase the server configuration for the number of locks
- F. increase the server configuration for the deadlock checking period

Answer: ACD

8. If a DBA detects many page splits after data has been sequentially inserted by an application, what is the best option to minimize the number of future page splits?

- A. deactivate the ascinserts option on the table
- B. set the max_row_per_page to a low value
- C. set the fillfactor to a low value at server level
- D. activate the ascinserts option on the table
- E. set the fillfactor to a low value at table level

Answer: D

9. What is the purpose of dsync flag?

- A. to synchronize primary and mirrored devices
- B. to synchronize primary and secondary databases
- C. to control whether writes to operating system files are buffered or not
- D. to control Backup Server's access to a dump device

Answer: C

10. The following query is executed frequently against the database.

```
select a.au_fname, a.au_lname,
ad.street, ad.city,
ad.state, ad.zip
from authors a, author_address ad
where a.au_id = ad.au_id
```

What database denormalization technique could be used to improve the performance of this query?

- A. Move the au_lname and au_fname columns to the author_address table.
- B. Collapse the author_address and authors table into a single table.
- C. Move the city, state, and zip columns to the authors table.
- D. Create a view called mailing_address to eliminate the two table join from the query.
- E. Add the redundant column au_id to the author_address table.

Answer: B

11. The "abstract plan language" is:

- A. A language used to tell the optimizer how to process a query.
- B. The internal command language used by sp_sysmon.
- C. A new type of command language for creating very complicated queries.
- D. The language used internally by the server for planning the most efficient use of memory.

Answer: A

12. Review the sp_sysmon section below.

Procedure Cache Management per sec per xact count % of total

```

Procedure Requests 242.6 5.4 150267 n/a
Procedure Reads from Disk 1.8 0.0 1104 0.7 %
Procedure Writes to Disk 0.0 0.0 0 0.0 %
Procedure Removals 3.5 0.1 2180 n/a

```

Which statement is correct about this server's stored procedure activity?

- A. This ASE server executes one committed transaction for each stored procedure executed.
- B. 99.3% of the stored procedures are run using the WITH RECOMPILE option.
- C. This report fragment is useful when sizing the Procedure Cache of ASE.
- D. Additional online engines will be required to allow more stored procedures to execute per second.

Answer: C

13. Given: number of worker processes = 10, max parallel degree = 5, max scan parallel degree = 4. Table A has the following characteristics: Datarows locking, No indexes, a column named price, 5000 rows, 4 partitions. A user executes the following query: Select * from A where price < \$10. Which of the following conditions would cause the query to run in serial instead of parallel? (Choose 2)

- A. there are not enough worker processes available at run time
- B. the database option select into/bulkcopy/plsort is not set to true
- C. the partition skew is 2.3
- D. the database is set for single user mode
- E. max parallel degree does not match the number of partitions

Answer: AC

14. What are some ways to reduce last data page lock contention for inserts? (Choose 3)

- A. alter the table to use the Datarows locking scheme
- B. alter the table to use the Datapages locking scheme
- C. partition the table
- D. create a clustered index on a random key
- E. increase the server configuration for the number of locks
- F. increase the server configuration for the deadlock checking period

Answer: ACD

15. Given:

The employees table has an index created as follows:

```

create index emp_index1
on employees(last_name, first_name desc)

```

Which of the following queries would not require a sort? (Choose 2)

- A. select * from employees order by last_name, first_name
- B. select * from employees order by last_name ASC, first_name DESC
- C. select * from employees order by first_name DESC, last_name ASC
- D. select * from employees order by last_name DESC, first_name ASC

Answer: BD

16. The ACME company has an 8 CPU SMP system running Adaptive Server Enterprise (ASE). The ASE server has been allocated 1.5 GB of 2.0 GB of memory available. The ASE server has been allocated 2 engines. There are 1,000 concurrent users of the ASE server.

The sp_sysmon report shows the spinlock contention rate averages 70-80% for the default data cache.

Which steps can be taken to correct this performance problem?

- A. Add a 16KB buffer pool to the server.
- B. Increase the size of the tempdb database.
- C. Add two engines to the ASE server.
- D. Add named caches to and bind the appropriate objects to the named caches.
- E. Add more locks to the server.

Answer: D

17. The following are the server level lock promotion configuration parameters:

page lock promotion HWM 200

page lock promotion LWM 100

page lock promotion PCT 60

row lock promotion HWM 1800

row lock promotion LWM 1200

row lock promotion PCT 70

Table A is a datarows locked table. It has 200 data pages and every page has 10 data rows. A serial query has acquired 1400 data row locks. What kind of lock promotion will be attempted?

- A. No lock promotion
- B. Promotion to 140 page locks
- C. Promotion to 140 page locks, then to a table lock
- D. Promotion to a table lock

Answer: D

18. When a row is deleted on a table with datarows locking:

- A. Rows on the page are moved up so the empty space is at the end of the page.
- B. The space occupied by the deleted row is not reclaimed immediately.
- C. The space occupied by the deleted row is filled with zeros.
- D. The last row on the page is moved into the space created by the deleted row.

Answer: B

19. Increasing the number of pre-allocated extents to 16 is likely to help the performance of which of the following operations?

- A. index creation
- B. bcp in
- C. select into
- D. alter table lock datarows
- E. dbcc checkstorage

Answer: B

20. Which of the following statements describes readpast locking? (Choose 2)

- A. It can be specified at the session, transaction, and table level.
- B. It allows insert, update, and delete commands to read past any incompatible lock.
- C. It allows readers to not block writers.

D. It allows select and readtext queries to silently skip all rows or pages locked with incompatible locks.

Answer: BD

[510-015 Braindumps](#)

Related 510-015 Exams

[510-025](#) Adaptive Server Enterprise 15.0 Administrator Associate Exam

[510-306](#) powerbuilder 8.0 developer associate

[510-405](#) adaptive server anywhere developer-version 8.0

[510-601](#) enterprise portal developer

[510-303](#) powerbuilder 6.0 developer professional migration

[510-022](#) sybase adaptive server enterprise administrator professional

[510-010](#) ase 11.5 migration

[510-013](#) sql developer

[510-050](#) replication server 12.5 administrator prof. certification

[510-009](#) sybase sql server system 11:performance&tuning-int'l only

[510-501](#) easerver developer associate

[510-305](#) powerbuilder 7.0 developer professional

[510-701](#) Sybase IQ Administrator 12.6 Professional Exam

[510-011](#) ase 11.5 server administrator associate

[510-012](#) ase 11.5 server administrator professional

[510-308](#) sysbase powerbuilder professional 9.0

[510-802](#) Sybase PowerDesigner Data Modeling Pro. Exam(version 12.1)

[510-008](#) sql server system 11:server administration-int'l only

[510-026](#) Sybase ASE SQL Developer Professional Exam (Version 45.0)

[510-014](#) ase 12.0 server administration associate

Other Sybase, Inc Exams

[510-701](#) [510-306](#) [510-309](#) [510-308](#) [510-010](#) [510-015](#) [510-025](#) [510-601](#)

[510-033](#) [510-305](#) [510-026](#) [510-802](#) [510-008](#) [510-009](#) [510-012](#) [510-022](#)

[510-013](#) [510-405](#) [510-410](#) [510-050](#)